

Agency Patient-Related Characteristics Report

Agency Name: NEVADA COUNTY HEALTH UNIT
 Agency ID: HHAR00158
 Location: PRESCOTT, AR
 CCN: 047842 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 49
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
PATIENT HISTORY					
Demographics					
Age (years)	69.41	74.67 *	Lives with others (%)	71.43%	65.36%
Gender: Female (%)	67.35%	61.27%	Lives in congregate situation (%)	2.04%	10.39%
Race: Black (%)	44.90%	13.94% **	Availability		
Race: White (%)	55.10%	75.77% *	Around the clock (%)	77.55%	76.40%
Race: Other (%)	0.00%	10.57% *	Regular daytime (%)	2.04%	4.06%
Payment Source			Regular nighttime (%)	6.12%	5.19%
Any Medicare (%)	89.80%	93.22%	Occasional (%)	14.29%	13.43%
Any Medicaid (%)	10.20%	9.69%	None (%)	0.00%	0.93%
Any HMO (%)	30.61%	26.98%	CARE MANAGEMENT		
Medicare HMO (%)	30.61%	22.66%	ADLs		
Other (%)	2.04%	3.89%	None needed (%)	12.24%	7.37%
Episode Start			Caregiver currently provides (%)	81.63%	58.83% *
Episode timing: Early (%)	93.18%	88.34%	Caregiver training needed (%)	0.00%	26.54% **
Episode timing: Later (%)	6.82%	7.55%	Uncertain/Unlikely to be provided (%)	0.00%	3.81%
Episode timing: Unknown (%)	0.00%	4.11%	Needed, but not available (%)	6.12%	3.45%
Inpatient Discharge / Medical Regimen			IADLs		
Long-term nursing facility (%)	0.00%	0.79%	None needed (%)	2.04%	2.81%
Skilled nursing facility (%)	12.24%	14.60%	Caregiver provides (%)	91.84%	79.71%
Short-stay acute hospital (%)	57.14%	50.82%	Caregiver training needed (%)	0.00%	12.67% *
Long-term care hospital (%)	0.00%	0.68%	Uncertain/Unlikely to be provided (%)	0.00%	2.18%
Inpatient rehab hospital/unit (%)	14.29%	6.05%	Needed, but not available (%)	6.12%	2.62%
Psychiatric hospital/unit (%)	0.00%	0.47%	Frequency of ADL / IADL (1-5)	1.35	1.32
Medical Regimen Change (%)	93.88%	89.37%	Medication Administration		
Prior Conditions			None needed (%)	32.65%	20.39%
Urinary incontinence (%)	18.75%	38.80% *	Caregiver provides (%)	65.31%	49.72%
Indwelling/suprapubic catheter (%)	6.25%	2.86%	Caregiver training needed (%)	0.00%	25.13% **
Intractable pain (%)	6.25%	15.84%	Uncertain/Unlikely to be provided (%)	0.00%	2.48%
Impaired decision-making (%)	2.08%	19.82% **	Needed, but not available (%)	2.04%	2.28%
Disruptive/inappropriate behav. (%)	0.00%	1.90%	Medical Procedures		
Memory loss (%)	4.17%	13.21%	None needed (%)	40.82%	47.01%
None listed (%)	68.75%	41.94% **	Caregiver provides (%)	53.06%	21.30% **
No inpatient dc / No med. regimen chg. (%)	2.04%	5.56%	Caregiver training needed (%)	4.08%	23.48% **
Therapies			Uncertain/Unlikely to be provided (%)	0.00%	4.96%
IV/infusion therapy (%)	6.12%	3.30%	Needed, but not available (%)	2.04%	3.24%
Parenteral nutrition (%)	0.00%	0.24%	Management of Equipment		
Enteral nutrition (%)	0.00%	1.56%	None needed (%)	55.10%	63.40%
GENERAL HEALTH STATUS			Caregiver provides (%)	42.86%	21.24% **
Hospitalization Risks			Caregiver training needed (%)	2.04%	13.13%
Recent decline mental/emot/behav (%)	6.12%	15.71%	Uncertain/Unlikely to be provided (%)	0.00%	1.36%
Multiple hospitalizations (%)	22.45%	35.89%	Needed, but not available (%)	0.00%	0.87%
History of falls (%)	20.41%	32.20%	Supervision / Safety		
5 or more medications (%)	91.84%	87.63%	None needed (%)	51.02%	30.62% *
Frailty factors (%)	14.29%	33.89% *	Caregiver provides (%)	46.94%	50.04%
Other (%)	6.12%	27.84% **	Caregiver training needed (%)	0.00%	16.13% **
None (%)	2.04%	3.15%	Uncertain/Unlikely to be provided (%)	0.00%	1.63%
Overall Status			Needed, but not available (%)	2.04%	1.58%
Overall Status (0-3)	0.14	1.35 **	Advocacy		
Unknown / Unclear (%)	0.00%	0.20%	None needed (%)	10.20%	5.62%
Other Risk Factors			Caregiver provides (%)	89.80%	82.80%
Smoking (%)	24.49%	19.35%	Caregiver training needed (%)	0.00%	8.26%
Obesity (%)	14.29%	21.59%	Uncertain/Unlikely to be provided (%)	0.00%	1.65%
Alcohol dependency (%)	0.00%	3.44%	Needed, but not available (%)	0.00%	1.66%
Drug dependency (%)	0.00%	1.75%	SENSORY STATUS		
None (%)	63.27%	61.84%	Sensory Status		
LIVING ARRANGEMENT / ASSISTANCE			Vision impairment (0-2)	0.14	0.29
Current Situation			Hearing impairment (0-2)	0.12	0.38 **
Lives alone (%)	26.53%	24.26%	Verbal content understanding (0-3)	0.14	0.51 **
			Speech/language (0-5)	0.16	0.59 **
			Pain interfering with activity (0-4)	2.12	2.32

Agency Patient-Related Characteristics Report

Agency Name: NEVADA COUNTY HEALTH UNIT
 Agency ID: HHAR00158
 Location: PRESCOTT, AR
 CCN: 047842 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 49
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
INTEGUMENTARY STATUS					
Pressure Ulcers					
Pressure ulcer risk (%)	28.57%	41.44%	Bed transferring (0-5)	1.10	1.41 *
Pressure ulcer present (%)	6.12%	5.21%	Ambulation (0-6)	2.04	2.58 **
Stage II pressure ulcer count (#)	0.06	0.05	Eating (0-5)	0.47	0.71 *
Stage III pressure ulcer count (#)	0.02	0.01	Status Prior to SOC/ROC		
Stage IV pressure ulcer count (#)	0.00	0.01	Prior Self Care (0-2)	0.82	0.70
Unstageable pressure ulcer count (#)	0.18	0.02	Prior Ambulation (0-2)	0.73	0.65
Status most problematic PU (0-3)	3.00	2.88	Prior Transfer (0-2)	0.65	0.59
Stage I pressure ulcers count (0-4)	0.02	0.03	IADLs, MEDICATIONS, OTHER		
Stage most problematic PU (1-4)	2.00	2.09	IADLs		
Stasis Ulcers					
Stasis ulcer indicator (%)	2.04%	1.71%	Light meal prep (0-2)	1.10	1.27
Stasis ulcer count (0-4)	0.04	0.03	Phone use (0-5)	0.43	0.92
Status most problematic stasis (0-3)	1.00	2.66	Prior Household (0-2)	1.10	1.11
Surgical Wounds					
Surgical wound indicator (%)	20.41%	25.41%	Falls Risk		
Status most problematic surg. (0-3)	1.30	1.71	At risk of falls (%)	87.76%	91.58%
Other					
Skin lesion with intervention (%)	12.24%	24.79%	Medication Status		
PHYSIOLOGICAL STATUS					
Respiratory					
Dyspnea (0-4)	1.08	1.41	Drug regimen: problem found (%)	83.67%	21.16% **
Oxygen therapy (%)	28.57%	15.47%	Mgmt. oral medications (0-3)	1.10	1.60 *
Ventilator therapy (%)	0.00%	0.15%	Mgmt. oral medications: NA (%)	0.00%	0.54%
CPAP / BPAP therapy (%)	0.00%	3.02%	Mgmt. injected medications (0-3)	2.06	1.77
Elimination Status					
Urinary Tract Infection (%)	20.83%	10.49%	Mgmt. injected medications: NA (%)	63.27%	77.68%
Urinary incontinence/catheter (%)	48.98%	55.57%	Prior mgmt. oral medications (0-2)	0.67	0.82
Urinary incontinence frequency (0-4)	1.53	2.48 *	Prior mgmt. oral medications: NA (%)	0.00%	2.41%
Bowel incontinence (0-5)	0.14	0.39	Prior mgmt. injected medications (0-2)	1.35	0.95
Bowel ostomy (%)	0.00%	2.05%	Prior mgmt. injected medications: NA (%)	65.31%	77.18%
NEURO / EMOTIONAL / BEHAVIORAL					
Cognition					
Cognitive deficit (0-4)	0.29	0.68 **	THERAPY / PLAN OF CARE		
Confusion frequency (0-4)	0.65	0.87	Therapy Visits		
Emotional					
Anxiety level (0-3)	0.57	0.74	# Therapy visits indicated (#)	7.82	7.16
Depression evaluation indicator (%)	0.00%	5.80%	PATIENT DIAGNOSTIC INFORMATION		
PHQ-2: Interest/Pleasure (0-3)	0.06	0.27 *	Acute Conditions		
PHQ-2: Down/Depressed (0-3)	0.12	0.29	Orthopedic (%)	51.02%	39.58%
Behavioral					
Memory deficit (%)	6.12%	17.12%	Neurologic (%)	18.37%	12.97%
Impaired decision-making (%)	4.08%	22.46% **	Open wounds/lesions (%)	14.29%	7.13%
Verbal disruption (%)	0.00%	1.48%	Cardiac/peripheral vascular (%)	32.65%	31.42%
Physical aggression (%)	0.00%	0.74%	Pulmonary (%)	12.24%	18.01%
Disruptive/inappropriate behavior (%)	0.00%	0.87%	Diabetes mellitus (%)	8.16%	10.85%
Delusional, hallucinatory, etc. (%)	0.00%	1.43%	Gastrointestinal disorder (%)	10.20%	11.20%
None demonstrated (%)	93.88%	70.13% **	Contagious/communicable (%)	2.04%	3.33%
Frequency of behavioral problems (0-5)	0.24	0.77 *	Urinary incontinence/catheter (%)	22.45%	14.61%
Psychiatric nursing (%)	0.00%	1.57%	Mental/emotional (%)	0.00%	1.57%
ACTIVITIES OF DAILY LIVING					
SOC / ROC Status					
Grooming (0-3)	1.00	1.34 *	Oxygen therapy (%)	28.57%	15.47%
Dress upper body (0-3)	1.06	1.47 **	IV/infusion therapy (%)	6.12%	3.30%
Dress lower body (0-3)	1.59	1.80	Enteral/parenteral nutrition (%)	0.00%	1.79%
Bathing (0-6)	3.00	3.18	Ventilator (%)	0.00%	0.15%
Toilet transfer (0-4)	0.78	1.14 **	Chronic Conditions		
Toileting hygiene (0-3)	0.90	1.33 **	Dependence in living skills (%)	18.37%	38.84% *
			Dependence in personal care (%)	51.02%	50.03%
			Impaired ambulation/mobility (%)	55.10%	54.02%
			Urinary incontinence/catheter (%)	26.53%	40.96%
			Dependence in med. admin. (%)	61.22%	60.14%
			Chronic pain (%)	6.12%	16.87%
			Cognitive/mental/behavioral (%)	4.08%	21.25% **
			Chronic pt. with caregiver (%)	75.51%	69.13%
			Home Care Diagnoses		
			Infections/parasitic diseases (%)	4.08%	4.22%
			Neoplasms (%)	8.16%	8.51%
			Endocrine/nutrit./metabolic (%)	40.82%	42.67%
			Blood diseases (%)	6.12%	8.33%
			Mental diseases (%)	36.73%	27.66%
			Nervous system diseases (%)	28.57%	25.86%

Agency Patient-Related Characteristics Report

Agency Name: NEVADA COUNTY HEALTH UNIT
Agency ID: HHAR00158
Location: PRESCOTT, AR
CCN: 047842 **Branch:** All
Medicaid Number: 104312514
Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 49
Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean
Home Care Diagnoses		
Circulatory system diseases (%)	79.59%	77.02%
Respiratory system diseases (%)	28.57%	24.52%
Digestive system diseases (%)	20.41%	12.13%
Genitourinary sys. diseases (%)	20.41%	18.94%
Skin/subcutaneous diseases (%)	20.41%	11.67%
Musculoskeletal sys. diseases (%)	57.14%	48.35%
Ill-defined conditions (%)	32.65%	33.08%
Fractures (%)	2.04%	5.88%
Intracranial injury (%)	0.00%	0.29%
Other injury (%)	10.20%	4.82%
Adverse reactions and complications (%)	4.08%	3.63%

	Current Mean	Ref. Mean
Scheduled visit (%)	0.00%	5.54%
Other (%)	11.11%	35.71%
No hospitalization (%)	81.63%	73.58%

Asterisks represent significance levels of current and reference data comparisons.

* The probability is 1% or less that this difference is due to chance, and 99% or more that the difference is real.

** The probability is 0.1% or less that this difference is due to chance, and 99.9% or more that the difference is real.

PATIENT DISCHARGE INFORMATION

Length of Stay

LOS until discharge (in days)	66.80	59.14
LOS from 1 to 30 days (%)	32.65%	46.83%
LOS from 31 to 60 days (%)	34.69%	33.63%
LOS from 61 to 120 days (%)	16.33%	11.09%
LOS from 121 to 180 days (%)	8.16%	3.55%
LOS more than 180 days (%)	8.16%	4.90%

Reason for Emergent Care

Improper medications (%)	0.00%	1.06%
Injury from fall (%)	0.00%	7.79%
Respiratory infection (%)	20.00%	8.81%
Other respiratory (%)	0.00%	11.27%
Heart failure (%)	0.00%	7.42%
Cardiac dysrhythmia (%)	0.00%	2.75%
Myocardial infarction (%)	20.00%	3.53%
Other heart disease (%)	20.00%	1.91%
Stroke (CVA) or TIA (%)	0.00%	2.34%
Hypo/Hyperglycemia (%)	40.00%	1.76% *
GI bleeding, obstruction, etc. (%)	0.00%	3.77%
Dehydration, malnutrition (%)	0.00%	4.36%
Urinary tract infection (%)	0.00%	6.86%
IV catheter-related infection (%)	0.00%	0.39%
Wound infection (%)	20.00%	4.13%
Uncontrolled pain (%)	0.00%	5.50%
Acute mental/behav. problem (%)	0.00%	3.42%
Deep vein thrombosis (%)	0.00%	1.17%
Other (%)	0.00%	37.08%
No emergent care (%)	89.58%	77.67%

Reason for Hospitalization

Improper medications (%)	11.11%	0.80%
Injury from fall (%)	0.00%	5.83%
Respiratory infection (%)	11.11%	9.02%
Other respiratory (%)	11.11%	10.88%
Heart failure (%)	33.33%	7.52%
Cardiac dysrhythmia (%)	0.00%	2.63%
Myocardial infarction (%)	11.11%	3.29%
Other heart disease (%)	11.11%	1.94%
Stroke (CVA) or TIA (%)	0.00%	2.33%
Hypo/Hyperglycemia (%)	22.22%	1.63% *
GI bleeding, obstruction, etc. (%)	0.00%	3.53%
Dehydration, malnutrition (%)	0.00%	4.13%
Urinary tract infection (%)	22.22%	6.55%
IV catheter-related infection (%)	0.00%	0.25%
Wound infection (%)	11.11%	5.05%
Uncontrolled pain (%)	11.11%	4.07%
Acute mental/behav. Problem (%)	0.00%	3.50%
Deep vein thrombosis (%)	0.00%	1.12%

Agency Patient-Related Characteristics Report

Agency Name: NEWTON COUNTY HEALTH UNIT
 Agency ID: HHAR00181
 Location: JASPER, AR
 CCN: 047872 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 67
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
PATIENT HISTORY					
Demographics					
Age (years)	78.58	74.67	Lives with others (%)	52.24%	65.36%
Gender: Female (%)	68.66%	61.27%	Lives in congregate situation (%)	1.49%	10.39% *
Race: Black (%)	0.00%	13.94% **	Availability		
Race: White (%)	98.51%	75.77% **	Around the clock (%)	92.54%	76.40% **
Race: Other (%)	1.49%	10.57% *	Regular daytime (%)	4.48%	4.06%
Payment Source			Regular nighttime (%)	0.00%	5.19%
Any Medicare (%)	67.16%	93.22% **	Occasional (%)	1.49%	13.43% *
Any Medicaid (%)	32.84%	9.69% **	None (%)	1.49%	0.93%
Any HMO (%)	13.43%	26.98% *	CARE MANAGEMENT		
Medicare HMO (%)	13.43%	22.66%	ADLs		
Other (%)	0.00%	3.89%	None needed (%)	8.96%	7.37%
Episode Start			Caregiver currently provides (%)	70.15%	58.83%
Episode timing: Early (%)	55.56%	88.34% **	Caregiver training needed (%)	8.96%	26.54% **
Episode timing: Later (%)	44.44%	7.55% **	Uncertain/Unlikely to be provided (%)	5.97%	3.81%
Episode timing: Unknown (%)	0.00%	4.11%	Needed, but not available (%)	5.97%	3.45%
Inpatient Discharge / Medical Regimen			IADLs		
Long-term nursing facility (%)	5.97%	0.79% *	None needed (%)	4.48%	2.81%
Skilled nursing facility (%)	5.97%	14.60%	Caregiver provides (%)	80.60%	79.71%
Short-stay acute hospital (%)	62.69%	50.82%	Caregiver training needed (%)	5.97%	12.67%
Long-term care hospital (%)	0.00%	0.68%	Uncertain/Unlikely to be provided (%)	2.99%	2.18%
Inpatient rehab hospital/unit (%)	4.48%	6.05%	Needed, but not available (%)	5.97%	2.62%
Psychiatric hospital/unit (%)	0.00%	0.47%	Frequency of ADL / IADL (1-5)	1.60	1.32
Medical Regimen Change (%)	76.12%	89.37% *	Medication Administration		
Prior Conditions			None needed (%)	23.88%	20.39%
Urinary incontinence (%)	48.28%	38.80%	Caregiver provides (%)	58.21%	49.72%
Indwelling/suprapubic catheter (%)	18.97%	2.86% **	Caregiver training needed (%)	5.97%	25.13% **
Intractable pain (%)	20.69%	15.84%	Uncertain/Unlikely to be provided (%)	5.97%	2.48%
Impaired decision-making (%)	17.24%	19.82%	Needed, but not available (%)	5.97%	2.28%
Disruptive/Inappropriate behav. (%)	1.72%	1.90%	Medical Procedures		
Memory loss (%)	12.07%	13.21%	None needed (%)	50.75%	47.01%
None listed (%)	24.14%	41.94% *	Caregiver provides (%)	26.87%	21.30%
No inpatient dc / No med. regimen chg. (%)	13.43%	5.56% *	Caregiver training needed (%)	10.45%	23.48% *
Therapies			Uncertain/Unlikely to be provided (%)	2.99%	4.96%
IV/infusion therapy (%)	1.49%	3.30%	Needed, but not available (%)	8.96%	3.24%
Parenteral nutrition (%)	0.00%	0.24%	Management of Equipment		
Enteral nutrition (%)	2.99%	1.56%	None needed (%)	62.69%	63.40%
GENERAL HEALTH STATUS			Caregiver provides (%)	31.34%	21.24%
Hospitalization Risks			Caregiver training needed (%)	2.99%	13.13% *
Recent decline mental/emot/behav (%)	13.43%	15.71%	Uncertain/Unlikely to be provided (%)	0.00%	1.36%
Multiple hospitalizations (%)	37.31%	35.89%	Needed, but not available (%)	2.99%	0.87%
History of falls (%)	23.88%	32.20%	Supervision / Safety		
5 or more medications (%)	74.63%	87.63% *	None needed (%)	32.84%	30.62%
Frailty factors (%)	34.33%	33.89%	Caregiver provides (%)	56.72%	50.04%
Other (%)	19.40%	27.84%	Caregiver training needed (%)	4.48%	16.13% *
None (%)	10.45%	3.15% *	Uncertain/Unlikely to be provided (%)	1.49%	1.63%
Overall Status			Needed, but not available (%)	4.48%	1.58%
Overall Status (0-3)	1.47	1.35	Advocacy		
Unknown / Unclear (%)	1.49%	0.20%	None needed (%)	5.97%	5.62%
Other Risk Factors			Caregiver provides (%)	89.55%	82.80%
Smoking (%)	18.75%	19.35%	Caregiver training needed (%)	0.00%	8.26% *
Obesity (%)	18.75%	21.59%	Uncertain/Unlikely to be provided (%)	0.00%	1.65%
Alcohol dependency (%)	1.56%	3.44%	Needed, but not available (%)	4.48%	1.66%
Drug dependency (%)	0.00%	1.75%	SENSORY STATUS		
None (%)	67.19%	61.84%	Sensory Status		
LIVING ARRANGEMENT / ASSISTANCE			Vision impairment (0-2)	0.37	0.29
Current Situation			Hearing impairment (0-2)	0.55	0.38 *
Lives alone (%)	46.27%	24.26% **	Verbal content understanding (0-3)	0.52	0.51
			Speech/language (0-5)	0.51	0.59
			Pain interfering with activity (0-4)	2.69	2.32

Agency Patient-Related Characteristics Report

Agency Name: NEWTON COUNTY HEALTH UNIT
 Agency ID: HHAR00181
 Location: JASPER, AR
 CCN: 047872 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 67
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
INTEGUMENTARY STATUS					
Pressure Ulcers					
Pressure ulcer risk (%)	56.92%	41.44%	Bed transferring (0-5)	1.34	1.41 *
Pressure ulcer present (%)	5.97%	5.21%	Ambulation (0-6)	2.36	2.58 **
Stage II pressure ulcer count (#)	0.06	0.05	Eating (0-5)	0.61	0.71
Stage III pressure ulcer count (#)	0.00	0.01	Status Prior to SOC/ROC		
Stage IV pressure ulcer count (#)	0.00	0.01	Prior Self Care (0-2)	0.97	0.70 **
Unstageable pressure ulcer count (#)	0.01	0.02	Prior Ambulation (0-2)	0.90	0.65 *
Status most problematic PU (0-3)	3.00	2.88	Prior Transfer (0-2)	0.72	0.59
Stage I pressure ulcers count (0-4)	0.01	0.03	IADLs, MEDICATIONS, OTHER		
Stage most problematic PU (1-4)	1.75	2.09	IADLs		
Stasis Ulcers					
Stasis ulcer indicator (%)	0.00%	1.71%	Light meal prep (0-2)	1.19	1.27
Stasis ulcer count (0-4)	0.00	0.03 **	Phone use (0-5)	0.94	0.92
Status most problematic stasis (0-3)	---	2.66	Prior Household (0-2)	1.27	1.11
Surgical Wounds					
Surgical wound indicator (%)	23.88%	25.41%	Falls Risk		
Status most problematic surg. (0-3)	1.20	1.71	At risk of falls (%)	84.62%	91.58%
Other					
Skin lesion with intervention (%)	7.46%	24.79% **	Medication Status		
PHYSIOLOGICAL STATUS					
Respiratory					
Dyspnea (0-4)	1.25	1.41	Drug regimen: problem found (%)	63.64%	21.16% **
Oxygen therapy (%)	22.39%	15.47%	Mgmt. oral medications (0-3)	1.20	1.60 *
Ventilator therapy (%)	0.00%	0.15%	Mgmt. oral medications: NA (%)	0.00%	0.54%
CPAP / BPAP therapy (%)	0.00%	3.02%	Mgmt. injected medications (0-3)	2.17	1.77
Elimination Status					
Urinary Tract Infection (%)	32.81%	10.49% **	Mgmt. injected medications: NA (%)	44.78%	77.68% **
Urinary incontinence/catheter (%)	80.60%	55.57% **	Prior mgmt. oral medications (0-2)	0.85	0.82
Urinary incontinence frequency (0-4)	2.65	2.48	Prior mgmt. oral medications: NA (%)	0.00%	2.41%
Bowel incontinence (0-5)	0.67	0.39	Prior mgmt. injected medications (0-2)	1.51	0.95 **
Bowel ostomy (%)	4.48%	2.05%	Prior mgmt. injected medications: NA (%)	47.76%	77.18% **
NEURO / EMOTIONAL / BEHAVIORAL					
Cognition					
Cognitive deficit (0-4)	0.55	0.68	THERAPY / PLAN OF CARE		
Confusion frequency (0-4)	0.70	0.87	Therapy Visits		
Emotional					
Anxiety level (0-3)	0.97	0.74	# Therapy visits indicated (#)	2.04	7.16 **
Depression evaluation indicator (%)	8.20%	5.80%	PATIENT DIAGNOSTIC INFORMATION		
PHQ-2: Interest/Pleasure (0-3)	0.20	0.27	Acute Conditions		
PHQ-2: Down/Depressed (0-3)	0.22	0.29	Orthopedic (%)	23.88%	39.58% *
Behavioral					
Memory deficit (%)	10.45%	17.12%	Neurologic (%)	7.46%	12.97%
Impaired decision-making (%)	11.94%	22.46%	Open wounds/lesions (%)	4.48%	7.13%
Verbal disruption (%)	1.49%	1.48%	Cardiac/peripheral vascular (%)	17.91%	31.42%
Physical aggression (%)	1.49%	0.74%	Pulmonary (%)	23.88%	18.01%
Disruptive/inappropriate behavior (%)	1.49%	0.87%	Diabetes mellitus (%)	2.99%	10.85%
Delusional, hallucinatory, etc. (%)	2.99%	1.43%	Gastrointestinal disorder (%)	11.94%	11.20%
None demonstrated (%)	85.07%	70.13% *	Contagious/communicable (%)	2.99%	3.33%
Frequency of behavioral problems (0-5)	0.33	0.77 *	Urinary incontinence/catheter (%)	19.40%	14.61%
Psychiatric nursing (%)	1.49%	1.57%	Mental/emotional (%)	1.49%	1.57%
ACTIVITIES OF DAILY LIVING					
SOC / ROC Status					
Grooming (0-3)	1.39	1.34	Oxygen therapy (%)	22.39%	15.47%
Dress upper body (0-3)	1.37	1.47	IV/infusion therapy (%)	1.49%	3.30%
Dress lower body (0-3)	1.57	1.80	Enteral/parenteral nutrition (%)	2.99%	1.79%
Bathing (0-6)	3.27	3.18	Ventilator (%)	0.00%	0.15%
Toilet transfer (0-4)	0.93	1.14 **	Chronic Conditions		
Toileting hygiene (0-3)	0.91	1.33 **	Dependence in living skills (%)	34.33%	38.84%
			Dependence in personal care (%)	64.18%	50.03%
			Impaired ambulation/mobility (%)	59.70%	54.02%
			Urinary incontinence/catheter (%)	61.19%	40.96% **
			Dependence in med. admin. (%)	71.64%	60.14%
			Chronic pain (%)	26.87%	16.87%
			Cognitive/mental/behavioral (%)	10.45%	21.25%
			Chronic pt. with caregiver (%)	85.07%	69.13% *
			Home Care Diagnoses		
			Infections/parasitic diseases (%)	5.97%	4.22%
			Neoplasms (%)	4.48%	8.51%
			Endocrine/nutrit./metabolic (%)	41.79%	42.67%
			Blood diseases (%)	32.84%	8.33% **
			Mental diseases (%)	17.91%	27.66%
			Nervous system diseases (%)	28.36%	25.86%

Agency Patient-Related Characteristics Report

Agency Name: NEWTON COUNTY HEALTH UNIT
 Agency ID: HHAR00181
 Location: JASPER, AR
 CCN: 047872 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 67
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
Home Care Diagnoses			Scheduled visit (%)	0.00%	5.54%
Circulatory system diseases (%)	61.19%	77.02% *	Other (%)	35.00%	35.71%
Respiratory system diseases (%)	25.37%	24.52%	No hospitalization (%)	37.31%	73.58% **
Digestive system diseases (%)	22.39%	12.13%			
Genitourinary sys. diseases (%)	35.82%	18.94% **			
Skin/subcutaneous diseases (%)	10.45%	11.67%			
Musculoskeletal sys. diseases (%)	58.21%	48.35%			
Ill-defined conditions (%)	46.27%	33.08%			
Fractures (%)	4.48%	5.88%			
Intracranial injury (%)	0.00%	0.29%			
Other injury (%)	1.49%	4.82%			
Adverse reactions and complications (%)	10.45%	3.63% *			
PATIENT DISCHARGE INFORMATION					
Length of Stay					
LOS until discharge (in days)	249.54	59.14 **			
LOS from 1 to 30 days (%)	34.33%	46.83%			
LOS from 31 to 60 days (%)	13.43%	33.63% **			
LOS from 61 to 120 days (%)	17.91%	11.09%			
LOS from 121 to 180 days (%)	8.96%	3.55%			
LOS more than 180 days (%)	25.37%	4.90% **			
Reason for Emergent Care					
Improper medications (%)	0.00%	1.06%			
Injury from fall (%)	6.90%	7.79%			
Respiratory infection (%)	24.14%	8.81% *			
Other respiratory (%)	24.14%	11.27%			
Heart failure (%)	10.34%	7.42%			
Cardiac dysrhythmia (%)	0.00%	2.75%			
Myocardial infarction (%)	10.34%	3.53%			
Other heart disease (%)	0.00%	1.91%			
Stroke (CVA) or TIA (%)	0.00%	2.34%			
Hypo/Hyperglycemia (%)	0.00%	1.76%			
GI bleeding, obstruction, etc. (%)	3.45%	3.77%			
Dehydration, malnutrition (%)	0.00%	4.36%			
Urinary tract infection (%)	20.69%	6.86% *			
IV catheter-related infection (%)	0.00%	0.39%			
Wound infection (%)	0.00%	4.13%			
Uncontrolled pain (%)	6.90%	5.50%			
Acute mental/behav. problem (%)	0.00%	3.42%			
Deep vein thrombosis (%)	0.00%	1.17%			
Other (%)	31.03%	37.08%			
No emergent care (%)	56.72%	77.67% **			
Reason for Hospitalization					
Improper medications (%)	0.00%	0.80%			
Injury from fall (%)	2.50%	5.83%			
Respiratory infection (%)	32.50%	9.02% **			
Other respiratory (%)	12.50%	10.88%			
Heart failure (%)	7.50%	7.52%			
Cardiac dysrhythmia (%)	2.50%	2.63%			
Myocardial infarction (%)	5.00%	3.29%			
Other heart disease (%)	0.00%	1.94%			
Stroke (CVA) or TIA (%)	5.00%	2.33%			
Hypo/Hyperglycemia (%)	0.00%	1.63%			
GI bleeding, obstruction, etc. (%)	10.00%	3.53%			
Dehydration, malnutrition (%)	0.00%	4.13%			
Urinary tract infection (%)	25.00%	6.55% **			
IV catheter-related infection (%)	0.00%	0.25%			
Wound infection (%)	0.00%	5.05%			
Uncontrolled pain (%)	5.00%	4.07%			
Acute mental/behav. Problem (%)	0.00%	3.50%			
Deep vein thrombosis (%)	0.00%	1.12%			

Asterisks represent significance levels of current and reference data comparisons.

* The probability is 1% or less that this difference is due to chance, and 99% or more that the difference is real.

** The probability is 0.1% or less that this difference is due to chance, and 99.9% or more that the difference is real.

Agency Patient-Related Characteristics Report

Agency Name: OUACHITA COUNTY HEALTH UNIT
 Agency ID: HHAR00159
 Location: CAMDEN, AR
 CCN: 047844 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 33
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
PATIENT HISTORY					
Demographics					
Age (years)	62.82	74.67 **	Lives with others (%)	69.70%	65.36%
Gender: Female (%)	36.36%	61.27% *	Lives in congregate situation (%)	0.00%	10.39%
Race: Black (%)	42.42%	13.94% **	Availability		
Race: White (%)	57.58%	75.77%	Around the clock (%)	100.00	76.40% **
Race: Other (%)	0.00%	10.57%	Regular daytime (%)	0.00%	4.06%
Payment Source			Regular nighttime (%)	0.00%	5.19%
Any Medicare (%)	75.76%	93.22% **	Occasional (%)	0.00%	13.43%
Any Medicaid (%)	24.24%	9.69% *	None (%)	0.00%	0.93%
Any HMO (%)	21.21%	26.98%	CARE MANAGEMENT		
Medicare HMO (%)	21.21%	22.66%	ADLs		
Other (%)	12.12%	3.89%	None needed (%)	24.24%	7.37% *
Episode Start			Caregiver currently provides (%)	66.67%	58.83%
Episode timing: Early (%)	100.00	88.34%	Caregiver training needed (%)	3.03%	26.54% **
Episode timing: Later (%)	0.00%	7.55%	Uncertain/Unlikely to be provided (%)	0.00%	3.81%
Episode timing: Unknown (%)	0.00%	4.11%	Needed, but not available (%)	6.06%	3.45%
Inpatient Discharge / Medical Regimen			IADLs		
Long-term nursing facility (%)	0.00%	0.79%	None needed (%)	12.12%	2.81% *
Skilled nursing facility (%)	0.00%	14.60% *	Caregiver provides (%)	81.82%	79.71%
Short-stay acute hospital (%)	51.52%	50.82%	Caregiver training needed (%)	0.00%	12.67%
Long-term care hospital (%)	0.00%	0.68%	Uncertain/Unlikely to be provided (%)	0.00%	2.18%
Inpatient rehab hospital/unit (%)	0.00%	6.05%	Needed, but not available (%)	6.06%	2.62%
Psychiatric hospital/unit (%)	0.00%	0.47%	Frequency of ADL / IADL (1-5)	1.58	1.32
Medical Regimen Change (%)	84.85%	89.37%	Medication Administration		
Prior Conditions			None needed (%)	30.30%	20.39%
Urinary incontinence (%)	20.69%	38.80%	Caregiver provides (%)	66.67%	49.72%
Indwelling/suprapubic catheter (%)	6.90%	2.86%	Caregiver training needed (%)	0.00%	25.13% **
Intractable pain (%)	0.00%	15.84% *	Uncertain/Unlikely to be provided (%)	0.00%	2.48%
Impaired decision-making (%)	10.34%	19.82%	Needed, but not available (%)	3.03%	2.28%
Disruptive/Inappropriate behav. (%)	0.00%	1.90%	Medical Procedures		
Memory loss (%)	3.45%	13.21%	None needed (%)	27.27%	47.01%
None listed (%)	72.41%	41.94% **	Caregiver provides (%)	48.48%	21.30% **
No inpatient dc / No med. regimen chg. (%)	12.12%	5.56%	Caregiver training needed (%)	9.09%	23.48%
Therapies			Uncertain/Unlikely to be provided (%)	9.09%	4.96%
IV/infusion therapy (%)	9.09%	3.30%	Needed, but not available (%)	6.06%	3.24%
Parenteral nutrition (%)	0.00%	0.24%	Management of Equipment		
Enteral nutrition (%)	0.00%	1.56%	None needed (%)	51.52%	63.40%
GENERAL HEALTH STATUS			Caregiver provides (%)	45.45%	21.24% *
Hospitalization Risks			Caregiver training needed (%)	3.03%	13.13%
Recent decline mental/emot/behav (%)	0.00%	15.71% *	Uncertain/Unlikely to be provided (%)	0.00%	1.36%
Multiple hospitalizations (%)	21.21%	35.89%	Needed, but not available (%)	0.00%	0.87%
History of falls (%)	15.15%	32.20%	Supervision / Safety		
5 or more medications (%)	63.64%	87.63% **	None needed (%)	33.33%	30.62%
Frailty factors (%)	12.12%	33.89% *	Caregiver provides (%)	66.67%	50.04%
Other (%)	21.21%	27.84%	Caregiver training needed (%)	0.00%	16.13% *
None (%)	15.15%	3.15% *	Uncertain/Unlikely to be provided (%)	0.00%	1.63%
Overall Status			Needed, but not available (%)	0.00%	1.58%
Overall Status (0-3)	0.53	1.35 **	Advocacy		
Unknown / Unclear (%)	3.03%	0.20%	None needed (%)	27.27%	5.62% **
Other Risk Factors			Caregiver provides (%)	72.73%	82.80%
Smoking (%)	33.33%	19.35%	Caregiver training needed (%)	0.00%	8.26%
Obesity (%)	18.18%	21.59%	Uncertain/Unlikely to be provided (%)	0.00%	1.65%
Alcohol dependency (%)	9.09%	3.44%	Needed, but not available (%)	0.00%	1.66%
Drug dependency (%)	0.00%	1.75%	SENSORY STATUS		
None (%)	48.48%	61.84%	Sensory Status		
LIVING ARRANGEMENT / ASSISTANCE			Vision impairment (0-2)	0.21	0.29
Current Situation			Hearing impairment (0-2)	0.09	0.38 **
Lives alone (%)	30.30%	24.26%	Verbal content understanding (0-3)	0.30	0.51
			Speech/language (0-5)	0.61	0.59
			Pain interfering with activity (0-4)	2.03	2.32

Agency Patient-Related Characteristics Report

Agency Name: OUACHITA COUNTY HEALTH UNIT
 Agency ID: HHAR00159
 Location: CAMDEN, AR
 CCN: 047844 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 33
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
INTEGUMENTARY STATUS					
Pressure Ulcers					
Pressure ulcer risk (%)	36.36%	41.44%	Bed transferring (0-5)	0.64	1.41 **
Pressure ulcer present (%)	6.06%	5.21%	Ambulation (0-6)	1.42	2.58 **
Stage II pressure ulcer count (#)	0.06	0.05	Eating (0-5)	0.48	0.71
Stage III pressure ulcer count (#)	0.00	0.01	Status Prior to SOC/ROC		
Stage IV pressure ulcer count (#)	0.00	0.01	Prior Self Care (0-2)	0.70	0.70
Unstageable pressure ulcer count (#)	0.00	0.02	Prior Ambulation (0-2)	0.76	0.65
Status most problematic PU (0-3)	3.00	2.88	Prior Transfer (0-2)	0.64	0.59
Stage I pressure ulcers count (0-4)	0.00	0.03 **	IADLs, MEDICATIONS, OTHER		
Stage most problematic PU (1-4)	2.00	2.09	IADLs		
Stasis Ulcers					
Stasis ulcer indicator (%)	3.03%	1.71%	Light meal prep (0-2)	0.70	1.27 **
Stasis ulcer count (0-4)	0.03	0.03	Phone use (0-5)	0.24	0.92 *
Status most problematic stasis (0-3)	3.00	2.66	Prior Household (0-2)	0.85	1.11
Surgical Wounds					
Surgical wound indicator (%)	36.36%	25.41%	Falls Risk		
Status most problematic surg. (0-3)	2.09	1.71	At risk of falls (%)	90.91%	91.58%
Other					
Skin lesion with intervention (%)	15.15%	24.79%	Medication Status		
PHYSIOLOGICAL STATUS					
Respiratory					
Dyspnea (0-4)	1.39	1.41	Drug regimen: problem found (%)	75.76%	21.16% **
Oxygen therapy (%)	27.27%	15.47%	Mgmt. oral medications (0-3)	1.03	1.60 *
Ventilator therapy (%)	0.00%	0.15%	Mgmt. oral medications: NA (%)	0.00%	0.54%
CPAP / BPAP therapy (%)	0.00%	3.02%	Mgmt. injected medications (0-3)	1.17	1.77
Elimination Status					
Urinary Tract Infection (%)	3.03%	10.49%	Mgmt. injected medications: NA (%)	81.82%	77.68%
Urinary incontinence/catheter (%)	33.33%	55.57% *	Prior mgmt. oral medications (0-2)	0.64	0.82
Urinary incontinence frequency (0-4)	2.57	2.48	Prior mgmt. oral medications: NA (%)	0.00%	2.41%
Bowel incontinence (0-5)	0.13	0.39	Prior mgmt. injected medications (0-2)	0.86	0.95
Bowel ostomy (%)	6.06%	2.05%	Prior mgmt. injected medications: NA (%)	78.79%	77.18%
NEURO / EMOTIONAL / BEHAVIORAL					
Cognition					
Cognitive deficit (0-4)	0.39	0.68	THERAPY / PLAN OF CARE		
Confusion frequency (0-4)	0.55	0.87	Therapy Visits		
Emotional					
Anxiety level (0-3)	0.27	0.74 **	# Therapy visits indicated (#)	0.00	7.16 **
Depression evaluation indicator (%)	3.03%	5.80%	PATIENT DIAGNOSTIC INFORMATION		
PHQ-2: Interest/Pleasure (0-3)	0.15	0.27	Acute Conditions		
PHQ-2: Down/Depressed (0-3)	0.18	0.29	Orthopedic (%)	3.03%	39.58% **
Behavioral					
Memory deficit (%)	9.09%	17.12%	Neurologic (%)	9.09%	12.97%
Impaired decision-making (%)	6.06%	22.46%	Open wounds/lesions (%)	12.12%	7.13%
Verbal disruption (%)	0.00%	1.48%	Cardiac/peripheral vascular (%)	12.12%	31.42% *
Physical aggression (%)	0.00%	0.74%	Pulmonary (%)	18.18%	18.01%
Disruptive/Inappropriate behavior (%)	0.00%	0.87%	Diabetes mellitus (%)	6.06%	10.85%
Delusional, hallucinatory, etc. (%)	3.03%	1.43%	Gastrointestinal disorder (%)	12.12%	11.20%
None demonstrated (%)	81.82%	70.13%	Contagious/communicable (%)	6.06%	3.33%
Frequency of behavioral problems (0-5)	0.39	0.77	Urinary incontinence/catheter (%)	12.12%	14.61%
Psychiatric nursing (%)	0.00%	1.57%	Mental/emotional (%)	0.00%	1.57%
ACTIVITIES OF DAILY LIVING					
SOC / ROC Status					
Grooming (0-3)	0.88	1.34 *	Oxygen therapy (%)	27.27%	15.47%
Dress upper body (0-3)	0.91	1.47 **	IV/infusion therapy (%)	9.09%	3.30%
Dress lower body (0-3)	1.09	1.80 **	Enteral/parenteral nutrition (%)	0.00%	1.79%
Bathing (0-6)	2.06	3.18 **	Ventilator (%)	0.00%	0.15%
Toilet transfer (0-4)	0.48	1.14 **	Chronic Conditions		
Toileting hygiene (0-3)	0.48	1.33 **	Dependence in living skills (%)	9.09%	38.84% **
			Dependence in personal care (%)	45.45%	50.03%
			Impaired ambulation/mobility (%)	39.39%	54.02%
			Urinary incontinence/catheter (%)	21.21%	40.96%
			Dependence in med. admin. (%)	63.64%	60.14%
			Chronic pain (%)	6.06%	16.87%
			Cognitive/mental/behavioral (%)	9.09%	21.25%
			Chronic pt. with caregiver (%)	75.76%	69.13%
			Home Care Diagnoses		
			Infections/parasitic diseases (%)	9.09%	4.22%
			Neoplasms (%)	15.15%	8.51%
			Endocrine/nutrit./metabolic (%)	33.33%	42.67%
			Blood diseases (%)	3.03%	8.33%
			Mental diseases (%)	18.18%	27.66%
			Nervous system diseases (%)	27.27%	25.86%

Agency Patient-Related Characteristics Report

Agency Name: OUACHITA COUNTY HEALTH UNIT
Agency ID: HHAR00159
Location: CAMDEN, AR
CCN: 047844 **Branch:** All
Medicaid Number: 104312514
Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 33
Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean
Home Care Diagnoses		
Circulatory system diseases (%)	69.70%	77.02%
Respiratory system diseases (%)	21.21%	24.52%
Digestive system diseases (%)	9.09%	12.13%
Genitourinary sys. diseases (%)	9.09%	18.94%
Skin/subcutaneous diseases (%)	27.27%	11.67% *
Musculoskeletal sys. diseases (%)	30.30%	48.35%
Ill-defined conditions (%)	30.30%	33.08%
Fractures (%)	0.00%	5.88%
Intracranial injury (%)	0.00%	0.29%
Other injury (%)	12.12%	4.82%
Adverse reactions and complications (%)	27.27%	3.63% **

	Current Mean	Ref. Mean
Scheduled visit (%)	22.22%	5.54%
Other (%)	44.44%	35.71%
No hospitalization (%)	72.73%	73.58%

Asterisks represent significance levels of current and reference data comparisons.

* The probability is 1% or less that this difference is due to chance, and 99% or more that the difference is real.

** The probability is 0.1% or less that this difference is due to chance, and 99.9% or more that the difference is real.

PATIENT DISCHARGE INFORMATION

Length of Stay

LOS until discharge (in days)	62.61	59.14
LOS from 1 to 30 days (%)	45.45%	46.83%
LOS from 31 to 60 days (%)	33.33%	33.63%
LOS from 61 to 120 days (%)	6.06%	11.09%
LOS from 121 to 180 days (%)	6.06%	3.55%
LOS more than 180 days (%)	9.09%	4.90%

Reason for Emergent Care

Improper medications (%)	0.00%	1.06%
Injury from fall (%)	0.00%	7.79%
Respiratory infection (%)	0.00%	8.81%
Other respiratory (%)	11.11%	11.27%
Heart failure (%)	11.11%	7.42%
Cardiac dysrhythmia (%)	0.00%	2.75%
Myocardial infarction (%)	0.00%	3.53%
Other heart disease (%)	0.00%	1.91%
Stroke (CVA) or TIA (%)	0.00%	2.34%
Hypo/Hyperglycemia (%)	0.00%	1.76%
GI bleeding, obstruction, etc. (%)	0.00%	3.77%
Dehydration, malnutrition (%)	0.00%	4.36%
Urinary tract infection (%)	22.22%	6.86%
IV catheter-related infection (%)	0.00%	0.39%
Wound infection (%)	0.00%	4.13%
Uncontrolled pain (%)	0.00%	5.50%
Acute mental/behav. problem (%)	0.00%	3.42%
Deep vein thrombosis (%)	0.00%	1.17%
Other (%)	55.56%	37.08%
No emergent care (%)	72.73%	77.67%

Reason for Hospitalization

Improper medications (%)	0.00%	0.80%
Injury from fall (%)	0.00%	5.83%
Respiratory infection (%)	11.11%	9.02%
Other respiratory (%)	0.00%	10.88%
Heart failure (%)	11.11%	7.52%
Cardiac dysrhythmia (%)	0.00%	2.63%
Myocardial infarction (%)	0.00%	3.29%
Other heart disease (%)	0.00%	1.94%
Stroke (CVA) or TIA (%)	0.00%	2.33%
Hypo/Hyperglycemia (%)	0.00%	1.63%
GI bleeding, obstruction, etc. (%)	0.00%	3.53%
Dehydration, malnutrition (%)	0.00%	4.13%
Urinary tract infection (%)	11.11%	6.55%
IV catheter-related infection (%)	0.00%	0.25%
Wound infection (%)	0.00%	5.05%
Uncontrolled pain (%)	0.00%	4.07%
Acute mental/behav. Problem (%)	0.00%	3.50%
Deep vein thrombosis (%)	0.00%	1.12%

Agency Patient-Related Characteristics Report

Agency Name: PERRY COUNTY HEALTH UNIT
 Agency ID: HHAR00160
 Location: PERRYVILLE, AR
 CCN: 047845 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 46
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
PATIENT HISTORY					
Demographics					
Age (years)	75.00	74.67	Lives with others (%)	80.43%	65.36%
Gender: Female (%)	63.04%	61.27%	Lives in congregate situation (%)	0.00%	10.39% *
Race: Black (%)	0.00%	13.94% *	Availability		
Race: White (%)	100.00	75.77% **	Around the clock (%)	84.78%	76.40%
Race: Other (%)	0.00%	10.57% *	Regular daytime (%)	0.00%	4.06%
Payment Source			Regular nighttime (%)	4.35%	5.19%
Any Medicare (%)	86.96%	93.22%	Occasional (%)	10.87%	13.43%
Any Medicaid (%)	17.39%	9.69%	None (%)	0.00%	0.93%
Any HMO (%)	17.39%	26.98%	CARE MANAGEMENT		
Medicare HMO (%)	17.39%	22.66%	ADLs		
Other (%)	0.00%	3.89%	None needed (%)	13.04%	7.37%
Episode Start			Caregiver currently provides (%)	65.22%	58.83%
Episode timing: Early (%)	92.68%	88.34%	Caregiver training needed (%)	4.35%	26.54% **
Episode timing: Later (%)	7.32%	7.55%	Uncertain/Unlikely to be provided (%)	10.87%	3.81%
Episode timing: Unknown (%)	0.00%	4.11%	Needed, but not available (%)	6.52%	3.45%
Inpatient Discharge / Medical Regimen			IADLs		
Long-term nursing facility (%)	0.00%	0.79%	None needed (%)	0.00%	2.81%
Skilled nursing facility (%)	0.00%	14.60% **	Caregiver provides (%)	84.78%	79.71%
Short-stay acute hospital (%)	45.65%	50.82%	Caregiver training needed (%)	6.52%	12.67%
Long-term care hospital (%)	2.17%	0.68%	Uncertain/Unlikely to be provided (%)	4.35%	2.18%
Inpatient rehab hospital/unit (%)	26.09%	6.05% **	Needed, but not available (%)	4.35%	2.62%
Psychiatric hospital/unit (%)	0.00%	0.47%	Frequency of ADL / IADL (1-5)	1.35	1.32
Medical Regimen Change (%)	76.09%	89.37% *	Medication Administration		
Prior Conditions			None needed (%)	43.48%	20.39% **
Urinary incontinence (%)	14.63%	38.80% **	Caregiver provides (%)	45.65%	49.72%
Indwelling/suprapubic catheter (%)	7.32%	2.86%	Caregiver training needed (%)	4.35%	25.13% **
Intractable pain (%)	2.44%	15.84%	Uncertain/Unlikely to be provided (%)	2.17%	2.48%
Impaired decision-making (%)	7.32%	19.82%	Needed, but not available (%)	4.35%	2.28%
Disruptive/inappropriate behav. (%)	0.00%	1.90%	Medical Procedures		
Memory loss (%)	7.32%	13.21%	None needed (%)	56.52%	47.01%
None listed (%)	75.61%	41.94% **	Caregiver provides (%)	17.39%	21.30%
No inpatient dc / No med. regimen chg. (%)	10.87%	5.56%	Caregiver training needed (%)	13.04%	23.48%
Therapies			Uncertain/Unlikely to be provided (%)	8.70%	4.96%
IV/infusion therapy (%)	10.87%	3.30%	Needed, but not available (%)	4.35%	3.24%
Parenteral nutrition (%)	0.00%	0.24%	Management of Equipment		
Enteral nutrition (%)	0.00%	1.56%	None needed (%)	73.91%	63.40%
GENERAL HEALTH STATUS			Caregiver provides (%)	19.57%	21.24%
Hospitalization Risks			Caregiver training needed (%)	6.52%	13.13%
Recent decline mental/emot/behav (%)	13.04%	15.71%	Uncertain/Unlikely to be provided (%)	0.00%	1.36%
Multiple hospitalizations (%)	32.61%	35.89%	Needed, but not available (%)	0.00%	0.87%
History of falls (%)	28.26%	32.20%	Supervision / Safety		
5 or more medications (%)	80.43%	87.63%	None needed (%)	63.04%	30.62% **
Frailty factors (%)	30.43%	33.89%	Caregiver provides (%)	30.43%	50.04% *
Other (%)	21.74%	27.84%	Caregiver training needed (%)	0.00%	16.13% **
None (%)	4.35%	3.15%	Uncertain/Unlikely to be provided (%)	2.17%	1.63%
Overall Status			Needed, but not available (%)	4.35%	1.58%
Overall Status (0-3)	0.98	1.35 **	Advocacy		
Unknown / Unclear (%)	0.00%	0.20%	None needed (%)	19.57%	5.62% **
Other Risk Factors			Caregiver provides (%)	76.09%	82.80%
Smoking (%)	17.39%	19.35%	Caregiver training needed (%)	0.00%	8.26%
Obesity (%)	13.04%	21.59%	Uncertain/Unlikely to be provided (%)	0.00%	1.65%
Alcohol dependency (%)	2.17%	3.44%	Needed, but not available (%)	4.35%	1.66%
Drug dependency (%)	0.00%	1.75%	SENSORY STATUS		
None (%)	76.09%	61.84%	Sensory Status		
LIVING ARRANGEMENT / ASSISTANCE			Vision impairment (0-2)	0.13	0.29 *
Current Situation			Hearing impairment (0-2)	0.28	0.38
Lives alone (%)	19.57%	24.26%	Verbal content understanding (0-3)	0.22	0.51 **
			Speech/language (0-5)	0.35	0.59 *
			Pain interfering with activity (0-4)	1.33	2.32 **

Agency Patient-Related Characteristics Report

Agency Name: PERRY COUNTY HEALTH UNIT
 Agency ID: HHAR00160
 Location: PERRYVILLE, AR
 CCN: 047845 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 46
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
INTEGUMENTARY STATUS					
Pressure Ulcers					
Pressure ulcer risk (%)	10.87%	41.44% **	Bed transferring (0-5)	0.89	1.41 **
Pressure ulcer present (%)	8.70%	5.21%	Ambulation (0-6)	2.11	2.58 **
Stage II pressure ulcer count (#)	0.07	0.05	Eating (0-5)	0.57	0.71
Stage III pressure ulcer count (#)	0.00	0.01	Status Prior to SOC/ROC		
Stage IV pressure ulcer count (#)	0.02	0.01	Prior Self Care (0-2)	0.80	0.70
Unstageable pressure ulcer count (#)	0.02	0.02	Prior Ambulation (0-2)	0.67	0.65
Status most problematic PU (0-3)	2.75	2.88	Prior Transfer (0-2)	0.57	0.59
Stage I pressure ulcers count (0-4)	0.00	0.03 **	IADLs, MEDICATIONS, OTHER		
Stage most problematic PU (1-4)	2.67	2.09	IADLs		
Stasis Ulcers					
Stasis ulcer indicator (%)	0.00%	1.71%	Light meal prep (0-2)	1.15	1.27
Stasis ulcer count (0-4)	0.00	0.03 **	Phone use (0-5)	1.02	0.92
Status most problematic stasis (0-3)	---	2.66	Prior Household (0-2)	1.02	1.11
Surgical Wounds					
Surgical wound indicator (%)	30.43%	25.41%	Falls Risk		
Status most problematic surg. (0-3)	1.38	1.71	At risk of falls (%)	93.33%	91.58%
Other					
Skin lesion with intervention (%)	6.52%	24.79% *	Medication Status		
PHYSIOLOGICAL STATUS					
Respiratory					
Dyspnea (0-4)	0.98	1.41 *	Drug regimen: problem found (%)	66.67%	21.16% **
Oxygen therapy (%)	23.91%	15.47%	Mgmt. oral medications (0-3)	0.98	1.60 **
Ventilator therapy (%)	0.00%	0.15%	Mgmt. oral medications: NA (%)	0.00%	0.54%
CPAP / BPAP therapy (%)	0.00%	3.02%	Mgmt. injected medications (0-3)	1.18	1.77
Elimination Status					
Urinary Tract Infection (%)	11.36%	10.49%	Mgmt. injected medications: NA (%)	73.91%	77.68%
Urinary incontinence/catheter (%)	32.61%	55.57% *	Prior mgmt. oral medications (0-2)	0.80	0.82
Urinary incontinence frequency (0-4)	3.57	2.48	Prior mgmt. oral medications: NA (%)	2.17%	2.41%
Bowel incontinence (0-5)	0.23	0.39	Prior mgmt. injected medications (0-2)	0.78	0.95
Bowel ostomy (%)	4.35%	2.05%	Prior mgmt. injected medications: NA (%)	80.43%	77.18%
NEURO / EMOTIONAL / BEHAVIORAL					
Cognition					
Cognitive deficit (0-4)	0.35	0.68 **	THERAPY / PLAN OF CARE		
Confusion frequency (0-4)	0.61	0.87	Therapy Visits		
Emotional					
Anxiety level (0-3)	0.41	0.74 *	# Therapy visits indicated (#)	8.18	7.16
Depression evaluation indicator (%)	0.00%	5.80%	PATIENT DIAGNOSTIC INFORMATION		
PHQ-2: Interest/Pleasure (0-3)	0.00	0.27 **	Acute Conditions		
PHQ-2: Down/Depressed (0-3)	0.00	0.29 **	Orthopedic (%)	39.13%	39.58%
Behavioral					
Memory deficit (%)	8.70%	17.12%	Neurologic (%)	6.52%	12.97%
Impaired decision-making (%)	4.35%	22.46% **	Open wounds/lesions (%)	4.35%	7.13%
Verbal disruption (%)	0.00%	1.48%	Cardiac/peripheral vascular (%)	6.52%	31.42% **
Physical aggression (%)	0.00%	0.74%	Pulmonary (%)	6.52%	18.01%
Disruptive/Inappropriate behavior (%)	0.00%	0.87%	Diabetes mellitus (%)	6.52%	10.85%
Delusional, hallucinatory, etc. (%)	0.00%	1.43%	Gastrointestinal disorder (%)	15.22%	11.20%
None demonstrated (%)	91.30%	70.13% **	Contagious/communicable (%)	4.35%	3.33%
Frequency of behavioral problems (0-5)	0.26	0.77	Urinary incontinence/catheter (%)	8.70%	14.61%
Psychiatric nursing (%)	0.00%	1.57%	Mental/emotional (%)	0.00%	1.57%
ACTIVITIES OF DAILY LIVING					
SOC / ROC Status					
Grooming (0-3)	1.22	1.34	Oxygen therapy (%)	23.91%	15.47%
Dress upper body (0-3)	1.24	1.47	IV/infusion therapy (%)	10.87%	3.30%
Dress lower body (0-3)	1.41	1.80 *	Enteral/parenteral nutrition (%)	0.00%	1.79%
Bathing (0-6)	2.50	3.18 *	Ventilator (%)	0.00%	0.15%
Toilet transfer (0-4)	0.76	1.14 **	Chronic Conditions		
Toileting hygiene (0-3)	0.70	1.33 **	Dependence in living skills (%)	30.43%	38.84%
			Dependence in personal care (%)	50.00%	50.03%
			Impaired ambulation/mobility (%)	43.48%	54.02%
			Urinary incontinence/catheter (%)	23.91%	40.96%
			Dependence in med. admin. (%)	52.17%	60.14%
			Chronic pain (%)	2.17%	16.87% *
			Cognitive/mental/behavioral (%)	4.35%	21.25% *
			Chronic pt. with caregiver (%)	69.57%	69.13%
			Home Care Diagnoses		
			Infections/parasitic diseases (%)	10.87%	4.22%
			Neoplasms (%)	15.22%	8.51%
			Endocrine/nutrit./metabolic (%)	41.30%	42.67%
			Blood diseases (%)	2.17%	8.33%
			Mental diseases (%)	41.30%	27.66%
			Nervous system diseases (%)	32.61%	25.86%

Agency Patient-Related Characteristics Report

Agency Name: PERRY COUNTY HEALTH UNIT
Agency ID: HHAR00160
Location: PERRYVILLE, AR
CCN: 047845 **Branch:** All
Medicaid Number: 104312514
Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 46
Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
Home Care Diagnoses					
Circulatory system diseases (%)	58.70%	77.02% *	Scheduled visit (%)	5.56%	5.54%
Respiratory system diseases (%)	21.74%	24.52%	Other (%)	38.89%	35.71%
Digestive system diseases (%)	30.43%	12.13% **	No hospitalization (%)	60.87%	73.58%
Genitourinary sys. diseases (%)	19.57%	18.94%			
Skin/subcutaneous diseases (%)	15.22%	11.67%			
Musculoskeletal sys. diseases (%)	52.17%	48.35%			
Ill-defined conditions (%)	41.30%	33.08%			
Fractures (%)	4.35%	5.88%			
Intracranial injury (%)	0.00%	0.29%			
Other injury (%)	15.22%	4.82% *			
Adverse reactions and complications (%)	6.52%	3.63%			

PATIENT DISCHARGE INFORMATION

Length of Stay

LOS until discharge (in days)	76.39	59.14
LOS from 1 to 30 days (%)	45.65%	46.83%
LOS from 31 to 60 days (%)	28.26%	33.63%
LOS from 61 to 120 days (%)	13.04%	11.09%
LOS from 121 to 180 days (%)	2.17%	3.55%
LOS more than 180 days (%)	10.87%	4.90%

Reason for Emergent Care

Improper medications (%)	5.88%	1.06%
Injury from fall (%)	17.65%	7.79%
Respiratory infection (%)	17.65%	8.81%
Other respiratory (%)	17.65%	11.27%
Heart failure (%)	0.00%	7.42%
Cardiac dysrhythmia (%)	0.00%	2.75%
Myocardial infarction (%)	0.00%	3.53%
Other heart disease (%)	0.00%	1.91%
Stroke (CVA) or TIA (%)	5.88%	2.34%
Hypo/Hyperglycemia (%)	0.00%	1.76%
GI bleeding, obstruction, etc. (%)	0.00%	3.77%
Dehydration, malnutrition (%)	5.88%	4.36%
Urinary tract infection (%)	11.76%	6.86%
IV catheter-related infection (%)	0.00%	0.39%
Wound infection (%)	0.00%	4.13%
Uncontrolled pain (%)	5.88%	5.50%
Acute mental/behav. problem (%)	0.00%	3.42%
Deep vein thrombosis (%)	0.00%	1.17%
Other (%)	17.65%	37.08%
No emergent care (%)	63.04%	77.67%

Reason for Hospitalization

Improper medications (%)	0.00%	0.80%
Injury from fall (%)	11.11%	5.83%
Respiratory infection (%)	11.11%	9.02%
Other respiratory (%)	11.11%	10.88%
Heart failure (%)	5.56%	7.52%
Cardiac dysrhythmia (%)	0.00%	2.63%
Myocardial infarction (%)	0.00%	3.29%
Other heart disease (%)	0.00%	1.94%
Stroke (CVA) or TIA (%)	5.56%	2.33%
Hypo/Hyperglycemia (%)	0.00%	1.63%
GI bleeding, obstruction, etc. (%)	0.00%	3.53%
Dehydration, malnutrition (%)	0.00%	4.13%
Urinary tract infection (%)	5.56%	6.55%
IV catheter-related infection (%)	0.00%	0.25%
Wound infection (%)	5.56%	5.05%
Uncontrolled pain (%)	5.56%	4.07%
Acute mental/behav. Problem (%)	0.00%	3.50%
Deep vein thrombosis (%)	0.00%	1.12%

Asterisks represent significance levels of current and reference data comparisons.

* The probability is 1% or less that this difference is due to chance, and 99% or more that the difference is real.

** The probability is 0.1% or less that this difference is due to chance, and 99.9% or more that the difference is real.

Agency Patient-Related Characteristics Report

Agency Name: PHILLIPS COUNTY HEALTH UNIT
 Agency ID: HHAR00161
 Location: WEST HELENA, AR
 CCN: 047846 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 323
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
PATIENT HISTORY					
Demographics					
Age (years)	70.46	74.67 **	Lives with others (%)	73.68%	65.36% *
Gender: Female (%)	65.94%	61.27%	Lives in congregate situation (%)	0.00%	10.39% **
Race: Black (%)	59.44%	13.94% **	Availability		
Race: White (%)	39.63%	75.77% **	Around the clock (%)	92.57%	76.40% **
Race: Other (%)	0.93%	10.57% **	Regular daytime (%)	3.10%	4.06%
Payment Source			Regular nighttime (%)	2.79%	5.19%
Any Medicare (%)	66.56%	93.22% **	Occasional (%)	1.55%	13.43% **
Any Medicaid (%)	33.75%	9.69% **	None (%)	0.00%	0.93%
Any HMO (%)	12.38%	26.98% **	CARE MANAGEMENT		
Medicare HMO (%)	12.38%	22.66% **	ADLs		
Other (%)	1.24%	3.89% *	None needed (%)	14.55%	7.37% **
Episode Start			Caregiver currently provides (%)	50.15%	58.83% *
Episode timing: Early (%)	89.04%	88.34%	Caregiver training needed (%)	26.32%	26.54%
Episode timing: Later (%)	10.96%	7.55%	Uncertain/Unlikely to be provided (%)	3.41%	3.81%
Episode timing: Unknown (%)	0.00%	4.11% **	Needed, but not available (%)	5.57%	3.45%
Inpatient Discharge / Medical Regimen			IADLs		
Long-term nursing facility (%)	0.93%	0.79%	None needed (%)	7.74%	2.81% **
Skilled nursing facility (%)	4.64%	14.60% **	Caregiver provides (%)	60.06%	79.71% **
Short-stay acute hospital (%)	60.06%	50.82% **	Caregiver training needed (%)	25.70%	12.67% **
Long-term care hospital (%)	0.62%	0.68%	Uncertain/Unlikely to be provided (%)	2.17%	2.18%
Inpatient rehab hospital/unit (%)	5.57%	6.05%	Needed, but not available (%)	4.33%	2.62%
Psychiatric hospital/unit (%)	0.00%	0.47%	Frequency of ADL / IADL (1-5)	1.30	1.32
Medical Regimen Change (%)	79.88%	89.37% **	Medication Administration		
Prior Conditions			None needed (%)	32.51%	20.39% **
Urinary incontinence (%)	38.65%	38.80%	Caregiver provides (%)	45.82%	49.72%
Indwelling/suprapubic catheter (%)	6.38%	2.86% *	Caregiver training needed (%)	17.03%	25.13% **
Intractable pain (%)	4.96%	15.84% **	Uncertain/Unlikely to be provided (%)	2.48%	2.48%
Impaired decision-making (%)	18.79%	19.82%	Needed, but not available (%)	2.17%	2.28%
Disruptive/Inappropriate behav. (%)	0.71%	1.90%	Medical Procedures		
Memory loss (%)	11.35%	13.21%	None needed (%)	59.75%	47.01% **
None listed (%)	46.45%	41.94%	Caregiver provides (%)	20.74%	21.30%
No inpatient dc / No med. regimen chg. (%)	12.38%	5.56% **	Caregiver training needed (%)	14.24%	23.48% **
Therapies			Uncertain/Unlikely to be provided (%)	2.48%	4.96%
IV/infusion therapy (%)	2.17%	3.30%	Needed, but not available (%)	2.79%	3.24%
Parenteral nutrition (%)	0.31%	0.24%	Management of Equipment		
Enteral nutrition (%)	3.41%	1.56%	None needed (%)	79.57%	63.40% **
GENERAL HEALTH STATUS			Caregiver provides (%)	13.31%	21.24% **
Hospitalization Risks			Caregiver training needed (%)	5.57%	13.13% **
Recent decline mental/emot/behav (%)	12.38%	15.71%	Uncertain/Unlikely to be provided (%)	1.24%	1.36%
Multiple hospitalizations (%)	48.92%	35.89% **	Needed, but not available (%)	0.31%	0.87%
History of falls (%)	29.72%	32.20%	Supervision / Safety		
5 or more medications (%)	64.71%	87.63% **	None needed (%)	28.48%	30.62%
Frailty factors (%)	20.43%	33.89% **	Caregiver provides (%)	45.82%	50.04%
Other (%)	15.48%	27.84% **	Caregiver training needed (%)	22.91%	16.13% **
None (%)	8.67%	3.15% **	Uncertain/Unlikely to be provided (%)	1.86%	1.63%
Overall Status			Needed, but not available (%)	0.93%	1.58%
Overall Status (0-3)	1.00	1.35 **	Advocacy		
Unknown / Unclear (%)	0.00%	0.20%	None needed (%)	8.36%	5.62%
Other Risk Factors			Caregiver provides (%)	80.50%	82.80%
Smoking (%)	8.18%	19.35% **	Caregiver training needed (%)	9.60%	8.26%
Obesity (%)	13.52%	21.59% **	Uncertain/Unlikely to be provided (%)	0.62%	1.65%
Alcohol dependency (%)	1.26%	3.44%	Needed, but not available (%)	0.93%	1.66%
Drug dependency (%)	0.63%	1.75%	SENSORY STATUS		
None (%)	78.30%	61.84% **	Sensory Status		
LIVING ARRANGEMENT / ASSISTANCE			Vision impairment (0-2)	0.48	0.29 **
Current Situation			Hearing impairment (0-2)	0.25	0.38 **
Lives alone (%)	26.32%	24.26%	Verbal content understanding (0-3)	0.43	0.51
			Speech/language (0-5)	0.73	0.59
			Pain interfering with activity (0-4)	1.67	2.32 **

Agency Patient-Related Characteristics Report

Agency Name: PHILLIPS COUNTY HEALTH UNIT
 Agency ID: HHAR00161
 Location: WEST HELENA, AR
 CCN: 047846 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 323
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
INTEGUMENTARY STATUS					
Pressure Ulcers					
Pressure ulcer risk (%)	45.00%	41.44%	Bed transferring (0-5)	1.32	1.41
Pressure ulcer present (%)	11.15%	5.21% **	Ambulation (0-6)	2.40	2.58
Stage II pressure ulcer count (#)	0.12	0.05 **	Eating (0-5)	0.80	0.71
Stage III pressure ulcer count (#)	0.01	0.01	Status Prior to SOC/ROC		
Stage IV pressure ulcer count (#)	0.02	0.01	Prior Self Care (0-2)	1.11	0.70 **
Unstageable pressure ulcer count (#)	0.05	0.02 **	Prior Ambulation (0-2)	1.06	0.65 **
Status most problematic PU (0-3)	2.71	2.88 *	Prior Transfer (0-2)	0.92	0.59 **
Stage I pressure ulcers count (0-4)	0.03	0.03	IADLs, MEDICATIONS, OTHER		
Stage most problematic PU (1-4)	2.03	2.09	IADLs		
Stasis Ulcers					
Stasis ulcer indicator (%)	1.55%	1.71%	Light meal prep (0-2)	1.09	1.27 **
Stasis ulcer count (0-4)	0.02	0.03	Phone use (0-5)	0.97	0.92
Status most problematic stasis (0-3)	2.50	2.66	Prior Household (0-2)	1.44	1.11 **
Surgical Wounds					
Surgical wound indicator (%)	24.77%	25.41%	Falls Risk		
Status most problematic surg. (0-3)	1.12	1.71 **	At risk of falls (%)	84.01%	91.58% **
Other					
Skin lesion with intervention (%)	8.67%	24.79% **	Medication Status		
PHYSIOLOGICAL STATUS					
Respiratory					
Dyspnea (0-4)	1.13	1.41 **	Drug regimen: problem found (%)	61.22%	21.16% **
Oxygen therapy (%)	14.55%	15.47%	Mgmt. oral medications (0-3)	1.17	1.60 **
Ventilator therapy (%)	0.00%	0.15%	Mgmt. oral medications: NA (%)	0.00%	0.54%
CPAP / BPAP therapy (%)	2.17%	3.02%	Mgmt. injected medications (0-3)	1.78	1.77
Elimination Status					
Urinary Tract Infection (%)	12.81%	10.49%	Mgmt. injected medications: NA (%)	70.90%	77.68% *
Urinary incontinence/catheter (%)	66.87%	55.57% **	Prior mgmt. oral medications (0-2)	0.88	0.82
Urinary incontinence frequency (0-4)	1.64	2.48 **	Prior mgmt. oral medications: NA (%)	1.24%	2.41%
Bowel incontinence (0-5)	0.50	0.39	Prior mgmt. injected medications (0-2)	1.28	0.95 **
Bowel ostomy (%)	2.79%	2.05%	Prior mgmt. injected medications: NA (%)	74.92%	77.18%
NEURO / EMOTIONAL / BEHAVIORAL					
Cognition					
Cognitive deficit (0-4)	0.69	0.68	THERAPY / PLAN OF CARE		
Confusion frequency (0-4)	0.92	0.87	Therapy Visits		
Emotional					
Anxiety level (0-3)	0.49	0.74 **	# Therapy visits indicated (#)	6.47	7.16 *
Depression evaluation indicator (%)	0.32%	5.80% **	PATIENT DIAGNOSTIC INFORMATION		
PHQ-2: Interest/Pleasure (0-3)	0.02	0.27 **	Acute Conditions		
PHQ-2: Down/Depressed (0-3)	0.05	0.29 **	Orthopedic (%)	19.50%	39.58% **
Behavioral					
Memory deficit (%)	9.91%	17.12% **	Neurologic (%)	11.15%	12.97%
Impaired decision-making (%)	17.03%	22.46%	Open wounds/lesions (%)	6.50%	7.13%
Verbal disruption (%)	1.24%	1.48%	Cardiac/peripheral vascular (%)	31.27%	31.42%
Physical aggression (%)	0.62%	0.74%	Pulmonary (%)	10.84%	18.01% **
Disruptive/Inappropriate behavior (%)	0.31%	0.87%	Diabetes mellitus (%)	9.60%	10.85%
Delusional, hallucinatory, etc. (%)	1.24%	1.43%	Gastrointestinal disorder (%)	9.91%	11.20%
None demonstrated (%)	81.42%	70.13% **	Contagious/communicable (%)	1.55%	3.33%
Frequency of behavioral problems (0-5)	0.64	0.77	Urinary incontinence/catheter (%)	23.53%	14.61% **
Psychiatric nursing (%)	0.93%	1.57%	Mental/emotional (%)	0.93%	1.57%
ACTIVITIES OF DAILY LIVING					
SOC / ROC Status					
Grooming (0-3)	1.41	1.34	Oxygen therapy (%)	14.55%	15.47%
Dress upper body (0-3)	1.36	1.47	IV/infusion therapy (%)	2.17%	3.30%
Dress lower body (0-3)	1.52	1.80 **	Enteral/parenteral nutrition (%)	3.72%	1.79%
Bathing (0-6)	3.06	3.18	Ventilator (%)	0.00%	0.15%
Toilet transfer (0-4)	1.18	1.14	Chronic Conditions		
Toileting hygiene (0-3)	1.15	1.33 *	Dependence in living skills (%)	37.15%	38.84%
			Dependence in personal care (%)	60.37%	50.03% **
			Impaired ambulation/mobility (%)	69.04%	54.02% **
			Urinary incontinence/catheter (%)	43.34%	40.96%
			Dependence in med. admin. (%)	61.61%	60.14%
			Chronic pain (%)	9.32%	16.87% **
			Cognitive/mental/behavioral (%)	13.66%	21.25% **
			Chronic pt. with caregiver (%)	83.90%	69.13% **
			Home Care Diagnoses		
			Infections/parasitic diseases (%)	1.86%	4.22%
			Neoplasms (%)	8.98%	8.51%
			Endocrine/nutrit./metabolic (%)	48.61%	42.67%
			Blood diseases (%)	10.84%	8.33%
			Mental diseases (%)	11.15%	27.66% **
			Nervous system diseases (%)	31.89%	25.86%

Agency Patient-Related Characteristics Report

Agency Name: PHILLIPS COUNTY HEALTH UNIT
Agency ID: HHAR00161
Location: WEST HELENA, AR
CCN: 047846 **Branch:** All
Medicaid Number: 104312514
Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 323
Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean
Home Care Diagnoses		
Circulatory system diseases (%)	81.11%	77.02%
Respiratory system diseases (%)	14.86%	24.52% **
Digestive system diseases (%)	17.96%	12.13% *
Genitourinary sys. diseases (%)	17.65%	18.94%
Skin/subcutaneous diseases (%)	21.05%	11.67% **
Musculoskeletal sys. diseases (%)	39.01%	48.35% **
Ill-defined conditions (%)	41.80%	33.08% **
Fractures (%)	0.62%	5.88% **
Intracranial injury (%)	1.24%	0.29%
Other injury (%)	10.22%	4.82% **
Adverse reactions and complications (%)	4.64%	3.63%

	Current Mean	Ref. Mean
Scheduled visit (%)	4.17%	5.54%
Other (%)	30.00%	35.71%
No hospitalization (%)	56.78%	73.58% **

Asterisks represent significance levels of current and reference data comparisons.

* The probability is 1% or less that this difference is due to chance, and 99% or more that the difference is real.

** The probability is 0.1% or less that this difference is due to chance, and 99.9% or more that the difference is real.

PATIENT DISCHARGE INFORMATION

Length of Stay

LOS until discharge (in days)	121.52	59.14 **
LOS from 1 to 30 days (%)	32.51%	46.83% **
LOS from 31 to 60 days (%)	32.51%	33.63%
LOS from 61 to 120 days (%)	11.46%	11.09%
LOS from 121 to 180 days (%)	6.19%	3.55%
LOS more than 180 days (%)	17.34%	4.90% **

Reason for Emergent Care

Improper medications (%)	0.91%	1.06%
Injury from fall (%)	9.09%	7.79%
Respiratory infection (%)	4.55%	8.81%
Other respiratory (%)	8.18%	11.27%
Heart failure (%)	12.73%	7.42%
Cardiac dysrhythmia (%)	7.27%	2.75% *
Myocardial infarction (%)	9.09%	3.53% *
Other heart disease (%)	0.91%	1.91%
Stroke (CVA) or TIA (%)	4.55%	2.34%
Hypo/Hyperglycemia (%)	2.73%	1.76%
GI bleeding, obstruction, etc. (%)	3.64%	3.77%
Dehydration, malnutrition (%)	7.27%	4.36%
Urinary tract infection (%)	6.36%	6.86%
IV catheter-related infection (%)	0.00%	0.39%
Wound infection (%)	4.55%	4.13%
Uncontrolled pain (%)	4.55%	5.50%
Acute mental/behav. problem (%)	1.82%	3.42%
Deep vein thrombosis (%)	0.91%	1.17%
Other (%)	35.45%	37.08%
No emergent care (%)	61.51%	77.67% **

Reason for Hospitalization

Improper medications (%)	0.83%	0.80%
Injury from fall (%)	3.33%	5.83%
Respiratory infection (%)	9.17%	9.02%
Other respiratory (%)	3.33%	10.88% *
Heart failure (%)	8.33%	7.52%
Cardiac dysrhythmia (%)	5.83%	2.63%
Myocardial infarction (%)	8.33%	3.29% *
Other heart disease (%)	2.50%	1.94%
Stroke (CVA) or TIA (%)	5.83%	2.33%
Hypo/Hyperglycemia (%)	1.67%	1.63%
GI bleeding, obstruction, etc. (%)	5.83%	3.53%
Dehydration, malnutrition (%)	7.50%	4.13%
Urinary tract infection (%)	6.67%	6.55%
IV catheter-related infection (%)	0.83%	0.25%
Wound infection (%)	13.33%	5.05% **
Uncontrolled pain (%)	3.33%	4.07%
Acute mental/behav. Problem (%)	1.67%	3.50%
Deep vein thrombosis (%)	0.00%	1.12%

Agency Patient-Related Characteristics Report

Agency Name: PIKE COUNTY HEALTH UNIT
 Agency ID: HHAR00162
 Location: MURFREESBORO, AR
 CCN: 047847 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 36
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
PATIENT HISTORY					
Demographics					
Age (years)	72.31	74.67	Lives with others (%)	83.33%	65.36%
Gender: Female (%)	58.33%	61.27%	Lives in congregate situation (%)	0.00%	10.39%
Race: Black (%)	2.78%	13.94%	Availability		
Race: White (%)	97.22%	75.77% **	Around the clock (%)	91.67%	76.40%
Race: Other (%)	0.00%	10.57%	Regular daytime (%)	8.33%	4.06%
Payment Source			Regular nighttime (%)	0.00%	5.19%
Any Medicare (%)	83.33%	93.22%	Occasional (%)	0.00%	13.43% *
Any Medicaid (%)	16.67%	9.69%	None (%)	0.00%	0.93%
Any HMO (%)	11.11%	26.98%	CARE MANAGEMENT		
Medicare HMO (%)	11.11%	22.66%	ADLs		
Other (%)	0.00%	3.89%	None needed (%)	13.89%	7.37%
Episode Start			Caregiver currently provides (%)	83.33%	58.83% *
Episode timing: Early (%)	100.00	88.34%	Caregiver training needed (%)	2.78%	26.54% **
Episode timing: Later (%)	0.00%	7.55%	Uncertain/Unlikely to be provided (%)	0.00%	3.81%
Episode timing: Unknown (%)	0.00%	4.11%	Needed, but not available (%)	0.00%	3.45%
Inpatient Discharge / Medical Regimen			IADLs		
Long-term nursing facility (%)	0.00%	0.79%	None needed (%)	8.33%	2.81%
Skilled nursing facility (%)	8.33%	14.60%	Caregiver provides (%)	88.89%	79.71%
Short-stay acute hospital (%)	52.78%	50.82%	Caregiver training needed (%)	2.78%	12.67%
Long-term care hospital (%)	0.00%	0.68%	Uncertain/Unlikely to be provided (%)	0.00%	2.18%
Inpatient rehab hospital/unit (%)	2.78%	6.05%	Needed, but not available (%)	0.00%	2.62%
Psychiatric hospital/unit (%)	0.00%	0.47%	Frequency of ADL / IADL (1-5)	1.03	1.32
Medical Regimen Change (%)	75.00%	89.37% *	Medication Administration		
Prior Conditions			None needed (%)	25.00%	20.39%
Urinary incontinence (%)	16.13%	38.80% *	Caregiver provides (%)	72.22%	49.72% *
Indwelling/suprapubic catheter (%)	0.00%	2.86%	Caregiver training needed (%)	0.00%	25.13% **
Intractable pain (%)	3.23%	15.84%	Uncertain/Unlikely to be provided (%)	2.78%	2.48%
Impaired decision-making (%)	16.13%	19.82%	Needed, but not available (%)	0.00%	2.28%
Disruptive/Inappropriate behav. (%)	0.00%	1.90%	Medical Procedures		
Memory loss (%)	16.13%	13.21%	None needed (%)	44.44%	47.01%
None listed (%)	70.97%	41.94% *	Caregiver provides (%)	52.78%	21.30% **
No inpatient dc / No med. regimen chg. (%)	13.89%	5.56%	Caregiver training needed (%)	2.78%	23.48% **
Therapies			Uncertain/Unlikely to be provided (%)	0.00%	4.96%
IV/infusion therapy (%)	5.56%	3.30%	Needed, but not available (%)	0.00%	3.24%
Parenteral nutrition (%)	0.00%	0.24%	Management of Equipment		
Enteral nutrition (%)	0.00%	1.56%	None needed (%)	63.89%	63.40%
GENERAL HEALTH STATUS			Caregiver provides (%)	36.11%	21.24%
Hospitalization Risks			Caregiver training needed (%)	0.00%	13.13% *
Recent decline mental/emot/behav (%)	13.89%	15.71%	Uncertain/Unlikely to be provided (%)	0.00%	1.36%
Multiple hospitalizations (%)	41.67%	35.89%	Needed, but not available (%)	0.00%	0.87%
History of falls (%)	25.00%	32.20%	Supervision / Safety		
5 or more medications (%)	77.78%	87.63%	None needed (%)	36.11%	30.62%
Frailty factors (%)	25.00%	33.89%	Caregiver provides (%)	63.89%	50.04%
Other (%)	13.89%	27.84%	Caregiver training needed (%)	0.00%	16.13% *
None (%)	2.78%	3.15%	Uncertain/Unlikely to be provided (%)	0.00%	1.63%
Overall Status			Needed, but not available (%)	0.00%	1.58%
Overall Status (0-3)	0.86	1.35 **	Advocacy		
Unknown / Unclear (%)	0.00%	0.20%	None needed (%)	2.78%	5.62%
Other Risk Factors			Caregiver provides (%)	97.22%	82.80% *
Smoking (%)	16.67%	19.35%	Caregiver training needed (%)	0.00%	8.26%
Obesity (%)	11.11%	21.59%	Uncertain/Unlikely to be provided (%)	0.00%	1.65%
Alcohol dependency (%)	0.00%	3.44%	Needed, but not available (%)	0.00%	1.66%
Drug dependency (%)	0.00%	1.75%	SENSORY STATUS		
None (%)	72.22%	61.84%	Sensory Status		
LIVING ARRANGEMENT / ASSISTANCE			Vision impairment (0-2)	0.17	0.29
Current Situation			Hearing impairment (0-2)	0.31	0.38
Lives alone (%)	16.67%	24.26%	Verbal content understanding (0-3)	0.33	0.51
			Speech/language (0-5)	0.39	0.59
			Pain interfering with activity (0-4)	2.03	2.32

Agency Patient-Related Characteristics Report

Agency Name: PIKE COUNTY HEALTH UNIT
 Agency ID: HHAR00162
 Location: MURFREESBORO, AR
 CCN: 047847 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 36
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
INTEGUMENTARY STATUS					
Pressure Ulcers					
Pressure ulcer risk (%)	44.44%	41.44%	Bed transferring (0-5)	1.25	1.41
Pressure ulcer present (%)	5.56%	5.21%	Ambulation (0-6)	2.28	2.58
Stage II pressure ulcer count (#)	0.06	0.05	Eating (0-5)	0.39	0.71 *
Stage III pressure ulcer count (#)	0.03	0.01	Status Prior to SOC/ROC		
Stage IV pressure ulcer count (#)	0.00	0.01	Prior Self Care (0-2)	0.78	0.70
Unstageable pressure ulcer count (#)	0.00	0.02	Prior Ambulation (0-2)	0.83	0.65
Status most problematic PU (0-3)	3.00	2.88	Prior Transfer (0-2)	0.81	0.59
Stage I pressure ulcers count (0-4)	0.00	0.03 **	IADLs, MEDICATIONS, OTHER		
Stage most problematic PU (1-4)	2.50	2.09	IADLs		
Stasis Ulcers					
Stasis ulcer indicator (%)	0.00%	1.71%	Light meal prep (0-2)	1.28	1.27
Stasis ulcer count (0-4)	0.00	0.03 **	Phone use (0-5)	0.69	0.92
Status most problematic stasis (0-3)	---	2.66	Prior Household (0-2)	1.19	1.11
Surgical Wounds					
Surgical wound indicator (%)	33.33%	25.41%	Falls Risk		
Status most problematic surg. (0-3)	1.67	1.71	At risk of falls (%)	94.44%	91.58%
Other					
Skin lesion with intervention (%)	8.33%	24.79%	Medication Status		
PHYSIOLOGICAL STATUS					
Respiratory					
Dyspnea (0-4)	1.14	1.41	Drug regimen: problem found (%)	79.41%	21.16% **
Oxygen therapy (%)	22.22%	15.47%	Mgmt. oral medications (0-3)	1.31	1.60
Ventilator therapy (%)	0.00%	0.15%	Mgmt. oral medications: NA (%)	0.00%	0.54%
CPAP / BPAP therapy (%)	0.00%	3.02%	Mgmt. injected medications (0-3)	2.00	1.77
Elimination Status					
Urinary Tract Infection (%)	25.00%	10.49% *	Mgmt. injected medications: NA (%)	61.11%	77.68%
Urinary incontinence/catheter (%)	30.56%	55.57% *	Prior mgmt. oral medications (0-2)	0.63	0.82
Urinary incontinence frequency (0-4)	3.00	2.48	Prior mgmt. oral medications: NA (%)	2.78%	2.41%
Bowel incontinence (0-5)	0.36	0.39	Prior mgmt. injected medications (0-2)	1.08	0.95
Bowel ostomy (%)	0.00%	2.05%	Prior mgmt. injected medications: NA (%)	66.67%	77.18%
NEURO / EMOTIONAL / BEHAVIORAL					
Cognition					
Cognitive deficit (0-4)	0.42	0.68	THERAPY / PLAN OF CARE		
Confusion frequency (0-4)	0.92	0.87	Therapy Visits		
Emotional					
Anxiety level (0-3)	0.44	0.74	# Therapy visits indicated (#)	5.60	7.16
Depression evaluation indicator (%)	2.78%	5.80%	PATIENT DIAGNOSTIC INFORMATION		
PHQ-2: Interest/Pleasure (0-3)	0.08	0.27 *	Acute Conditions		
PHQ-2: Down/Depressed (0-3)	0.11	0.29	Orthopedic (%)	36.11%	39.58%
Behavioral					
Memory deficit (%)	13.89%	17.12%	Neurologic (%)	11.11%	12.97%
Impaired decision-making (%)	13.89%	22.46%	Open wounds/lesions (%)	2.78%	7.13%
Verbal disruption (%)	0.00%	1.48%	Cardiac/peripheral vascular (%)	25.00%	31.42%
Physical aggression (%)	0.00%	0.74%	Pulmonary (%)	8.33%	18.01%
Disruptive/Inappropriate behavior (%)	0.00%	0.87%	Diabetes mellitus (%)	0.00%	10.85%
Delusional, hallucinatory, etc. (%)	0.00%	1.43%	Gastrointestinal disorder (%)	8.33%	11.20%
None demonstrated (%)	80.56%	70.13%	Contagious/communicable (%)	0.00%	3.33%
Frequency of behavioral problems (0-5)	0.67	0.77	Urinary incontinence/catheter (%)	13.89%	14.61%
Psychiatric nursing (%)	0.00%	1.57%	Mental/emotional (%)	0.00%	1.57%
ACTIVITIES OF DAILY LIVING					
SOC / ROC Status					
Grooming (0-3)	1.33	1.34	Oxygen therapy (%)	22.22%	15.47%
Dress upper body (0-3)	1.28	1.47	IV/infusion therapy (%)	5.56%	3.30%
Dress lower body (0-3)	1.58	1.80	Enteral/parenteral nutrition (%)	0.00%	1.79%
Bathing (0-6)	3.25	3.18	Ventilator (%)	0.00%	0.15%
Toilet transfer (0-4)	1.03	1.14	Chronic Conditions		
Toileting hygiene (0-3)	1.03	1.33	Dependence in living skills (%)	36.11%	38.84%
			Dependence in personal care (%)	58.33%	50.03%
			Impaired ambulation/mobility (%)	66.67%	54.02%
			Urinary incontinence/catheter (%)	16.67%	40.96% *
			Dependence in med. admin. (%)	61.11%	60.14%
			Chronic pain (%)	8.33%	16.87%
			Cognitive/mental/behavioral (%)	19.44%	21.25%
			Chronic pt. with caregiver (%)	72.22%	69.13%
			Home Care Diagnoses		
			Infections/parasitic diseases (%)	0.00%	4.22%
			Neoplasms (%)	13.89%	8.51%
			Endocrine/nutrit./metabolic (%)	47.22%	42.67%
			Blood diseases (%)	11.11%	8.33%
			Mental diseases (%)	16.67%	27.66%
			Nervous system diseases (%)	27.78%	25.86%

Agency Patient-Related Characteristics Report

Agency Name: PIKE COUNTY HEALTH UNIT
Agency ID: HHAR00162
Location: MURFREESBORO, AR
CCN: 047847 **Branch:** All
Medicaid Number: 104312514
Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 36
Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean
Home Care Diagnoses		
Circulatory system diseases (%)	77.78%	77.02%
Respiratory system diseases (%)	16.67%	24.52%
Digestive system diseases (%)	13.89%	12.13%
Genitourinary sys. diseases (%)	22.22%	18.94%
Skin/subcutaneous diseases (%)	11.11%	11.67%
Musculoskeletal sys. diseases (%)	66.67%	48.35%
Ill-defined conditions (%)	52.78%	33.08%
Fractures (%)	5.56%	5.88%
Intracranial injury (%)	0.00%	0.29%
Other injury (%)	8.33%	4.82%
Adverse reactions and complications (%)	5.56%	3.63%

	Current Mean	Ref. Mean
Scheduled visit (%)	0.00%	5.54%
Other (%)	57.14%	35.71%
No hospitalization (%)	80.56%	73.58%

Asterisks represent significance levels of current and reference data comparisons.

*** The probability is 1% or less that this difference is due to chance, and 99% or more that the difference is real.**

**** The probability is 0.1% or less that this difference is due to chance, and 99.9% or more that the difference is real.**

PATIENT DISCHARGE INFORMATION

Length of Stay

LOS until discharge (in days)	26.28	59.14 *
LOS from 1 to 30 days (%)	69.44%	46.83% *
LOS from 31 to 60 days (%)	27.78%	33.63%
LOS from 61 to 120 days (%)	2.78%	11.09%
LOS from 121 to 180 days (%)	0.00%	3.55%
LOS more than 180 days (%)	0.00%	4.90%

Reason for Emergent Care

Improper medications (%)	0.00%	1.06%
Injury from fall (%)	16.67%	7.79%
Respiratory infection (%)	0.00%	8.81%
Other respiratory (%)	0.00%	11.27%
Heart failure (%)	16.67%	7.42%
Cardiac dysrhythmia (%)	0.00%	2.75%
Myocardial infarction (%)	16.67%	3.53%
Other heart disease (%)	16.67%	1.91%
Stroke (CVA) or TIA (%)	0.00%	2.34%
Hypo/Hyperglycemia (%)	0.00%	1.76%
GI bleeding, obstruction, etc. (%)	0.00%	3.77%
Dehydration, malnutrition (%)	0.00%	4.36%
Urinary tract infection (%)	16.67%	6.86%
IV catheter-related infection (%)	0.00%	0.39%
Wound infection (%)	16.67%	4.13%
Uncontrolled pain (%)	16.67%	5.50%
Acute mental/behav. problem (%)	0.00%	3.42%
Deep vein thrombosis (%)	0.00%	1.17%
Other (%)	50.00%	37.08%
No emergent care (%)	82.86%	77.67%

Reason for Hospitalization

Improper medications (%)	0.00%	0.80%
Injury from fall (%)	0.00%	5.83%
Respiratory infection (%)	0.00%	9.02%
Other respiratory (%)	0.00%	10.88%
Heart failure (%)	14.29%	7.52%
Cardiac dysrhythmia (%)	0.00%	2.63%
Myocardial infarction (%)	28.57%	3.29%
Other heart disease (%)	0.00%	1.94%
Stroke (CVA) or TIA (%)	0.00%	2.33%
Hypo/Hyperglycemia (%)	0.00%	1.63%
GI bleeding, obstruction, etc. (%)	0.00%	3.53%
Dehydration, malnutrition (%)	0.00%	4.13%
Urinary tract infection (%)	0.00%	6.55%
IV catheter-related infection (%)	0.00%	0.25%
Wound infection (%)	14.29%	5.05%
Uncontrolled pain (%)	0.00%	4.07%
Acute mental/behav. Problem (%)	0.00%	3.50%
Deep vein thrombosis (%)	0.00%	1.12%

Agency Patient-Related Characteristics Report

Agency Name: POINSETT COUNTY HEALTH UNIT
 Agency ID: HHAR00163
 Location: HARRISBURG, AR
 CCN: 047848 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 118
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
PATIENT HISTORY					
Demographics					
Age (years)	70.31	74.67 **	Lives with others (%)	82.20%	65.36% **
Gender: Female (%)	58.47%	61.27%	Lives in congregate situation (%)	0.85%	10.39% **
Race: Black (%)	3.39%	13.94% **	Availability		
Race: White (%)	95.76%	75.77% **	Around the clock (%)	92.37%	76.40% **
Race: Other (%)	0.85%	10.57% **	Regular daytime (%)	2.54%	4.06%
Payment Source			Regular nighttime (%)	1.69%	5.19%
Any Medicare (%)	86.44%	93.22% *	Occasional (%)	2.54%	13.43% **
Any Medicaid (%)	15.25%	9.69%	None (%)	0.85%	0.93%
Any HMO (%)	27.12%	26.98%	CARE MANAGEMENT		
Medicare HMO (%)	27.12%	22.66%	ADLs		
Other (%)	1.69%	3.89%	None needed (%)	17.80%	7.37% **
Episode Start			Caregiver currently provides (%)	56.78%	58.83%
Episode timing: Early (%)	96.08%	88.34% *	Caregiver training needed (%)	19.49%	26.54%
Episode timing: Later (%)	3.92%	7.55%	Uncertain/Unlikely to be provided (%)	2.54%	3.81%
Episode timing: Unknown (%)	0.00%	4.11%	Needed, but not available (%)	3.39%	3.45%
Inpatient Discharge / Medical Regimen			IADLs		
Long-term nursing facility (%)	0.85%	0.79%	None needed (%)	2.54%	2.81%
Skilled nursing facility (%)	9.32%	14.60%	Caregiver provides (%)	77.97%	79.71%
Short-stay acute hospital (%)	50.85%	50.82%	Caregiver training needed (%)	14.41%	12.67%
Long-term care hospital (%)	0.85%	0.68%	Uncertain/Unlikely to be provided (%)	2.54%	2.18%
Inpatient rehab hospital/unit (%)	17.80%	6.05% **	Needed, but not available (%)	2.54%	2.62%
Psychiatric hospital/unit (%)	0.00%	0.47%	Frequency of ADL / IADL (1-5)	1.44	1.32
Medical Regimen Change (%)	93.22%	89.37%	Medication Administration		
Prior Conditions			None needed (%)	36.44%	20.39% **
Urinary incontinence (%)	28.32%	38.80%	Caregiver provides (%)	46.61%	49.72%
Indwelling/suprapubic catheter (%)	4.42%	2.86%	Caregiver training needed (%)	12.71%	25.13% *
Intractable pain (%)	17.70%	15.84%	Uncertain/Unlikely to be provided (%)	0.85%	2.48%
Impaired decision-making (%)	9.73%	19.82% *	Needed, but not available (%)	3.39%	2.28%
Disruptive/Inappropriate behav. (%)	0.00%	1.90%	Medical Procedures		
Memory loss (%)	4.42%	13.21% *	None needed (%)	22.88%	47.01% **
None listed (%)	51.33%	41.94%	Caregiver provides (%)	13.56%	21.30%
No inpatient dc / No med. regimen chg. (%)	2.54%	5.56%	Caregiver training needed (%)	56.78%	23.48% **
Therapies			Uncertain/Unlikely to be provided (%)	3.39%	4.96%
IV/infusion therapy (%)	1.69%	3.30%	Needed, but not available (%)	3.39%	3.24%
Parenteral nutrition (%)	0.00%	0.24%	Management of Equipment		
Enteral nutrition (%)	1.69%	1.56%	None needed (%)	66.10%	63.40%
GENERAL HEALTH STATUS			Caregiver provides (%)	29.66%	21.24%
Hospitalization Risks			Caregiver training needed (%)	4.24%	13.13% *
Recent decline mental/emot/behav (%)	11.86%	15.71%	Uncertain/Unlikely to be provided (%)	0.00%	1.36%
Multiple hospitalizations (%)	44.92%	35.89%	Needed, but not available (%)	0.00%	0.87%
History of falls (%)	39.83%	32.20%	Supervision / Safety		
5 or more medications (%)	89.83%	87.63%	None needed (%)	61.86%	30.62% **
Frailty factors (%)	33.05%	33.89%	Caregiver provides (%)	36.44%	50.04% *
Other (%)	38.98%	27.84% *	Caregiver training needed (%)	1.69%	16.13% **
None (%)	4.24%	3.15%	Uncertain/Unlikely to be provided (%)	0.00%	1.63%
Overall Status			Needed, but not available (%)	0.00%	1.58%
Overall Status (0-3)	0.71	1.35 **	Advocacy		
Unknown / Unclear (%)	0.85%	0.20%	None needed (%)	11.02%	5.62%
Other Risk Factors			Caregiver provides (%)	85.59%	82.80%
Smoking (%)	32.20%	19.35% **	Caregiver training needed (%)	1.69%	8.26% *
Obesity (%)	28.81%	21.59%	Uncertain/Unlikely to be provided (%)	0.85%	1.65%
Alcohol dependency (%)	4.24%	3.44%	Needed, but not available (%)	0.85%	1.66%
Drug dependency (%)	3.39%	1.75%	SENSORY STATUS		
None (%)	43.22%	61.84% **	Sensory Status		
LIVING ARRANGEMENT / ASSISTANCE			Vision impairment (0-2)	0.28	0.29
Current Situation			Hearing impairment (0-2)	0.34	0.38
Lives alone (%)	16.95%	24.26%	Verbal content understanding (0-3)	0.14	0.51 **
			Speech/language (0-5)	0.27	0.59 **
			Pain interfering with activity (0-4)	2.23	2.32

Agency Patient-Related Characteristics Report

Agency Name: POINSETT COUNTY HEALTH UNIT
 Agency ID: HHAR00163
 Location: HARRISBURG, AR
 CCN: 047848 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 118
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
INTEGUMENTARY STATUS					
Pressure Ulcers					
Pressure ulcer risk (%)	22.88%	41.44% **	Bed transferring (0-5)	0.96	1.41 **
Pressure ulcer present (%)	7.63%	5.21%	Ambulation (0-6)	1.97	2.58 **
Stage II pressure ulcer count (#)	0.16	0.05	Eating (0-5)	0.42	0.71 **
Stage III pressure ulcer count (#)	0.01	0.01	Status Prior to SOC/ROC		
Stage IV pressure ulcer count (#)	0.00	0.01	Prior Self Care (0-2)	0.75	0.70
Unstageable pressure ulcer count (#)	0.02	0.02	Prior Ambulation (0-2)	0.57	0.65
Status most problematic PU (0-3)	3.00	2.88	Prior Transfer (0-2)	0.48	0.59
Stage I pressure ulcers count (0-4)	0.07	0.03 *	IADLs, MEDICATIONS, OTHER		
Stage most problematic PU (1-4)	1.69	2.09	IADLs		
Stasis Ulcers					
Stasis ulcer indicator (%)	4.24%	1.71%	Light meal prep (0-2)	0.98	1.27 **
Stasis ulcer count (0-4)	0.04	0.03	Phone use (0-5)	0.54	0.92 **
Status most problematic stasis (0-3)	2.50	2.66	Prior Household (0-2)	1.25	1.11
Surgical Wounds					
Surgical wound indicator (%)	31.36%	25.41%	Falls Risk		
Status most problematic surg. (0-3)	1.56	1.71	At risk of falls (%)	93.04%	91.58%
Other					
Skin lesion with intervention (%)	11.86%	24.79% *	Medication Status		
PHYSIOLOGICAL STATUS					
Respiratory					
Dyspnea (0-4)	1.36	1.41	Drug regimen: problem found (%)	86.32%	21.16% **
Oxygen therapy (%)	38.98%	15.47% **	Mgmt. oral medications (0-3)	1.26	1.60 **
Ventilator therapy (%)	0.00%	0.15%	Mgmt. oral medications: NA (%)	0.00%	0.54%
CPAP / BPAP therapy (%)	3.39%	3.02%	Mgmt. injected medications (0-3)	1.06	1.77 **
Elimination Status					
Urinary Tract Infection (%)	12.17%	10.49%	Mgmt. injected medications: NA (%)	69.49%	77.68%
Urinary incontinence/catheter (%)	38.98%	55.57% **	Prior mgmt. oral medications (0-2)	0.79	0.82
Urinary incontinence frequency (0-4)	2.41	2.48	Prior mgmt. oral medications: NA (%)	0.85%	2.41%
Bowel incontinence (0-5)	0.41	0.39	Prior mgmt. injected medications (0-2)	0.55	0.95 *
Bowel ostomy (%)	4.24%	2.05%	Prior mgmt. injected medications: NA (%)	72.03%	77.18%
NEURO / EMOTIONAL / BEHAVIORAL					
Cognition					
Cognitive deficit (0-4)	0.21	0.68 **	THERAPY / PLAN OF CARE		
Confusion frequency (0-4)	0.65	0.87 *	Therapy Visits		
Emotional					
Anxiety level (0-3)	0.73	0.74	# Therapy visits indicated (#)	7.09	7.16
Depression evaluation indicator (%)	4.27%	5.80%	PATIENT DIAGNOSTIC INFORMATION		
PHQ-2: Interest/Pleasure (0-3)	0.14	0.27 **	Acute Conditions		
PHQ-2: Down/Depressed (0-3)	0.16	0.29 *	Orthopedic (%)	48.31%	39.58%
Behavioral					
Memory deficit (%)	1.69%	17.12% **	Neurologic (%)	8.47%	12.97%
Impaired decision-making (%)	10.17%	22.46% *	Open wounds/lesions (%)	11.86%	7.13%
Verbal disruption (%)	0.85%	1.48%	Cardiac/peripheral vascular (%)	25.42%	31.42%
Physical aggression (%)	0.00%	0.74%	Pulmonary (%)	22.03%	18.01%
Disruptive/Inappropriate behavior (%)	0.00%	0.87%	Diabetes mellitus (%)	10.17%	10.85%
Delusional, hallucinatory, etc. (%)	0.85%	1.43%	Gastrointestinal disorder (%)	12.71%	11.20%
None demonstrated (%)	88.14%	70.13% **	Contagious/communicable (%)	1.69%	3.33%
Frequency of behavioral problems (0-5)	0.40	0.77 *	Urinary incontinence/catheter (%)	9.32%	14.61%
Psychiatric nursing (%)	0.00%	1.57%	Mental/emotional (%)	0.00%	1.57%
ACTIVITIES OF DAILY LIVING					
SOC / ROC Status					
Grooming (0-3)	1.01	1.34 **	Oxygen therapy (%)	38.98%	15.47% **
Dress upper body (0-3)	1.06	1.47 **	IV/infusion therapy (%)	1.69%	3.30%
Dress lower body (0-3)	1.31	1.80 **	Enteral/parenteral nutrition (%)	1.69%	1.79%
Bathing (0-6)	2.66	3.18 **	Ventilator (%)	0.00%	0.15%
Toilet transfer (0-4)	0.58	1.14 **	Chronic Conditions		
Toileting hygiene (0-3)	0.75	1.33 **	Dependence in living skills (%)	27.12%	38.84% *
			Dependence in personal care (%)	47.46%	50.03%
			Impaired ambulation/mobility (%)	43.22%	54.02%
			Urinary incontinence/catheter (%)	29.66%	40.96%
			Dependence in med. admin. (%)	54.24%	60.14%
			Chronic pain (%)	14.66%	16.87%
			Cognitive/mental/behavioral (%)	6.90%	21.25% **
			Chronic pt. with caregiver (%)	75.42%	69.13%
			Home Care Diagnoses		
			Infections/parasitic diseases (%)	2.54%	4.22%
			Neoplasms (%)	7.63%	8.51%
			Endocrine/nutrit./metabolic (%)	50.85%	42.67%
			Blood diseases (%)	6.78%	8.33%
			Mental diseases (%)	23.73%	27.66%
			Nervous system diseases (%)	33.90%	25.86%

Agency Patient-Related Characteristics Report

Agency Name: POINSETT COUNTY HEALTH UNIT
Agency ID: HHAR00163
Location: HARRISBURG, AR
CCN: 047848 **Branch:** All
Medicaid Number: 104312514
Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 118
Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean
Home Care Diagnoses		
Circulatory system diseases (%)	66.10%	77.02% *
Respiratory system diseases (%)	31.36%	24.52%
Digestive system diseases (%)	16.10%	12.13%
Genitourinary sys. diseases (%)	16.95%	18.94%
Skin/subcutaneous diseases (%)	17.80%	11.67%
Musculoskeletal sys. diseases (%)	53.39%	48.35%
Ill-defined conditions (%)	39.83%	33.08%
Fractures (%)	1.69%	5.88%
Intracranial injury (%)	0.00%	0.29%
Other injury (%)	16.95%	4.82% **
Adverse reactions and complications (%)	5.93%	3.63%

	Current Mean	Ref. Mean
Scheduled visit (%)	6.25%	5.54%
Other (%)	18.75%	35.71%
No hospitalization (%)	72.41%	73.58%

Asterisks represent significance levels of current and reference data comparisons.

* The probability is 1% or less that this difference is due to chance, and 99% or more that the difference is real.

** The probability is 0.1% or less that this difference is due to chance, and 99.9% or more that the difference is real.

PATIENT DISCHARGE INFORMATION

Length of Stay

LOS until discharge (in days)	66.65	59.14
LOS from 1 to 30 days (%)	55.08%	46.83%
LOS from 31 to 60 days (%)	29.66%	33.63%
LOS from 61 to 120 days (%)	5.93%	11.09%
LOS from 121 to 180 days (%)	0.85%	3.55%
LOS more than 180 days (%)	8.47%	4.90%

Reason for Emergent Care

Improper medications (%)	3.23%	1.06%
Injury from fall (%)	3.23%	7.79%
Respiratory infection (%)	25.81%	8.81% *
Other respiratory (%)	9.68%	11.27%
Heart failure (%)	6.45%	7.42%
Cardiac dysrhythmia (%)	3.23%	2.75%
Myocardial infarction (%)	9.68%	3.53%
Other heart disease (%)	0.00%	1.91%
Stroke (CVA) or TIA (%)	0.00%	2.34%
Hypo/Hyperglycemia (%)	6.45%	1.76%
GI bleeding, obstruction, etc. (%)	6.45%	3.77%
Dehydration, malnutrition (%)	3.23%	4.36%
Urinary tract infection (%)	6.45%	6.86%
IV catheter-related infection (%)	0.00%	0.39%
Wound infection (%)	3.23%	4.13%
Uncontrolled pain (%)	0.00%	5.50%
Acute mental/behav. problem (%)	0.00%	3.42%
Deep vein thrombosis (%)	3.23%	1.17%
Other (%)	22.58%	37.08%
No emergent care (%)	73.28%	77.67%

Reason for Hospitalization

Improper medications (%)	3.13%	0.80%
Injury from fall (%)	3.13%	5.83%
Respiratory infection (%)	21.88%	9.02%
Other respiratory (%)	12.50%	10.88%
Heart failure (%)	9.38%	7.52%
Cardiac dysrhythmia (%)	6.25%	2.63%
Myocardial infarction (%)	9.38%	3.29%
Other heart disease (%)	0.00%	1.94%
Stroke (CVA) or TIA (%)	0.00%	2.33%
Hypo/Hyperglycemia (%)	6.25%	1.63%
GI bleeding, obstruction, etc. (%)	6.25%	3.53%
Dehydration, malnutrition (%)	3.13%	4.13%
Urinary tract infection (%)	6.25%	6.55%
IV catheter-related infection (%)	0.00%	0.25%
Wound infection (%)	6.25%	5.05%
Uncontrolled pain (%)	0.00%	4.07%
Acute mental/behav. Problem (%)	0.00%	3.50%
Deep vein thrombosis (%)	3.13%	1.12%

Agency Patient-Related Characteristics Report

Agency Name: POLK COUNTY HEALTH UNIT
 Agency ID: HHAR00164
 Location: MENA, AR
 CCN: 047849 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 34
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
PATIENT HISTORY					
Demographics					
Age (years)	64.76	74.67 **	Lives with others (%)	79.41%	65.36%
Gender: Female (%)	55.88%	61.27%	Lives in congregate situation (%)	2.94%	10.39%
Race: Black (%)	0.00%	13.94% *	Availability		
Race: White (%)	100.00	75.77% **	Around the clock (%)	100.00	76.40% **
Race: Other (%)	0.00%	10.57%	Regular daytime (%)	0.00%	4.06%
Payment Source			Regular nighttime (%)	0.00%	5.19%
Any Medicare (%)	67.65%	93.22% **	Occasional (%)	0.00%	13.43% *
Any Medicaid (%)	32.35%	9.69% **	None (%)	0.00%	0.93%
Any HMO (%)	2.94%	26.98% **	CARE MANAGEMENT		
Medicare HMO (%)	2.94%	22.66% *	ADLs		
Other (%)	0.00%	3.89%	None needed (%)	0.00%	7.37%
Episode Start			Caregiver currently provides (%)	94.12%	58.83% **
Episode timing: Early (%)	100.00	88.34%	Caregiver training needed (%)	2.94%	26.54% **
Episode timing: Later (%)	0.00%	7.55%	Uncertain/Unlikely to be provided (%)	0.00%	3.81%
Episode timing: Unknown (%)	0.00%	4.11%	Needed, but not available (%)	2.94%	3.45%
Inpatient Discharge / Medical Regimen			IADLs		
Long-term nursing facility (%)	0.00%	0.79%	None needed (%)	0.00%	2.81%
Skilled nursing facility (%)	8.82%	14.60%	Caregiver provides (%)	94.12%	79.71%
Short-stay acute hospital (%)	64.71%	50.82%	Caregiver training needed (%)	2.94%	12.67%
Long-term care hospital (%)	0.00%	0.68%	Uncertain/Unlikely to be provided (%)	0.00%	2.18%
Inpatient rehab hospital/unit (%)	5.88%	6.05%	Needed, but not available (%)	2.94%	2.62%
Psychiatric hospital/unit (%)	0.00%	0.47%	Frequency of ADL / IADL (1-5)	1.38	1.32
Medical Regimen Change (%)	91.18%	89.37%	Medication Administration		
Prior Conditions			None needed (%)	8.82%	20.39%
Urinary incontinence (%)	23.53%	38.80%	Caregiver provides (%)	88.24%	49.72% **
Indwelling/suprapubic catheter (%)	0.00%	2.86%	Caregiver training needed (%)	0.00%	25.13% **
Intractable pain (%)	5.88%	15.84%	Uncertain/Unlikely to be provided (%)	0.00%	2.48%
Impaired decision-making (%)	17.65%	19.82%	Needed, but not available (%)	2.94%	2.28%
Disruptive/inappropriate behav. (%)	0.00%	1.90%	Medical Procedures		
Memory loss (%)	2.94%	13.21%	None needed (%)	44.12%	47.01%
None listed (%)	64.71%	41.94% *	Caregiver provides (%)	32.35%	21.30%
No inpatient dc / No med. regimen chg. (%)	0.00%	5.56%	Caregiver training needed (%)	8.82%	23.48%
Therapies			Uncertain/Unlikely to be provided (%)	5.88%	4.96%
IV/infusion therapy (%)	20.59%	3.30% **	Needed, but not available (%)	8.82%	3.24%
Parenteral nutrition (%)	2.94%	0.24%	Management of Equipment		
Enteral nutrition (%)	5.88%	1.56%	None needed (%)	70.59%	63.40%
GENERAL HEALTH STATUS			Caregiver provides (%)	29.41%	21.24%
Hospitalization Risks			Caregiver training needed (%)	0.00%	13.13%
Recent decline mental/emot/behav (%)	14.71%	15.71%	Uncertain/Unlikely to be provided (%)	0.00%	1.36%
Multiple hospitalizations (%)	61.76%	35.89% *	Needed, but not available (%)	0.00%	0.87%
History of falls (%)	29.41%	32.20%	Supervision / Safety		
5 or more medications (%)	85.29%	87.63%	None needed (%)	50.00%	30.62%
Frailty factors (%)	44.12%	33.89%	Caregiver provides (%)	47.06%	50.04%
Other (%)	23.53%	27.84%	Caregiver training needed (%)	0.00%	16.13% *
None (%)	0.00%	3.15%	Uncertain/Unlikely to be provided (%)	0.00%	1.63%
Overall Status			Needed, but not available (%)	2.94%	1.58%
Overall Status (0-3)	0.41	1.35 **	Advocacy		
Unknown / Unclear (%)	0.00%	0.20%	None needed (%)	2.94%	5.62%
Other Risk Factors			Caregiver provides (%)	91.18%	82.80%
Smoking (%)	6.06%	19.35%	Caregiver training needed (%)	0.00%	8.26%
Obesity (%)	24.24%	21.59%	Uncertain/Unlikely to be provided (%)	0.00%	1.65%
Alcohol dependency (%)	0.00%	3.44%	Needed, but not available (%)	5.88%	1.66%
Drug dependency (%)	0.00%	1.75%	SENSORY STATUS		
None (%)	69.70%	61.84%	Sensory Status		
LIVING ARRANGEMENT / ASSISTANCE			Vision impairment (0-2)	0.21	0.29
Current Situation			Hearing impairment (0-2)	0.18	0.38 *
Lives alone (%)	17.65%	24.26%	Verbal content understanding (0-3)	0.32	0.51
			Speech/language (0-5)	0.68	0.59
			Pain interfering with activity (0-4)	2.79	2.32

Agency Patient-Related Characteristics Report

Agency Name: POLK COUNTY HEALTH UNIT
 Agency ID: HHAR00164
 Location: MENA, AR
 CCN: 047849 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 34
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
INTEGUMENTARY STATUS					
Pressure Ulcers					
Pressure ulcer risk (%)	26.47%	41.44%	Bed transferring (0-5)	1.44	1.41
Pressure ulcer present (%)	2.94%	5.21%	Ambulation (0-6)	2.47	2.58
Stage II pressure ulcer count (#)	0.03	0.05	Eating (0-5)	0.94	0.71
Stage III pressure ulcer count (#)	0.00	0.01	Status Prior to SOC/ROC		
Stage IV pressure ulcer count (#)	0.00	0.01	Prior Self Care (0-2)	1.18	0.70 **
Unstageable pressure ulcer count (#)	0.00	0.02	Prior Ambulation (0-2)	1.12	0.65 **
Status most problematic PU (0-3)	3.00	2.88	Prior Transfer (0-2)	1.00	0.59 **
Stage I pressure ulcers count (0-4)	0.00	0.03 **	IADLs, MEDICATIONS, OTHER		
Stage most problematic PU (1-4)	2.00	2.09	IADLs		
Stasis Ulcers					
Stasis ulcer indicator (%)	0.00%	1.71%	Light meal prep (0-2)	1.35	1.27
Stasis ulcer count (0-4)	0.00	0.03 **	Phone use (0-5)	0.85	0.92
Status most problematic stasis (0-3)	---	2.66	Prior Household (0-2)	1.85	1.11 **
Surgical Wounds					
Surgical wound indicator (%)	44.12%	25.41%	Falls Risk		
Status most problematic surg. (0-3)	2.08	1.71	At risk of falls (%)	85.29%	91.58%
Other					
Skin lesion with intervention (%)	26.47%	24.79%	Medication Status		
PHYSIOLOGICAL STATUS					
Respiratory					
Dyspnea (0-4)	1.56	1.41	Drug regimen: problem found (%)	79.41%	21.16% **
Oxygen therapy (%)	17.65%	15.47%	Mgmt. oral medications (0-3)	1.38	1.60
Ventilator therapy (%)	0.00%	0.15%	Mgmt. oral medications: NA (%)	0.00%	0.54%
CPAP / BPAP therapy (%)	0.00%	3.02%	Mgmt. injected medications (0-3)	2.23	1.77
Elimination Status					
Urinary Tract Infection (%)	2.94%	10.49%	Mgmt. injected medications: NA (%)	61.76%	77.68%
Urinary incontinence/catheter (%)	50.00%	55.57%	Prior mgmt. oral medications (0-2)	0.97	0.82
Urinary incontinence frequency (0-4)	4.00	2.48 **	Prior mgmt. oral medications: NA (%)	0.00%	2.41%
Bowel incontinence (0-5)	0.18	0.39	Prior mgmt. injected medications (0-2)	1.27	0.95
Bowel ostomy (%)	0.00%	2.05%	Prior mgmt. injected medications: NA (%)	67.65%	77.18%
NEURO / EMOTIONAL / BEHAVIORAL					
Cognition					
Cognitive deficit (0-4)	0.41	0.68	THERAPY / PLAN OF CARE		
Confusion frequency (0-4)	0.50	0.87	Therapy Visits		
Emotional					
Anxiety level (0-3)	0.62	0.74	# Therapy visits indicated (#)	3.13	7.16 *
Depression evaluation indicator (%)	0.00%	5.80%	PATIENT DIAGNOSTIC INFORMATION		
PHQ-2: Interest/Pleasure (0-3)	0.18	0.27	Acute Conditions		
PHQ-2: Down/Depressed (0-3)	0.18	0.29	Orthopedic (%)	29.41%	39.58%
Behavioral					
Memory deficit (%)	11.76%	17.12%	Neurologic (%)	14.71%	12.97%
Impaired decision-making (%)	14.71%	22.46%	Open wounds/lesions (%)	5.88%	7.13%
Verbal disruption (%)	0.00%	1.48%	Cardiac/peripheral vascular (%)	14.71%	31.42%
Physical aggression (%)	0.00%	0.74%	Pulmonary (%)	14.71%	18.01%
Disruptive/Inappropriate behavior (%)	2.94%	0.87%	Diabetes mellitus (%)	11.76%	10.85%
Delusional, hallucinatory, etc. (%)	0.00%	1.43%	Gastrointestinal disorder (%)	8.82%	11.20%
None demonstrated (%)	82.35%	70.13%	Contagious/communicable (%)	11.76%	3.33%
Frequency of behavioral problems (0-5)	0.21	0.77	Urinary incontinence/catheter (%)	26.47%	14.61%
Psychiatric nursing (%)	0.00%	1.57%	Mental/emotional (%)	0.00%	1.57%
ACTIVITIES OF DAILY LIVING					
SOC / ROC Status					
Grooming (0-3)	1.29	1.34	Oxygen therapy (%)	17.65%	15.47%
Dress upper body (0-3)	1.32	1.47	IV/infusion therapy (%)	20.59%	3.30% **
Dress lower body (0-3)	1.76	1.80	Enteral/parenteral nutrition (%)	8.82%	1.79%
Bathing (0-6)	3.35	3.18	Ventilator (%)	0.00%	0.15%
Toilet transfer (0-4)	0.82	1.14 *	Chronic Conditions		
Toileting hygiene (0-3)	0.76	1.33 **	Dependence in living skills (%)	50.00%	38.84%
			Dependence in personal care (%)	73.53%	50.03% *
			Impaired ambulation/mobility (%)	82.35%	54.02% **
			Urinary incontinence/catheter (%)	23.53%	40.96%
			Dependence in med. admin. (%)	91.18%	60.14% **
			Chronic pain (%)	5.88%	16.87%
			Cognitive/mental/behavioral (%)	11.76%	21.25%
			Chronic pt. with caregiver (%)	97.06%	69.13% **
			Home Care Diagnoses		
			Infections/parasitic diseases (%)	23.53%	4.22% **
			Neoplasms (%)	20.59%	8.51%
			Endocrine/nutrit./metabolic (%)	47.06%	42.67%
			Blood diseases (%)	2.94%	8.33%
			Mental diseases (%)	32.35%	27.66%
			Nervous system diseases (%)	20.59%	25.86%

Agency Patient-Related Characteristics Report

Agency Name: POLK COUNTY HEALTH UNIT
Agency ID: HHAR00164
Location: MENA, AR
CCN: 047849 **Branch:** All
Medicaid Number: 104312514
Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 34
Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean
Home Care Diagnoses		
Circulatory system diseases (%)	73.53%	77.02%
Respiratory system diseases (%)	8.82%	24.52%
Digestive system diseases (%)	14.71%	12.13%
Genitourinary sys. diseases (%)	14.71%	18.94%
Skin/subcutaneous diseases (%)	26.47%	11.67% *
Musculoskeletal sys. diseases (%)	58.82%	48.35%
Ill-defined conditions (%)	14.71%	33.08%
Fractures (%)	2.94%	5.88%
Intracranial injury (%)	0.00%	0.29%
Other injury (%)	5.88%	4.82%
Adverse reactions and complications (%)	20.59%	3.63% **

	Current Mean	Ref. Mean
Scheduled visit (%)	33.33%	5.54%
Other (%)	33.33%	35.71%
No hospitalization (%)	76.47%	73.58%

Asterisks represent significance levels of current and reference data comparisons.

* The probability is 1% or less that this difference is due to chance, and 99% or more that the difference is real.

** The probability is 0.1% or less that this difference is due to chance, and 99.9% or more that the difference is real.

PATIENT DISCHARGE INFORMATION

Length of Stay

LOS until discharge (in days)	33.03	59.14
LOS from 1 to 30 days (%)	55.88%	46.83%
LOS from 31 to 60 days (%)	38.24%	33.63%
LOS from 61 to 120 days (%)	5.88%	11.09%
LOS from 121 to 180 days (%)	0.00%	3.55%
LOS more than 180 days (%)	0.00%	4.90%

Reason for Emergent Care

Improper medications (%)	0.00%	1.06%
Injury from fall (%)	0.00%	7.79%
Respiratory infection (%)	0.00%	8.81%
Other respiratory (%)	0.00%	11.27%
Heart failure (%)	0.00%	7.42%
Cardiac dysrhythmia (%)	0.00%	2.75%
Myocardial infarction (%)	0.00%	3.53%
Other heart disease (%)	0.00%	1.91%
Stroke (CVA) or TIA (%)	0.00%	2.34%
Hypo/Hyperglycemia (%)	0.00%	1.76%
GI bleeding, obstruction, etc. (%)	0.00%	3.77%
Dehydration, malnutrition (%)	0.00%	4.36%
Urinary tract infection (%)	0.00%	6.86%
IV catheter-related infection (%)	0.00%	0.39%
Wound infection (%)	0.00%	4.13%
Uncontrolled pain (%)	20.00%	5.50%
Acute mental/behav. problem (%)	0.00%	3.42%
Deep vein thrombosis (%)	0.00%	1.17%
Other (%)	80.00%	37.08%
No emergent care (%)	76.47%	77.67%

Reason for Hospitalization

Improper medications (%)	0.00%	0.80%
Injury from fall (%)	0.00%	5.83%
Respiratory infection (%)	0.00%	9.02%
Other respiratory (%)	0.00%	10.88%
Heart failure (%)	0.00%	7.52%
Cardiac dysrhythmia (%)	0.00%	2.63%
Myocardial infarction (%)	0.00%	3.29%
Other heart disease (%)	0.00%	1.94%
Stroke (CVA) or TIA (%)	0.00%	2.33%
Hypo/Hyperglycemia (%)	0.00%	1.63%
GI bleeding, obstruction, etc. (%)	0.00%	3.53%
Dehydration, malnutrition (%)	0.00%	4.13%
Urinary tract infection (%)	16.67%	6.55%
IV catheter-related infection (%)	0.00%	0.25%
Wound infection (%)	0.00%	5.05%
Uncontrolled pain (%)	0.00%	4.07%
Acute mental/behav. Problem (%)	16.67%	3.50%
Deep vein thrombosis (%)	0.00%	1.12%

Agency Patient-Related Characteristics Report

Agency Name: POPE COUNTY HEALTH UNIT
 Agency ID: HHAR00165
 Location: RUSSELLVILLE, AR
 CCN: 047850 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 124
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
PATIENT HISTORY					
Demographics					
Age (years)	69.43	74.67 **	Lives with others (%)	70.16%	65.36%
Gender: Female (%)	66.94%	61.27%	Lives in congregate situation (%)	2.42%	10.39% *
Race: Black (%)	6.45%	13.94% *	Availability		
Race: White (%)	93.55%	75.77% **	Around the clock (%)	72.58%	76.40%
Race: Other (%)	0.81%	10.57% **	Regular daytime (%)	1.61%	4.06%
Payment Source			Regular nighttime (%)	8.06%	5.19%
Any Medicare (%)	78.23%	93.22% **	Occasional (%)	17.74%	13.43%
Any Medicaid (%)	21.77%	9.69% **	None (%)	0.00%	0.93%
Any HMO (%)	31.45%	26.98%	CARE MANAGEMENT		
Medicare HMO (%)	30.65%	22.66%	ADLs		
Other (%)	0.81%	3.89%	None needed (%)	10.48%	7.37%
Episode Start			Caregiver currently provides (%)	45.97%	58.83% *
Episode timing: Early (%)	97.98%	88.34% **	Caregiver training needed (%)	32.26%	26.54%
Episode timing: Later (%)	2.02%	7.55%	Uncertain/Unlikely to be provided (%)	2.42%	3.81%
Episode timing: Unknown (%)	0.00%	4.11%	Needed, but not available (%)	8.87%	3.45% *
Inpatient Discharge / Medical Regimen			IADLs		
Long-term nursing facility (%)	0.00%	0.79%	None needed (%)	1.61%	2.81%
Skilled nursing facility (%)	2.42%	14.60% **	Caregiver provides (%)	69.35%	79.71% *
Short-stay acute hospital (%)	65.32%	50.82% *	Caregiver training needed (%)	20.16%	12.67%
Long-term care hospital (%)	0.81%	0.68%	Uncertain/Unlikely to be provided (%)	5.65%	2.18%
Inpatient rehab hospital/unit (%)	9.68%	6.05%	Needed, but not available (%)	3.23%	2.62%
Psychiatric hospital/unit (%)	2.42%	0.47%	Frequency of ADL / IADL (1-5)	1.66	1.32 *
Medical Regimen Change (%)	79.84%	89.37% *	Medication Administration		
Prior Conditions			None needed (%)	30.65%	20.39% *
Urinary incontinence (%)	53.10%	38.80% *	Caregiver provides (%)	54.03%	49.72%
Indwelling/suprapubic catheter (%)	4.42%	2.86%	Caregiver training needed (%)	15.32%	25.13%
Intractable pain (%)	11.50%	15.84%	Uncertain/Unlikely to be provided (%)	0.00%	2.48%
Impaired decision-making (%)	4.42%	19.82% **	Needed, but not available (%)	0.00%	2.28%
Disruptive/Inappropriate behav. (%)	1.77%	1.90%	Medical Procedures		
Memory loss (%)	2.65%	13.21% **	None needed (%)	52.42%	47.01%
None listed (%)	39.82%	41.94%	Caregiver provides (%)	21.77%	21.30%
No inpatient dc / No med. regimen chg. (%)	8.87%	5.56%	Caregiver training needed (%)	20.97%	23.48%
Therapies			Uncertain/Unlikely to be provided (%)	2.42%	4.96%
IV/infusion therapy (%)	8.06%	3.30% *	Needed, but not available (%)	2.42%	3.24%
Parenteral nutrition (%)	0.00%	0.24%	Management of Equipment		
Enteral nutrition (%)	1.61%	1.56%	None needed (%)	81.45%	63.40% **
GENERAL HEALTH STATUS			Caregiver provides (%)	13.71%	21.24%
Hospitalization Risks			Caregiver training needed (%)	4.84%	13.13% *
Recent decline mental/emot/behav (%)	8.87%	15.71%	Uncertain/Unlikely to be provided (%)	0.00%	1.36%
Multiple hospitalizations (%)	40.32%	35.89%	Needed, but not available (%)	0.00%	0.87%
History of falls (%)	30.65%	32.20%	Supervision / Safety		
5 or more medications (%)	91.94%	87.63%	None needed (%)	70.97%	30.62% **
Frailty factors (%)	17.74%	33.89% **	Caregiver provides (%)	25.00%	50.04% **
Other (%)	31.45%	27.84%	Caregiver training needed (%)	2.42%	16.13% **
None (%)	2.42%	3.15%	Uncertain/Unlikely to be provided (%)	1.61%	1.63%
Overall Status			Needed, but not available (%)	0.00%	1.58%
Overall Status (0-3)	1.14	1.35 **	Advocacy		
Unknown / Unclear (%)	0.00%	0.20%	None needed (%)	0.00%	5.62% **
Other Risk Factors			Caregiver provides (%)	94.35%	82.80% **
Smoking (%)	29.03%	19.35% *	Caregiver training needed (%)	4.84%	8.26%
Obesity (%)	25.00%	21.59%	Uncertain/Unlikely to be provided (%)	0.00%	1.65%
Alcohol dependency (%)	3.23%	3.44%	Needed, but not available (%)	0.81%	1.66%
Drug dependency (%)	2.42%	1.75%	SENSORY STATUS		
None (%)	50.81%	61.84% *	Sensory Status		
LIVING ARRANGEMENT / ASSISTANCE			Vision impairment (0-2)	0.23	0.29
Current Situation			Hearing impairment (0-2)	0.44	0.38
Lives alone (%)	27.42%	24.26%	Verbal content understanding (0-3)	0.31	0.51 **
			Speech/language (0-5)	0.41	0.59 *
			Pain interfering with activity (0-4)	2.94	2.32 **

Agency Patient-Related Characteristics Report

Agency Name: POPE COUNTY HEALTH UNIT
 Agency ID: HHAR00165
 Location: RUSSELLVILLE, AR
 CCN: 047850 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 124
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
INTEGUMENTARY STATUS					
Pressure Ulcers					
Pressure ulcer risk (%)	22.58%	41.44% **	Bed transferring (0-5)	1.12	1.41 **
Pressure ulcer present (%)	5.65%	5.21%	Ambulation (0-6)	2.35	2.58
Stage II pressure ulcer count (#)	0.06	0.05	Eating (0-5)	0.27	0.71 **
Stage III pressure ulcer count (#)	0.00	0.01	Status Prior to SOC/ROC		
Stage IV pressure ulcer count (#)	0.01	0.01	Prior Self Care (0-2)	0.76	0.70
Unstageable pressure ulcer count (#)	0.05	0.02 **	Prior Ambulation (0-2)	0.69	0.65
Status most problematic PU (0-3)	3.00	2.88	Prior Transfer (0-2)	0.49	0.59
Stage I pressure ulcers count (0-4)	0.02	0.03	IADLs, MEDICATIONS, OTHER		
Stage most problematic PU (1-4)	2.25	2.09	IADLs		
Stasis Ulcers					
Stasis ulcer indicator (%)	1.61%	1.71%	Light meal prep (0-2)	1.51	1.27 **
Stasis ulcer count (0-4)	0.02	0.03	Phone use (0-5)	0.54	0.92 **
Status most problematic stasis (0-3)	2.50	2.66	Prior Household (0-2)	1.21	1.11
Surgical Wounds					
Surgical wound indicator (%)	36.29%	25.41% *	Falls Risk		
Status most problematic surg. (0-3)	1.88	1.71	At risk of falls (%)	92.68%	91.58%
Other					
Skin lesion with intervention (%)	8.06%	24.79% **	Medication Status		
PHYSIOLOGICAL STATUS					
Respiratory					
Dyspnea (0-4)	1.19	1.41	Drug regimen: problem found (%)	80.65%	21.16% **
Oxygen therapy (%)	26.61%	15.47% *	Mgmt. oral medications (0-3)	1.25	1.60 *
Ventilator therapy (%)	0.00%	0.15%	Mgmt. oral medications: NA (%)	0.00%	0.54%
CPAP / BPAP therapy (%)	1.61%	3.02%	Mgmt. injected medications (0-3)	2.00	1.77
Elimination Status					
Urinary Tract Infection (%)	19.17%	10.49% *	Mgmt. injected medications: NA (%)	66.13%	77.68% *
Urinary incontinence/catheter (%)	71.77%	55.57% **	Prior mgmt. oral medications (0-2)	0.72	0.82
Urinary incontinence frequency (0-4)	2.01	2.48 *	Prior mgmt. oral medications: NA (%)	0.00%	2.41%
Bowel incontinence (0-5)	0.59	0.39	Prior mgmt. injected medications (0-2)	1.23	0.95
Bowel ostomy (%)	6.45%	2.05% *	Prior mgmt. injected medications: NA (%)	67.74%	77.18%
NEURO / EMOTIONAL / BEHAVIORAL					
Cognition					
Cognitive deficit (0-4)	0.39	0.68 **	THERAPY / PLAN OF CARE		
Confusion frequency (0-4)	0.64	0.87	Therapy Visits		
Emotional					
Anxiety level (0-3)	0.71	0.74	# Therapy visits indicated (#)	7.04	7.16
Depression evaluation indicator (%)	8.87%	5.80%	PATIENT DIAGNOSTIC INFORMATION		
PHQ-2: Interest/Pleasure (0-3)	0.15	0.27 *	Acute Conditions		
PHQ-2: Down/Depressed (0-3)	0.44	0.29	Orthopedic (%)	44.35%	39.58%
Behavioral					
Memory deficit (%)	6.45%	17.12% *	Neurologic (%)	6.45%	12.97%
Impaired decision-making (%)	5.65%	22.46% **	Open wounds/lesions (%)	5.65%	7.13%
Verbal disruption (%)	0.00%	1.48%	Cardiac/peripheral vascular (%)	30.65%	31.42%
Physical aggression (%)	0.00%	0.74%	Pulmonary (%)	18.55%	18.01%
Disruptive/Inappropriate behavior (%)	0.00%	0.87%	Diabetes mellitus (%)	7.26%	10.85%
Delusional, hallucinatory, etc. (%)	0.81%	1.43%	Gastrointestinal disorder (%)	10.48%	11.20%
None demonstrated (%)	91.13%	70.13% **	Contagious/communicable (%)	0.81%	3.33%
Frequency of behavioral problems (0-5)	0.38	0.77 **	Urinary incontinence/catheter (%)	16.13%	14.61%
Psychiatric nursing (%)	0.00%	1.57%	Mental/emotional (%)	0.00%	1.57%
ACTIVITIES OF DAILY LIVING					
SOC / ROC Status					
Grooming (0-3)	0.89	1.34 **	Oxygen therapy (%)	26.61%	15.47% *
Dress upper body (0-3)	1.35	1.47	IV/infusion therapy (%)	8.06%	3.30% *
Dress lower body (0-3)	1.81	1.80	Enteral/parenteral nutrition (%)	1.61%	1.79%
Bathing (0-6)	3.43	3.18	Ventilator (%)	0.00%	0.15%
Toilet transfer (0-4)	0.77	1.14 **	Chronic Conditions		
Toileting hygiene (0-3)	0.89	1.33 **	Dependence in living skills (%)	45.97%	38.84%
			Dependence in personal care (%)	52.42%	50.03%
			Impaired ambulation/mobility (%)	51.61%	54.02%
			Urinary incontinence/catheter (%)	55.65%	40.96% **
			Dependence in med. admin. (%)	54.03%	60.14%
			Chronic pain (%)	18.55%	16.87%
			Cognitive/mental/behavioral (%)	4.03%	21.25% **
			Chronic pt. with caregiver (%)	74.19%	69.13%
			Home Care Diagnoses		
			Infections/parasitic diseases (%)	2.42%	4.22%
			Neoplasms (%)	9.68%	8.51%
			Endocrine/nutrit./metabolic (%)	45.16%	42.67%
			Blood diseases (%)	16.94%	8.33% *
			Mental diseases (%)	32.26%	27.66%
			Nervous system diseases (%)	37.90%	25.86% *

Agency Patient-Related Characteristics Report

Agency Name: POPE COUNTY HEALTH UNIT
Agency ID: HHAR00165
Location: RUSSELLVILLE, AR
CCN: 047850 **Branch:** All
Medicaid Number: 104312514
Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 124
Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean
Home Care Diagnoses		
Circulatory system diseases (%)	78.23%	77.02%
Respiratory system diseases (%)	24.19%	24.52%
Digestive system diseases (%)	16.13%	12.13%
Genitourinary sys. diseases (%)	23.39%	18.94%
Skin/subcutaneous diseases (%)	5.65%	11.67%
Musculoskeletal sys. diseases (%)	71.77%	48.35% **
Ill-defined conditions (%)	30.65%	33.08%
Fractures (%)	0.81%	5.88% *
Intracranial injury (%)	0.00%	0.29%
Other injury (%)	12.90%	4.82% **
Adverse reactions and complications (%)	11.29%	3.63% **

	Current Mean	Ref. Mean
Scheduled visit (%)	20.45%	5.54% **
Other (%)	43.18%	35.71%
No hospitalization (%)	64.23%	73.58%

Asterisks represent significance levels of current and reference data comparisons.

* The probability is 1% or less that this difference is due to chance, and 99% or more that the difference is real.

** The probability is 0.1% or less that this difference is due to chance, and 99.9% or more that the difference is real.

PATIENT DISCHARGE INFORMATION

Length of Stay

LOS until discharge (in days)	44.15	59.14
LOS from 1 to 30 days (%)	51.61%	46.83%
LOS from 31 to 60 days (%)	37.90%	33.63%
LOS from 61 to 120 days (%)	5.65%	11.09%
LOS from 121 to 180 days (%)	1.61%	3.55%
LOS more than 180 days (%)	3.23%	4.90%

Reason for Emergent Care

Improper medications (%)	10.00%	1.06%
Injury from fall (%)	10.00%	7.79%
Respiratory infection (%)	5.00%	8.81%
Other respiratory (%)	15.00%	11.27%
Heart failure (%)	0.00%	7.42%
Cardiac dysrhythmia (%)	0.00%	2.75%
Myocardial infarction (%)	5.00%	3.53%
Other heart disease (%)	0.00%	1.91%
Stroke (CVA) or TIA (%)	0.00%	2.34%
Hypo/Hyperglycemia (%)	5.00%	1.76%
GI bleeding, obstruction, etc. (%)	5.00%	3.77%
Dehydration, malnutrition (%)	0.00%	4.36%
Urinary tract infection (%)	5.00%	6.86%
IV catheter-related infection (%)	0.00%	0.39%
Wound infection (%)	0.00%	4.13%
Uncontrolled pain (%)	30.00%	5.50% **
Acute mental/behav. problem (%)	5.00%	3.42%
Deep vein thrombosis (%)	0.00%	1.17%
Other (%)	25.00%	37.08%
No emergent care (%)	83.61%	77.67%

Reason for Hospitalization

Improper medications (%)	0.00%	0.80%
Injury from fall (%)	0.00%	5.83%
Respiratory infection (%)	4.55%	9.02%
Other respiratory (%)	9.09%	10.88%
Heart failure (%)	2.27%	7.52%
Cardiac dysrhythmia (%)	2.27%	2.63%
Myocardial infarction (%)	2.27%	3.29%
Other heart disease (%)	2.27%	1.94%
Stroke (CVA) or TIA (%)	2.27%	2.33%
Hypo/Hyperglycemia (%)	2.27%	1.63%
GI bleeding, obstruction, etc. (%)	0.00%	3.53%
Dehydration, malnutrition (%)	2.27%	4.13%
Urinary tract infection (%)	6.82%	6.55%
IV catheter-related infection (%)	0.00%	0.25%
Wound infection (%)	4.55%	5.05%
Uncontrolled pain (%)	9.09%	4.07%
Acute mental/behav. Problem (%)	4.55%	3.50%
Deep vein thrombosis (%)	0.00%	1.12%

Agency Patient-Related Characteristics Report

Agency Name: PRAIRIE COUNTY HEALTH UNIT
 Agency ID: HHAR00166
 Location: DES ARC, AR
 CCN: 047851 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 71
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
PATIENT HISTORY					
Demographics					
Age (years)	73.45	74.67	Lives with others (%)	71.83%	65.36%
Gender: Female (%)	69.01%	61.27%	Lives in congregate situation (%)	0.00%	10.39% **
Race: Black (%)	11.27%	13.94%	Availability		
Race: White (%)	88.73%	75.77% *	Around the clock (%)	61.97%	76.40% *
Race: Other (%)	0.00%	10.57% **	Regular daytime (%)	1.41%	4.06%
Payment Source			Regular nighttime (%)	11.27%	5.19%
Any Medicare (%)	73.24%	93.22% **	Occasional (%)	25.35%	13.43% *
Any Medicaid (%)	26.76%	9.69% **	None (%)	0.00%	0.93%
Any HMO (%)	1.41%	26.98% **	CARE MANAGEMENT		
Medicare HMO (%)	1.41%	22.66% **	ADLs		
Other (%)	2.82%	3.89%	None needed (%)	4.23%	7.37%
Episode Start			Caregiver currently provides (%)	66.20%	58.83%
Episode timing: Early (%)	79.63%	88.34%	Caregiver training needed (%)	15.49%	26.54%
Episode timing: Later (%)	20.37%	7.55% *	Uncertain/Unlikely to be provided (%)	0.00%	3.81%
Episode timing: Unknown (%)	0.00%	4.11%	Needed, but not available (%)	14.08%	3.45% **
Inpatient Discharge / Medical Regimen			IADLs		
Long-term nursing facility (%)	5.63%	0.79% *	None needed (%)	2.82%	2.81%
Skilled nursing facility (%)	33.80%	14.60% **	Caregiver provides (%)	69.01%	79.71%
Short-stay acute hospital (%)	16.90%	50.82% **	Caregiver training needed (%)	15.49%	12.67%
Long-term care hospital (%)	0.00%	0.68%	Uncertain/Unlikely to be provided (%)	0.00%	2.18%
Inpatient rehab hospital/unit (%)	9.86%	6.05%	Needed, but not available (%)	12.68%	2.62% **
Psychiatric hospital/unit (%)	0.00%	0.47%	Frequency of ADL / IADL (1-5)	1.27	1.32
Medical Regimen Change (%)	69.01%	89.37% **	Medication Administration		
Prior Conditions			None needed (%)	30.99%	20.39%
Urinary incontinence (%)	18.37%	38.80% *	Caregiver provides (%)	47.89%	49.72%
Indwelling/suprapubic catheter (%)	0.00%	2.86%	Caregiver training needed (%)	8.45%	25.13% **
Intractable pain (%)	4.08%	15.84%	Uncertain/Unlikely to be provided (%)	1.41%	2.48%
Impaired decision-making (%)	8.16%	19.82%	Needed, but not available (%)	11.27%	2.28% **
Disruptive/inappropriate behav. (%)	0.00%	1.90%	Medical Procedures		
Memory loss (%)	8.16%	13.21%	None needed (%)	71.83%	47.01% **
None listed (%)	69.39%	41.94% **	Caregiver provides (%)	19.72%	21.30%
No inpatient dc / No med. regimen chg. (%)	30.99%	5.56% **	Caregiver training needed (%)	2.82%	23.48% **
Therapies			Uncertain/Unlikely to be provided (%)	1.41%	4.96%
IV/infusion therapy (%)	1.41%	3.30%	Needed, but not available (%)	4.23%	3.24%
Parenteral nutrition (%)	0.00%	0.24%	Management of Equipment		
Enteral nutrition (%)	2.82%	1.56%	None needed (%)	90.14%	63.40% **
GENERAL HEALTH STATUS			Caregiver provides (%)	9.86%	21.24%
Hospitalization Risks			Caregiver training needed (%)	0.00%	13.13% **
Recent decline mental/emot/behav (%)	11.27%	15.71%	Uncertain/Unlikely to be provided (%)	0.00%	1.36%
Multiple hospitalizations (%)	33.80%	35.89%	Needed, but not available (%)	0.00%	0.87%
History of falls (%)	15.49%	32.20% *	Supervision / Safety		
5 or more medications (%)	71.83%	87.63% **	None needed (%)	67.61%	30.62% **
Frailty factors (%)	9.86%	33.89% **	Caregiver provides (%)	29.58%	50.04% **
Other (%)	25.35%	27.84%	Caregiver training needed (%)	0.00%	16.13% **
None (%)	2.82%	3.15%	Uncertain/Unlikely to be provided (%)	0.00%	1.63%
Overall Status			Needed, but not available (%)	2.82%	1.58%
Overall Status (0-3)	0.63	1.35 **	Advocacy		
Unknown / Unclear (%)	0.00%	0.20%	None needed (%)	54.93%	5.62% **
Other Risk Factors			Caregiver provides (%)	45.07%	82.80% **
Smoking (%)	18.57%	19.35%	Caregiver training needed (%)	0.00%	8.26% *
Obesity (%)	10.00%	21.59%	Uncertain/Unlikely to be provided (%)	0.00%	1.65%
Alcohol dependency (%)	0.00%	3.44%	Needed, but not available (%)	0.00%	1.66%
Drug dependency (%)	1.43%	1.75%	SENSORY STATUS		
None (%)	71.43%	61.84%	Sensory Status		
LIVING ARRANGEMENT / ASSISTANCE			Vision impairment (0-2)	0.24	0.29
Current Situation			Hearing impairment (0-2)	0.21	0.38 *
Lives alone (%)	28.17%	24.26%	Verbal content understanding (0-3)	0.51	0.51
			Speech/language (0-5)	0.55	0.59
			Pain interfering with activity (0-4)	1.34	2.32 **

Agency Patient-Related Characteristics Report

Agency Name: PRAIRIE COUNTY HEALTH UNIT
 Agency ID: HHAR00166
 Location: DES ARC, AR
 CCN: 047851 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 71
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
INTEGUMENTARY STATUS					
Pressure Ulcers					
Pressure ulcer risk (%)	29.58%	41.44%	Bed transferring (0-5)	0.96	1.41 **
Pressure ulcer present (%)	1.41%	5.21%	Ambulation (0-6)	1.85	2.58 **
Stage II pressure ulcer count (#)	0.01	0.05	Eating (0-5)	0.20	0.71 **
Stage III pressure ulcer count (#)	0.00	0.01	Status Prior to SOC/ROC		
Stage IV pressure ulcer count (#)	0.00	0.01	Prior Self Care (0-2)	1.03	0.70 **
Unstageable pressure ulcer count (#)	0.00	0.02	Prior Ambulation (0-2)	0.99	0.65 **
Status most problematic PU (0-3)	3.00	2.88	Prior Transfer (0-2)	0.94	0.59 **
Stage I pressure ulcers count (0-4)	0.03	0.03	IADLs, MEDICATIONS, OTHER		
Stage most problematic PU (1-4)	1.33	2.09	IADLs		
Stasis Ulcers					
Stasis ulcer indicator (%)	0.00%	1.71%	Light meal prep (0-2)	1.18	1.27
Stasis ulcer count (0-4)	0.00	0.03 **	Phone use (0-5)	0.56	0.92
Status most problematic stasis (0-3)	---	2.66	Prior Household (0-2)	1.80	1.11 **
Surgical Wounds					
Surgical wound indicator (%)	18.31%	25.41%	Falls Risk		
Status most problematic surg. (0-3)	0.83	1.71	At risk of falls (%)	73.91%	91.58% **
Other					
Skin lesion with intervention (%)	1.41%	24.79% **	Medication Status		
PHYSIOLOGICAL STATUS					
Respiratory					
Dyspnea (0-4)	1.48	1.41	Drug regimen: problem found (%)	77.46%	21.16% **
Oxygen therapy (%)	18.31%	15.47%	Mgmt. oral medications (0-3)	1.01	1.60 **
Ventilator therapy (%)	0.00%	0.15%	Mgmt. oral medications: NA (%)	0.00%	0.54%
CPAP / BPAP therapy (%)	1.41%	3.02%	Mgmt. injected medications (0-3)	2.00	1.77
Elimination Status					
Urinary Tract Infection (%)	0.00%	10.49% **	Mgmt. injected medications: NA (%)	77.46%	77.68%
Urinary incontinence/catheter (%)	49.30%	55.57%	Prior mgmt. oral medications (0-2)	0.82	0.82
Urinary incontinence frequency (0-4)	1.18	2.48 **	Prior mgmt. oral medications: NA (%)	0.00%	2.41%
Bowel incontinence (0-5)	0.10	0.39 *	Prior mgmt. injected medications (0-2)	1.20	0.95
Bowel ostomy (%)	1.41%	2.05%	Prior mgmt. injected medications: NA (%)	78.87%	77.18%
NEURO / EMOTIONAL / BEHAVIORAL					
Cognition					
Cognitive deficit (0-4)	0.45	0.68	THERAPY / PLAN OF CARE		
Confusion frequency (0-4)	0.66	0.87	Therapy Visits		
Emotional					
Anxiety level (0-3)	0.18	0.74 **	# Therapy visits indicated (#)	7.43	7.16
Depression evaluation indicator (%)	0.00%	5.80%	PATIENT DIAGNOSTIC INFORMATION		
PHQ-2: Interest/Pleasure (0-3)	0.00	0.27 **	Acute Conditions		
PHQ-2: Down/Depressed (0-3)	0.03	0.29 **	Orthopedic (%)	30.99%	39.58%
Behavioral					
Memory deficit (%)	9.86%	17.12%	Neurologic (%)	4.23%	12.97%
Impaired decision-making (%)	5.63%	22.46% **	Open wounds/lesions (%)	0.00%	7.13% *
Verbal disruption (%)	0.00%	1.48%	Cardiac/peripheral vascular (%)	11.27%	31.42% **
Physical aggression (%)	0.00%	0.74%	Pulmonary (%)	14.08%	18.01%
Disruptive/Inappropriate behavior (%)	0.00%	0.87%	Diabetes mellitus (%)	5.63%	10.85%
Delusional, hallucinatory, etc. (%)	0.00%	1.43%	Gastrointestinal disorder (%)	2.82%	11.20%
None demonstrated (%)	90.14%	70.13% **	Contagious/communicable (%)	0.00%	3.33%
Frequency of behavioral problems (0-5)	0.10	0.77 **	Urinary incontinence/catheter (%)	19.72%	14.61%
Psychiatric nursing (%)	0.00%	1.57%	Mental/emotional (%)	0.00%	1.57%
ACTIVITIES OF DAILY LIVING					
SOC / ROC Status					
Grooming (0-3)	1.03	1.34 **	Oxygen therapy (%)	18.31%	15.47%
Dress upper body (0-3)	1.10	1.47 **	IV/infusion therapy (%)	1.41%	3.30%
Dress lower body (0-3)	1.21	1.80 **	Enteral/parenteral nutrition (%)	2.82%	1.79%
Bathing (0-6)	2.10	3.18 **	Ventilator (%)	0.00%	0.15%
Toilet transfer (0-4)	0.48	1.14 **	Chronic Conditions		
Toileting hygiene (0-3)	0.49	1.33 **	Dependence in living skills (%)	23.94%	38.84% *
			Dependence in personal care (%)	26.76%	50.03% **
			Impaired ambulation/mobility (%)	70.42%	54.02% *
			Urinary incontinence/catheter (%)	29.58%	40.96%
			Dependence in med. admin. (%)	69.01%	60.14%
			Chronic pain (%)	4.23%	16.87% *
			Cognitive/mental/behavioral (%)	9.86%	21.25%
			Chronic pt. with caregiver (%)	67.61%	69.13%
			Home Care Diagnoses		
			Infections/parasitic diseases (%)	0.00%	4.22%
			Neoplasms (%)	1.41%	8.51%
			Endocrine/nutrit./metabolic (%)	40.85%	42.67%
			Blood diseases (%)	4.23%	8.33%
			Mental diseases (%)	21.13%	27.66%
			Nervous system diseases (%)	25.35%	25.86%

Agency Patient-Related Characteristics Report

Agency Name: PRAIRIE COUNTY HEALTH UNIT
Agency ID: HHAR00166
Location: DES ARC, AR
CCN: 047851 **Branch:** All
Medicaid Number: 104312514
Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 71
Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean
Home Care Diagnoses		
Circulatory system diseases (%)	87.32%	77.02%
Respiratory system diseases (%)	22.54%	24.52%
Digestive system diseases (%)	7.04%	12.13%
Genitourinary sys. diseases (%)	1.41%	18.94% **
Skin/subcutaneous diseases (%)	8.45%	11.67%
Musculoskeletal sys. diseases (%)	52.11%	48.35%
Ill-defined conditions (%)	67.61%	33.08% **
Fractures (%)	2.82%	5.88%
Intracranial injury (%)	0.00%	0.29%
Other injury (%)	4.23%	4.82%
Adverse reactions and complications (%)	1.41%	3.63%

	Current Mean	Ref. Mean
Scheduled visit (%)	0.00%	5.54%
Other (%)	29.63%	35.71%
No hospitalization (%)	60.87%	73.58%

Asterisks represent significance levels of current and reference data comparisons.

* The probability is 1% or less that this difference is due to chance, and 99% or more that the difference is real.

** The probability is 0.1% or less that this difference is due to chance, and 99.9% or more that the difference is real.

PATIENT DISCHARGE INFORMATION

Length of Stay

LOS until discharge (in days)	143.03	59.14
LOS from 1 to 30 days (%)	40.85%	46.83%
LOS from 31 to 60 days (%)	22.54%	33.63%
LOS from 61 to 120 days (%)	9.86%	11.09%
LOS from 121 to 180 days (%)	5.63%	3.55%
LOS more than 180 days (%)	21.13%	4.90% **

Reason for Emergent Care

Improper medications (%)	3.23%	1.06%
Injury from fall (%)	12.90%	7.79%
Respiratory infection (%)	9.68%	8.81%
Other respiratory (%)	9.68%	11.27%
Heart failure (%)	6.45%	7.42%
Cardiac dysrhythmia (%)	0.00%	2.75%
Myocardial infarction (%)	0.00%	3.53%
Other heart disease (%)	0.00%	1.91%
Stroke (CVA) or TIA (%)	6.45%	2.34%
Hypo/Hyperglycemia (%)	12.90%	1.76% *
GI bleeding, obstruction, etc. (%)	3.23%	3.77%
Dehydration, malnutrition (%)	12.90%	4.36%
Urinary tract infection (%)	6.45%	6.86%
IV catheter-related infection (%)	0.00%	0.39%
Wound infection (%)	3.23%	4.13%
Uncontrolled pain (%)	0.00%	5.50%
Acute mental/behav. problem (%)	3.23%	3.42%
Deep vein thrombosis (%)	0.00%	1.17%
Other (%)	22.58%	37.08%
No emergent care (%)	55.07%	77.67% **

Reason for Hospitalization

Improper medications (%)	0.00%	0.80%
Injury from fall (%)	7.41%	5.83%
Respiratory infection (%)	11.11%	9.02%
Other respiratory (%)	7.41%	10.88%
Heart failure (%)	7.41%	7.52%
Cardiac dysrhythmia (%)	0.00%	2.63%
Myocardial infarction (%)	0.00%	3.29%
Other heart disease (%)	0.00%	1.94%
Stroke (CVA) or TIA (%)	7.41%	2.33%
Hypo/Hyperglycemia (%)	11.11%	1.63% *
GI bleeding, obstruction, etc. (%)	3.70%	3.53%
Dehydration, malnutrition (%)	14.81%	4.13%
Urinary tract infection (%)	11.11%	6.55%
IV catheter-related infection (%)	0.00%	0.25%
Wound infection (%)	3.70%	5.05%
Uncontrolled pain (%)	0.00%	4.07%
Acute mental/behav. Problem (%)	0.00%	3.50%
Deep vein thrombosis (%)	0.00%	1.12%

Agency Patient-Related Characteristics Report

Agency Name: PULASKI COUNTY HEALTH UNIT
 Agency ID: HHAR00194
 Location: LITTLE ROCK, AR
 CCN: 047888 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 83
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
PATIENT HISTORY					
Demographics					
Age (years)	54.61	74.67 **	Lives with others (%)	84.34%	65.36% **
Gender: Female (%)	50.80%	61.27%	Lives in congregate situation (%)	2.41%	10.39% *
Race: Black (%)	62.65%	13.94% **	Availability		
Race: White (%)	36.14%	75.77% **	Around the clock (%)	87.95%	76.40% *
Race: Other (%)	1.20%	10.57% *	Regular daytime (%)	0.00%	4.06%
Payment Source			Regular nighttime (%)	8.43%	5.19%
Any Medicare (%)	49.40%	93.22% **	Occasional (%)	3.61%	13.43% *
Any Medicaid (%)	50.60%	9.69% **	None (%)	0.00%	0.93%
Any HMO (%)	26.51%	26.98%	CARE MANAGEMENT		
Medicare HMO (%)	24.10%	22.66%	ADLs		
Other (%)	2.41%	3.89%	None needed (%)	28.92%	7.37% **
Episode Start			Caregiver currently provides (%)	67.47%	58.83%
Episode timing: Early (%)	92.31%	88.34%	Caregiver training needed (%)	0.00%	26.54% **
Episode timing: Later (%)	7.69%	7.55%	Uncertain/Unlikely to be provided (%)	0.00%	3.81%
Episode timing: Unknown (%)	0.00%	4.11%	Needed, but not available (%)	3.61%	3.45%
Inpatient Discharge / Medical Regimen			IADLs		
Long-term nursing facility (%)	0.00%	0.79%	None needed (%)	6.02%	2.81%
Skilled nursing facility (%)	4.82%	14.60% *	Caregiver provides (%)	90.36%	79.71% *
Short-stay acute hospital (%)	69.88%	50.82% **	Caregiver training needed (%)	0.00%	12.67% **
Long-term care hospital (%)	0.00%	0.68%	Uncertain/Unlikely to be provided (%)	0.00%	2.18%
Inpatient rehab hospital/unit (%)	7.23%	6.05%	Needed, but not available (%)	3.61%	2.62%
Psychiatric hospital/unit (%)	0.00%	0.47%	Frequency of ADL / IADL (1-5)	1.33	1.32
Medical Regimen Change (%)	92.77%	89.37%	Medication Administration		
Prior Conditions			None needed (%)	49.40%	20.39% **
Urinary incontinence (%)	14.10%	38.80% **	Caregiver provides (%)	48.19%	49.72%
Indwelling/suprapubic catheter (%)	7.69%	2.86%	Caregiver training needed (%)	1.20%	25.13% **
Intractable pain (%)	5.13%	15.84% *	Uncertain/Unlikely to be provided (%)	0.00%	2.48%
Impaired decision-making (%)	11.54%	19.82%	Needed, but not available (%)	1.20%	2.28%
Disruptive/Inappropriate behav. (%)	1.28%	1.90%	Medical Procedures		
Memory loss (%)	7.69%	13.21%	None needed (%)	42.17%	47.01%
None listed (%)	69.23%	41.94% **	Caregiver provides (%)	39.76%	21.30% **
No inpatient dc / No med. regimen chg. (%)	6.02%	5.56%	Caregiver training needed (%)	6.02%	23.48% **
Therapies			Uncertain/Unlikely to be provided (%)	4.82%	4.96%
IV/infusion therapy (%)	15.66%	3.30% **	Needed, but not available (%)	7.23%	3.24%
Parenteral nutrition (%)	1.20%	0.24%	Management of Equipment		
Enteral nutrition (%)	8.43%	1.56% **	None needed (%)	67.47%	63.40%
GENERAL HEALTH STATUS			Caregiver provides (%)	28.92%	21.24%
Hospitalization Risks			Caregiver training needed (%)	1.20%	13.13% **
Recent decline mental/emot/behav (%)	8.43%	15.71%	Uncertain/Unlikely to be provided (%)	0.00%	1.36%
Multiple hospitalizations (%)	50.60%	35.89% *	Needed, but not available (%)	2.41%	0.87%
History of falls (%)	13.25%	32.20% **	Supervision / Safety		
5 or more medications (%)	71.08%	87.63% **	None needed (%)	73.49%	30.62% **
Frailty factors (%)	27.71%	33.89%	Caregiver provides (%)	26.51%	50.04% **
Other (%)	40.96%	27.84% *	Caregiver training needed (%)	0.00%	16.13% **
None (%)	10.84%	3.15% **	Uncertain/Unlikely to be provided (%)	0.00%	1.63%
Overall Status			Needed, but not available (%)	0.00%	1.58%
Overall Status (0-3)	1.16	1.35 *	Advocacy		
Unknown / Unclear (%)	0.00%	0.20%	None needed (%)	1.20%	5.62%
Other Risk Factors			Caregiver provides (%)	97.59%	82.80% **
Smoking (%)	32.53%	19.35% *	Caregiver training needed (%)	0.00%	8.26% *
Obesity (%)	16.87%	21.59%	Uncertain/Unlikely to be provided (%)	0.00%	1.65%
Alcohol dependency (%)	8.43%	3.44%	Needed, but not available (%)	1.20%	1.66%
Drug dependency (%)	6.02%	1.75%	SENSORY STATUS		
None (%)	49.40%	61.84%	Sensory Status		
LIVING ARRANGEMENT / ASSISTANCE			Vision impairment (0-2)	0.08	0.29 **
Current Situation			Hearing impairment (0-2)	0.09	0.38 **
Lives alone (%)	13.25%	24.26%	Verbal content understanding (0-3)	0.24	0.51 **
			Speech/language (0-5)	0.39	0.59 *
			Pain interfering with activity (0-4)	2.24	2.32

Agency Patient-Related Characteristics Report

Agency Name: PULASKI COUNTY HEALTH UNIT
 Agency ID: HHAR00194
 Location: LITTLE ROCK, AR
 CCN: 047888 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 83
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
INTEGUMENTARY STATUS					
Pressure Ulcers					
Pressure ulcer risk (%)	33.73%	41.44%	Bed transferring (0-5)	0.99	1.41 **
Pressure ulcer present (%)	7.23%	5.21%	Ambulation (0-6)	2.06	2.58 **
Stage II pressure ulcer count (#)	0.06	0.05	Eating (0-5)	0.81	0.71 *
Stage III pressure ulcer count (#)	0.01	0.01	Status Prior to SOC/ROC		
Stage IV pressure ulcer count (#)	0.04	0.01	Prior Self Care (0-2)	0.69	0.70
Unstageable pressure ulcer count (#)	0.00	0.02	Prior Ambulation (0-2)	0.63	0.65
Status most problematic PU (0-3)	2.67	2.88	Prior Transfer (0-2)	0.47	0.59
Stage I pressure ulcers count (0-4)	0.04	0.03	IADLs, MEDICATIONS, OTHER		
Stage most problematic PU (1-4)	2.13	2.09	IADLs		
Stasis Ulcers					
Stasis ulcer indicator (%)	4.82%	1.71%	Light meal prep (0-2)	0.95	1.27 **
Stasis ulcer count (0-4)	0.11	0.03 *	Phone use (0-5)	0.67	0.92 *
Status most problematic stasis (0-3)	2.50	2.66	Prior Household (0-2)	1.06	1.11
Surgical Wounds					
Surgical wound indicator (%)	50.60%	25.41% **	Falls Risk		
Status most problematic surg. (0-3)	1.85	1.71	At risk of falls (%)	80.49%	91.58% *
Other					
Skin lesion with intervention (%)	27.71%	24.79%	Medication Status		
PHYSIOLOGICAL STATUS					
Respiratory					
Dyspnea (0-4)	1.14	1.41	Drug regimen: problem found (%)	63.86%	21.16% **
Oxygen therapy (%)	13.25%	15.47%	Mgmt. oral medications (0-3)	0.86	1.60 **
Ventilator therapy (%)	0.00%	0.15%	Mgmt. oral medications: NA (%)	4.82%	0.54% **
CPAP / BPAP therapy (%)	4.82%	3.02%	Mgmt. injected medications (0-3)	1.00	1.77
Elimination Status					
Urinary Tract Infection (%)	13.25%	10.49%	Mgmt. injected medications: NA (%)	83.13%	77.68%
Urinary incontinence/catheter (%)	28.92%	55.57% **	Prior mgmt. oral medications (0-2)	0.53	0.82 **
Urinary incontinence frequency (0-4)	2.50	2.48	Prior mgmt. oral medications: NA (%)	4.82%	2.41%
Bowel incontinence (0-5)	0.45	0.39	Prior mgmt. injected medications (0-2)	0.75	0.95
Bowel ostomy (%)	7.23%	2.05% *	Prior mgmt. injected medications: NA (%)	85.54%	77.18%
NEURO / EMOTIONAL / BEHAVIORAL					
Cognition					
Cognitive deficit (0-4)	0.29	0.68 **	THERAPY / PLAN OF CARE		
Confusion frequency (0-4)	0.37	0.87 **	Therapy Visits		
Emotional					
Anxiety level (0-3)	0.45	0.74 **	# Therapy visits indicated (#)	4.31	7.16 *
Depression evaluation indicator (%)	6.02%	5.80%	PATIENT DIAGNOSTIC INFORMATION		
PHQ-2: Interest/Pleasure (0-3)	0.19	0.27	Acute Conditions		
PHQ-2: Down/Depressed (0-3)	0.19	0.29	Orthopedic (%)	30.12%	39.58%
Behavioral					
Memory deficit (%)	9.64%	17.12%	Neurologic (%)	12.05%	12.97%
Impaired decision-making (%)	8.43%	22.46% **	Open wounds/lesions (%)	10.84%	7.13%
Verbal disruption (%)	0.00%	1.48%	Cardiac/peripheral vascular (%)	30.12%	31.42%
Physical aggression (%)	0.00%	0.74%	Pulmonary (%)	18.07%	18.01%
Disruptive/Inappropriate behavior (%)	0.00%	0.87%	Diabetes mellitus (%)	7.23%	10.85%
Delusional, hallucinatory, etc. (%)	0.00%	1.43%	Gastrointestinal disorder (%)	14.46%	11.20%
None demonstrated (%)	86.75%	70.13% **	Contagious/communicable (%)	7.23%	3.33%
Frequency of behavioral problems (0-5)	0.45	0.77	Urinary incontinence/catheter (%)	8.43%	14.61%
Psychiatric nursing (%)	1.20%	1.57%	Mental/emotional (%)	1.20%	1.57%
ACTIVITIES OF DAILY LIVING					
SOC / ROC Status					
Grooming (0-3)	0.75	1.34 **	Oxygen therapy (%)	13.25%	15.47%
Dress upper body (0-3)	0.94	1.47 **	IV/infusion therapy (%)	15.66%	3.30% **
Dress lower body (0-3)	1.25	1.80 **	Enteral/parenteral nutrition (%)	9.64%	1.79% **
Bathing (0-6)	2.92	3.18	Ventilator (%)	0.00%	0.15%
Toilet transfer (0-4)	0.75	1.14 **	Chronic Conditions		
Toileting hygiene (0-3)	0.71	1.33 **	Dependence in living skills (%)	32.53%	38.84%
			Dependence in personal care (%)	44.58%	50.03%
			Impaired ambulation/mobility (%)	44.58%	54.02%
			Urinary incontinence/catheter (%)	20.48%	40.96% **
			Dependence in med. admin. (%)	42.17%	60.14% **
			Chronic pain (%)	8.43%	16.87%
			Cognitive/mental/behavioral (%)	8.43%	21.25% *
			Chronic pt. with caregiver (%)	72.29%	69.13%
			Home Care Diagnoses		
			Infections/parasitic diseases (%)	12.05%	4.22% *
			Neoplasms (%)	15.66%	8.51%
			Endocrine/nutrit./metabolic (%)	37.35%	42.67%
			Blood diseases (%)	4.82%	8.33%
			Mental diseases (%)	18.07%	27.66%
			Nervous system diseases (%)	18.07%	25.86%

Agency Patient-Related Characteristics Report

Agency Name: PULASKI COUNTY HEALTH UNIT
 Agency ID: HHAR00194
 Location: LITTLE ROCK, AR
 CCN: 047888 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 83
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean
Home Care Diagnoses		
Circulatory system diseases (%)	61.45%	77.02% *
Respiratory system diseases (%)	16.87%	24.52%
Digestive system diseases (%)	21.69%	12.13%
Genitourinary sys. diseases (%)	24.10%	18.94%
Skin/subcutaneous diseases (%)	26.51%	11.67% **
Musculoskeletal sys. diseases (%)	30.12%	48.35% **
Ill-defined conditions (%)	50.60%	33.08% **
Fractures (%)	3.61%	5.88%
Intracranial injury (%)	0.00%	0.29%
Other injury (%)	6.02%	4.82%
Adverse reactions and complications (%)	8.43%	3.63%

	Current Mean	Ref. Mean
Scheduled visit (%)	5.00%	5.54%
Other (%)	40.00%	35.71%
No hospitalization (%)	74.39%	73.58%

Asterisks represent significance levels of current and reference data comparisons.

* The probability is 1% or less that this difference is due to chance, and 99% or more that the difference is real.

** The probability is 0.1% or less that this difference is due to chance, and 99.9% or more that the difference is real.

PATIENT DISCHARGE INFORMATION

Length of Stay

LOS until discharge (in days)	39.78	59.14 **
LOS from 1 to 30 days (%)	62.65%	46.83% *
LOS from 31 to 60 days (%)	28.92%	33.63%
LOS from 61 to 120 days (%)	2.41%	11.09% *
LOS from 121 to 180 days (%)	2.41%	3.55%
LOS more than 180 days (%)	3.61%	4.90%

Reason for Emergent Care

Improper medications (%)	0.00%	1.06%
Injury from fall (%)	9.68%	7.79%
Respiratory infection (%)	6.45%	8.81%
Other respiratory (%)	12.90%	11.27%
Heart failure (%)	6.45%	7.42%
Cardiac dysrhythmia (%)	0.00%	2.75%
Myocardial infarction (%)	0.00%	3.53%
Other heart disease (%)	0.00%	1.91%
Stroke (CVA) or TIA (%)	0.00%	2.34%
Hypo/Hyperglycemia (%)	0.00%	1.76%
GI bleeding, obstruction, etc. (%)	6.45%	3.77%
Dehydration, malnutrition (%)	0.00%	4.36%
Urinary tract infection (%)	25.81%	6.86% **
IV catheter-related infection (%)	0.00%	0.39%
Wound infection (%)	3.23%	4.13%
Uncontrolled pain (%)	6.45%	5.50%
Acute mental/behav. problem (%)	0.00%	3.42%
Deep vein thrombosis (%)	0.00%	1.17%
Other (%)	38.71%	37.08%
No emergent care (%)	62.20%	77.67% **

Reason for Hospitalization

Improper medications (%)	0.00%	0.80%
Injury from fall (%)	5.00%	5.83%
Respiratory infection (%)	5.00%	9.02%
Other respiratory (%)	5.00%	10.88%
Heart failure (%)	5.00%	7.52%
Cardiac dysrhythmia (%)	0.00%	2.63%
Myocardial infarction (%)	0.00%	3.29%
Other heart disease (%)	0.00%	1.94%
Stroke (CVA) or TIA (%)	0.00%	2.33%
Hypo/Hyperglycemia (%)	0.00%	1.63%
GI bleeding, obstruction, etc. (%)	5.00%	3.53%
Dehydration, malnutrition (%)	0.00%	4.13%
Urinary tract infection (%)	30.00%	6.55% **
IV catheter-related infection (%)	0.00%	0.25%
Wound infection (%)	10.00%	5.05%
Uncontrolled pain (%)	10.00%	4.07%
Acute mental/behav. Problem (%)	0.00%	3.50%
Deep vein thrombosis (%)	0.00%	1.12%

Agency Patient-Related Characteristics Report

Agency Name: RANDOLPH COUNTY HEALTH UNIT
Agency ID: HHAR00167
Location: POCAHONTAS, AR
CCN: 047852 **Branch:** All
Medicaid Number: 104312514
Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 39
Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
PATIENT HISTORY					
Demographics					
Age (years)	70.97	74.67 *	Lives with others (%)	71.79%	65.36%
Gender: Female (%)	61.54%	61.27%	Lives in congregate situation (%)	0.00%	10.39%
Race: Black (%)	0.00%	13.94% *	Availability		
Race: White (%)	100.00	75.77% **	Around the clock (%)	97.44%	76.40% **
Race: Other (%)	0.00%	10.57%	Regular daytime (%)	0.00%	4.06%
Payment Source			Regular nighttime (%)	2.56%	5.19%
Any Medicare (%)	79.49%	93.22% *	Occasional (%)	0.00%	13.43% *
Any Medicaid (%)	20.51%	9.69%	None (%)	0.00%	0.93%
Any HMO (%)	28.21%	26.98%	CARE MANAGEMENT		
Medicare HMO (%)	28.21%	22.66%	ADLs		
Other (%)	2.56%	3.89%	None needed (%)	17.95%	7.37%
Episode Start			Caregiver currently provides (%)	48.72%	58.83%
Episode timing: Early (%)	80.65%	88.34%	Caregiver training needed (%)	20.51%	26.54%
Episode timing: Later (%)	19.35%	7.55%	Uncertain/Unlikely to be provided (%)	0.00%	3.81%
Episode timing: Unknown (%)	0.00%	4.11%	Needed, but not available (%)	12.82%	3.45% *
Inpatient Discharge / Medical Regimen			IADLs		
Long-term nursing facility (%)	0.00%	0.79%	None needed (%)	2.56%	2.81%
Skilled nursing facility (%)	5.13%	14.60%	Caregiver provides (%)	71.79%	79.71%
Short-stay acute hospital (%)	46.15%	50.82%	Caregiver training needed (%)	15.38%	12.67%
Long-term care hospital (%)	0.00%	0.68%	Uncertain/Unlikely to be provided (%)	0.00%	2.18%
Inpatient rehab hospital/unit (%)	10.26%	6.05%	Needed, but not available (%)	10.26%	2.62%
Psychiatric hospital/unit (%)	0.00%	0.47%	Frequency of ADL / IADL (1-5)	1.64	1.32
Medical Regimen Change (%)	92.31%	89.37%	Medication Administration		
Prior Conditions			None needed (%)	56.41%	20.39% **
Urinary incontinence (%)	13.89%	38.80% *	Caregiver provides (%)	35.90%	49.72%
Indwelling/suprapubic catheter (%)	0.00%	2.86%	Caregiver training needed (%)	7.69%	25.13% *
Intractable pain (%)	8.33%	15.84%	Uncertain/Unlikely to be provided (%)	0.00%	2.48%
Impaired decision-making (%)	8.33%	19.82%	Needed, but not available (%)	0.00%	2.28%
Disruptive/inappropriate behav. (%)	0.00%	1.90%	Medical Procedures		
Memory loss (%)	8.33%	13.21%	None needed (%)	35.90%	47.01%
None listed (%)	77.78%	41.94% **	Caregiver provides (%)	10.26%	21.30%
No inpatient dc / No med. regimen chg. (%)	7.69%	5.56%	Caregiver training needed (%)	38.46%	23.48%
Therapies			Uncertain/Unlikely to be provided (%)	2.56%	4.96%
IV/infusion therapy (%)	2.56%	3.30%	Needed, but not available (%)	12.82%	3.24% *
Parenteral nutrition (%)	7.69%	0.24% **	Management of Equipment		
Enteral nutrition (%)	2.56%	1.56%	None needed (%)	74.36%	63.40%
GENERAL HEALTH STATUS			Caregiver provides (%)	17.95%	21.24%
Hospitalization Risks			Caregiver training needed (%)	7.69%	13.13%
Recent decline mental/emot/behav (%)	7.69%	15.71%	Uncertain/Unlikely to be provided (%)	0.00%	1.36%
Multiple hospitalizations (%)	35.90%	35.89%	Needed, but not available (%)	0.00%	0.87%
History of falls (%)	25.64%	32.20%	Supervision / Safety		
5 or more medications (%)	89.74%	87.63%	None needed (%)	74.36%	30.62% **
Frailty factors (%)	28.21%	33.89%	Caregiver provides (%)	25.64%	50.04% *
Other (%)	30.77%	27.84%	Caregiver training needed (%)	0.00%	16.13% *
None (%)	5.13%	3.15%	Uncertain/Unlikely to be provided (%)	0.00%	1.63%
Overall Status			Needed, but not available (%)	0.00%	1.58%
Overall Status (0-3)	0.79	1.35 **	Advocacy		
Unknown / Unclear (%)	0.00%	0.20%	None needed (%)	10.26%	5.62%
Other Risk Factors			Caregiver provides (%)	89.74%	82.80%
Smoking (%)	43.59%	19.35% **	Caregiver training needed (%)	0.00%	8.26%
Obesity (%)	30.77%	21.59%	Uncertain/Unlikely to be provided (%)	0.00%	1.65%
Alcohol dependency (%)	0.00%	3.44%	Needed, but not available (%)	0.00%	1.66%
Drug dependency (%)	0.00%	1.75%	SENSORY STATUS		
None (%)	46.15%	61.84%	Sensory Status		
LIVING ARRANGEMENT / ASSISTANCE			Vision impairment (0-2)	0.18	0.29
Current Situation			Hearing impairment (0-2)	0.21	0.38
Lives alone (%)	28.21%	24.26%	Verbal content understanding (0-3)	0.16	0.51 **
			Speech/language (0-5)	0.38	0.59 *
			Pain interfering with activity (0-4)	1.97	2.32

Agency Patient-Related Characteristics Report

Agency Name: RANDOLPH COUNTY HEALTH UNIT
 Agency ID: HHAR00167
 Location: POCAHONTAS, AR
 CCN: 047852 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 39
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
INTEGUMENTARY STATUS					
Pressure Ulcers					
Pressure ulcer risk (%)	17.95%	41.44% *	Bed transferring (0-5)	1.23	1.41 *
Pressure ulcer present (%)	12.82%	5.21%	Ambulation (0-6)	2.13	2.58 **
Stage II pressure ulcer count (#)	0.10	0.05	Eating (0-5)	0.36	0.71 **
Stage III pressure ulcer count (#)	0.10	0.01 **	Status Prior to SOC/ROC		
Stage IV pressure ulcer count (#)	0.00	0.01	Prior Self Care (0-2)	0.87	0.70
Unstageable pressure ulcer count (#)	0.03	0.02	Prior Ambulation (0-2)	0.67	0.65
Status most problematic PU (0-3)	3.00	2.88	Prior Transfer (0-2)	0.56	0.59
Stage I pressure ulcers count (0-4)	0.03	0.03	IADLs, MEDICATIONS, OTHER		
Stage most problematic PU (1-4)	2.60	2.09	IADLs		
Stasis Ulcers					
Stasis ulcer indicator (%)	12.82%	1.71% **	Light meal prep (0-2)	0.72	1.27 **
Stasis ulcer count (0-4)	0.18	0.03 **	Phone use (0-5)	0.67	0.92
Status most problematic stasis (0-3)	2.80	2.66	Prior Household (0-2)	1.26	1.11
Surgical Wounds					
Surgical wound indicator (%)	28.21%	25.41%	Falls Risk		
Status most problematic surg. (0-3)	1.18	1.71	At risk of falls (%)	74.36%	91.58% **
Other					
Skin lesion with intervention (%)	7.69%	24.79% *	Medication Status		
PHYSIOLOGICAL STATUS					
Respiratory					
Dyspnea (0-4)	1.72	1.41	Drug regimen: problem found (%)	79.49%	21.16% **
Oxygen therapy (%)	35.90%	15.47% **	Mgmt. oral medications (0-3)	0.54	1.60 **
Ventilator therapy (%)	0.00%	0.15%	Mgmt. oral medications: NA (%)	0.00%	0.54%
CPAP / BPAP therapy (%)	5.13%	3.02%	Mgmt. injected medications (0-3)	1.64	1.77
Elimination Status					
Urinary Tract Infection (%)	12.82%	10.49%	Mgmt. injected medications: NA (%)	71.79%	77.68%
Urinary incontinence/catheter (%)	30.77%	55.57% *	Prior mgmt. oral medications (0-2)	0.44	0.82 **
Urinary incontinence frequency (0-4)	2.50	2.48	Prior mgmt. oral medications: NA (%)	0.00%	2.41%
Bowel incontinence (0-5)	0.22	0.39	Prior mgmt. injected medications (0-2)	1.00	0.95
Bowel ostomy (%)	5.13%	2.05%	Prior mgmt. injected medications: NA (%)	82.05%	77.18%
NEURO / EMOTIONAL / BEHAVIORAL					
Cognition					
Cognitive deficit (0-4)	0.36	0.68 **	THERAPY / PLAN OF CARE		
Confusion frequency (0-4)	0.45	0.87 **	Therapy Visits		
Emotional					
Anxiety level (0-3)	0.92	0.74	# Therapy visits indicated (#)	6.06	7.16
Depression evaluation indicator (%)	7.69%	5.80%	PATIENT DIAGNOSTIC INFORMATION		
PHQ-2: Interest/Pleasure (0-3)	0.28	0.27	Acute Conditions		
PHQ-2: Down/Depressed (0-3)	0.33	0.29	Orthopedic (%)	41.03%	39.58%
Behavioral					
Memory deficit (%)	7.69%	17.12%	Neurologic (%)	2.56%	12.97%
Impaired decision-making (%)	2.56%	22.46% **	Open wounds/lesions (%)	12.82%	7.13%
Verbal disruption (%)	2.56%	1.48%	Cardiac/peripheral vascular (%)	20.51%	31.42%
Physical aggression (%)	0.00%	0.74%	Pulmonary (%)	12.82%	18.01%
Disruptive/Inappropriate behavior (%)	0.00%	0.87%	Diabetes mellitus (%)	0.00%	10.85%
Delusional, hallucinatory, etc. (%)	0.00%	1.43%	Gastrointestinal disorder (%)	17.95%	11.20%
None demonstrated (%)	89.74%	70.13% *	Contagious/communicable (%)	0.00%	3.33%
Frequency of behavioral problems (0-5)	0.26	0.77	Urinary incontinence/catheter (%)	12.82%	14.61%
Psychiatric nursing (%)	0.00%	1.57%	Mental/emotional (%)	0.00%	1.57%
ACTIVITIES OF DAILY LIVING					
SOC / ROC Status					
Grooming (0-3)	1.10	1.34	Oxygen therapy (%)	35.90%	15.47% **
Dress upper body (0-3)	1.00	1.47 **	IV/infusion therapy (%)	2.56%	3.30%
Dress lower body (0-3)	1.41	1.80	Enteral/parenteral nutrition (%)	10.26%	1.79% *
Bathing (0-6)	2.59	3.18	Ventilator (%)	0.00%	0.15%
Toilet transfer (0-4)	0.79	1.14 **	Chronic Conditions		
Toileting hygiene (0-3)	0.95	1.33 *	Dependence in living skills (%)	17.95%	38.84% *
			Dependence in personal care (%)	48.72%	50.03%
			Impaired ambulation/mobility (%)	51.28%	54.02%
			Urinary incontinence/catheter (%)	17.95%	40.96% *
			Dependence in med. admin. (%)	33.33%	60.14% **
			Chronic pain (%)	10.26%	16.87%
			Cognitive/mental/behavioral (%)	7.69%	21.25%
			Chronic pt. with caregiver (%)	69.23%	69.13%
			Home Care Diagnoses		
			Infections/parasitic diseases (%)	5.13%	4.22%
			Neoplasms (%)	12.82%	8.51%
			Endocrine/nutrit./metabolic (%)	51.28%	42.67%
			Blood diseases (%)	12.82%	8.33%
			Mental diseases (%)	41.03%	27.66%
			Nervous system diseases (%)	23.08%	25.86%

Agency Patient-Related Characteristics Report

Agency Name: RANDOLPH COUNTY HEALTH UNIT
Agency ID: HHAR00167
Location: POCAHONTAS, AR
CCN: 047852 **Branch:** All
Medicaid Number: 104312514
Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 39
Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean
Home Care Diagnoses		
Circulatory system diseases (%)	56.41%	77.02% *
Respiratory system diseases (%)	25.64%	24.52%
Digestive system diseases (%)	10.26%	12.13%
Genitourinary sys. diseases (%)	20.51%	18.94%
Skin/subcutaneous diseases (%)	28.21%	11.67% *
Musculoskeletal sys. diseases (%)	46.15%	48.35%
Ill-defined conditions (%)	23.08%	33.08%
Fractures (%)	5.13%	5.88%
Intracranial injury (%)	0.00%	0.29%
Other injury (%)	7.69%	4.82%
Adverse reactions and complications (%)	5.13%	3.63%

	Current Mean	Ref. Mean
Scheduled visit (%)	0.00%	5.54%
Other (%)	20.00%	35.71%
No hospitalization (%)	74.36%	73.58%

Asterisks represent significance levels of current and reference data comparisons.

* The probability is 1% or less that this difference is due to chance, and 99% or more that the difference is real.

** The probability is 0.1% or less that this difference is due to chance, and 99.9% or more that the difference is real.

PATIENT DISCHARGE INFORMATION

Length of Stay

LOS until discharge (in days)	69.10	59.14
LOS from 1 to 30 days (%)	41.03%	46.83%
LOS from 31 to 60 days (%)	38.46%	33.63%
LOS from 61 to 120 days (%)	5.13%	11.09%
LOS from 121 to 180 days (%)	7.69%	3.55%
LOS more than 180 days (%)	7.69%	4.90%

Reason for Emergent Care

Improper medications (%)	10.00%	1.06%
Injury from fall (%)	10.00%	7.79%
Respiratory infection (%)	10.00%	8.81%
Other respiratory (%)	20.00%	11.27%
Heart failure (%)	0.00%	7.42%
Cardiac dysrhythmia (%)	20.00%	2.75%
Myocardial infarction (%)	0.00%	3.53%
Other heart disease (%)	0.00%	1.91%
Stroke (CVA) or TIA (%)	0.00%	2.34%
Hypo/Hyperglycemia (%)	0.00%	1.76%
GI bleeding, obstruction, etc. (%)	10.00%	3.77%
Dehydration, malnutrition (%)	30.00%	4.36% *
Urinary tract infection (%)	10.00%	6.86%
IV catheter-related infection (%)	10.00%	0.39%
Wound infection (%)	30.00%	4.13% *
Uncontrolled pain (%)	20.00%	5.50%
Acute mental/behav. problem (%)	10.00%	3.42%
Deep vein thrombosis (%)	10.00%	1.17%
Other (%)	20.00%	37.08%
No emergent care (%)	74.36%	77.67%

Reason for Hospitalization

Improper medications (%)	0.00%	0.80%
Injury from fall (%)	10.00%	5.83%
Respiratory infection (%)	10.00%	9.02%
Other respiratory (%)	10.00%	10.88%
Heart failure (%)	0.00%	7.52%
Cardiac dysrhythmia (%)	20.00%	2.63%
Myocardial infarction (%)	0.00%	3.29%
Other heart disease (%)	0.00%	1.94%
Stroke (CVA) or TIA (%)	0.00%	2.33%
Hypo/Hyperglycemia (%)	0.00%	1.63%
GI bleeding, obstruction, etc. (%)	10.00%	3.53%
Dehydration, malnutrition (%)	30.00%	4.13% *
Urinary tract infection (%)	10.00%	6.55%
IV catheter-related infection (%)	10.00%	0.25%
Wound infection (%)	40.00%	5.05% **
Uncontrolled pain (%)	20.00%	4.07%
Acute mental/behav. Problem (%)	10.00%	3.50%
Deep vein thrombosis (%)	10.00%	1.12%

Agency Patient-Related Characteristics Report

Agency Name: SALINE COUNTY HEALTH UNIT
 Agency ID: HHAR00169
 Location: BENTON, AR
 CCN: 047854 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 34
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
PATIENT HISTORY					
Demographics					
Age (years)	59.44	74.67 **	Lives with others (%)	88.24%	65.36% *
Gender: Female (%)	44.12%	61.27%	Lives in congregate situation (%)	2.94%	10.39%
Race: Black (%)	2.94%	13.94%	Availability		
Race: White (%)	94.12%	75.77% *	Around the clock (%)	94.12%	76.40% *
Race: Other (%)	2.94%	10.57%	Regular daytime (%)	0.00%	4.06%
Payment Source			Regular nighttime (%)	5.88%	5.19%
Any Medicare (%)	82.35%	93.22%	Occasional (%)	0.00%	13.43% *
Any Medicaid (%)	17.65%	9.69%	None (%)	0.00%	0.93%
Any HMO (%)	23.53%	26.98%	CARE MANAGEMENT		
Medicare HMO (%)	23.53%	22.66%	ADLs		
Other (%)	8.82%	3.89%	None needed (%)	14.71%	7.37%
Episode Start			Caregiver currently provides (%)	82.35%	58.83% *
Episode timing: Early (%)	100.00	88.34%	Caregiver training needed (%)	2.94%	26.54% **
Episode timing: Later (%)	0.00%	7.55%	Uncertain/Unlikely to be provided (%)	0.00%	3.81%
Episode timing: Unknown (%)	0.00%	4.11%	Needed, but not available (%)	0.00%	3.45%
Inpatient Discharge / Medical Regimen			IADLs		
Long-term nursing facility (%)	0.00%	0.79%	None needed (%)	0.00%	2.81%
Skilled nursing facility (%)	11.76%	14.60%	Caregiver provides (%)	100.00	79.71% **
Short-stay acute hospital (%)	73.53%	50.82% *	Caregiver training needed (%)	0.00%	12.67%
Long-term care hospital (%)	0.00%	0.68%	Uncertain/Unlikely to be provided (%)	0.00%	2.18%
Inpatient rehab hospital/unit (%)	2.94%	6.05%	Needed, but not available (%)	0.00%	2.62%
Psychiatric hospital/unit (%)	0.00%	0.47%	Frequency of ADL / IADL (1-5)	1.00	1.32 **
Medical Regimen Change (%)	91.18%	89.37%	Medication Administration		
Prior Conditions			None needed (%)	26.47%	20.39%
Urinary incontinence (%)	9.09%	38.80% **	Caregiver provides (%)	70.59%	49.72%
Indwelling/suprapubic catheter (%)	6.06%	2.86%	Caregiver training needed (%)	2.94%	25.13% **
Intractable pain (%)	15.15%	15.84%	Uncertain/Unlikely to be provided (%)	0.00%	2.48%
Impaired decision-making (%)	3.03%	19.82% *	Needed, but not available (%)	0.00%	2.28%
Disruptive/inappropriate behav. (%)	3.03%	1.90%	Medical Procedures		
Memory loss (%)	3.03%	13.21%	None needed (%)	20.59%	47.01% *
None listed (%)	69.70%	41.94% *	Caregiver provides (%)	67.65%	21.30% **
No inpatient dc / No med. regimen chg. (%)	2.94%	5.56%	Caregiver training needed (%)	5.88%	23.48% *
Therapies			Uncertain/Unlikely to be provided (%)	5.88%	4.96%
IV/infusion therapy (%)	29.41%	3.30% **	Needed, but not available (%)	0.00%	3.24%
Parenteral nutrition (%)	0.00%	0.24%	Management of Equipment		
Enteral nutrition (%)	5.88%	1.56%	None needed (%)	41.18%	63.40% *
GENERAL HEALTH STATUS			Caregiver provides (%)	55.88%	21.24% **
Hospitalization Risks			Caregiver training needed (%)	0.00%	13.13%
Recent decline mental/emot/behav (%)	20.59%	15.71%	Uncertain/Unlikely to be provided (%)	2.94%	1.36%
Multiple hospitalizations (%)	44.12%	35.89%	Needed, but not available (%)	0.00%	0.87%
History of falls (%)	20.59%	32.20%	Supervision / Safety		
5 or more medications (%)	67.65%	87.63% *	None needed (%)	14.71%	30.62%
Frailty factors (%)	50.00%	33.89%	Caregiver provides (%)	85.29%	50.04% **
Other (%)	32.35%	27.84%	Caregiver training needed (%)	0.00%	16.13% *
None (%)	2.94%	3.15%	Uncertain/Unlikely to be provided (%)	0.00%	1.63%
Overall Status			Needed, but not available (%)	0.00%	1.58%
Overall Status (0-3)	1.41	1.35	Advocacy		
Unknown / Unclear (%)	0.00%	0.20%	None needed (%)	0.00%	5.62%
Other Risk Factors			Caregiver provides (%)	100.00	82.80% *
Smoking (%)	36.36%	19.35%	Caregiver training needed (%)	0.00%	8.26%
Obesity (%)	12.12%	21.59%	Uncertain/Unlikely to be provided (%)	0.00%	1.65%
Alcohol dependency (%)	18.18%	3.44% **	Needed, but not available (%)	0.00%	1.66%
Drug dependency (%)	3.03%	1.75%	SENSORY STATUS		
None (%)	42.42%	61.84%	Sensory Status		
LIVING ARRANGEMENT / ASSISTANCE			Vision impairment (0-2)	0.12	0.29
Current Situation			Hearing impairment (0-2)	0.12	0.38 *
Lives alone (%)	8.82%	24.26%	Verbal content understanding (0-3)	0.21	0.51 *
			Speech/language (0-5)	0.35	0.59
			Pain interfering with activity (0-4)	2.00	2.32

Agency Patient-Related Characteristics Report

Agency Name: SALINE COUNTY HEALTH UNIT
 Agency ID: HHAR00169
 Location: BENTON, AR
 CCN: 047854 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 34
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
INTEGUMENTARY STATUS					
Pressure Ulcers					
Pressure ulcer risk (%)	36.36%	41.44%	Bed transferring (0-5)	0.59	1.41 **
Pressure ulcer present (%)	5.88%	5.21%	Ambulation (0-6)	1.56	2.58 **
Stage II pressure ulcer count (#)	0.09	0.05	Eating (0-5)	0.65	0.71
Stage III pressure ulcer count (#)	0.00	0.01	Status Prior to SOC/ROC		
Stage IV pressure ulcer count (#)	0.00	0.01	Prior Self Care (0-2)	0.44	0.70 *
Unstageable pressure ulcer count (#)	0.00	0.02	Prior Ambulation (0-2)	0.41	0.65
Status most problematic PU (0-3)	3.00	2.88	Prior Transfer (0-2)	0.32	0.59 *
Stage I pressure ulcers count (0-4)	0.00	0.03 **	IADLs, MEDICATIONS, OTHER		
Stage most problematic PU (1-4)	2.00	2.09	IADLs		
Stasis Ulcers					
Stasis ulcer indicator (%)	2.94%	1.71%	Light meal prep (0-2)	1.00	1.27
Stasis ulcer count (0-4)	0.03	0.03	Phone use (0-5)	0.62	0.92
Status most problematic stasis (0-3)	2.00	2.66	Prior Household (0-2)	0.62	1.11 **
Surgical Wounds					
Surgical wound indicator (%)	44.12%	25.41%	Falls Risk		
Status most problematic surg. (0-3)	1.58	1.71	At risk of falls (%)	67.65%	91.58% **
Other					
Skin lesion with intervention (%)	29.41%	24.79%	Medication Status		
PHYSIOLOGICAL STATUS					
Respiratory					
Dyspnea (0-4)	1.09	1.41	Drug regimen: problem found (%)	75.76%	21.16% **
Oxygen therapy (%)	23.53%	15.47%	Mgmt. oral medications (0-3)	1.00	1.60 *
Ventilator therapy (%)	0.00%	0.15%	Mgmt. oral medications: NA (%)	2.94%	0.54%
CPAP / BPAP therapy (%)	0.00%	3.02%	Mgmt. injected medications (0-3)	2.13	1.77
Elimination Status					
Urinary Tract Infection (%)	2.94%	10.49%	Mgmt. injected medications: NA (%)	73.53%	77.68%
Urinary incontinence/catheter (%)	23.53%	55.57% **	Prior mgmt. oral medications (0-2)	0.48	0.82 *
Urinary incontinence frequency (0-4)	2.80	2.48	Prior mgmt. oral medications: NA (%)	2.94%	2.41%
Bowel incontinence (0-5)	0.44	0.39	Prior mgmt. injected medications (0-2)	1.00	0.95
Bowel ostomy (%)	0.00%	2.05%	Prior mgmt. injected medications: NA (%)	79.41%	77.18%
NEURO / EMOTIONAL / BEHAVIORAL					
Cognition					
Cognitive deficit (0-4)	0.47	0.68	THERAPY / PLAN OF CARE		
Confusion frequency (0-4)	0.59	0.87	Therapy Visits		
Emotional					
Anxiety level (0-3)	0.47	0.74	# Therapy visits indicated (#)	1.59	7.16 **
Depression evaluation indicator (%)	2.94%	5.80%	PATIENT DIAGNOSTIC INFORMATION		
PHQ-2: Interest/Pleasure (0-3)	0.06	0.27 *	Acute Conditions		
PHQ-2: Down/Depressed (0-3)	0.09	0.29	Orthopedic (%)	23.53%	39.58%
Behavioral					
Memory deficit (%)	8.82%	17.12%	Neurologic (%)	2.94%	12.97%
Impaired decision-making (%)	14.71%	22.46%	Open wounds/lesions (%)	8.82%	7.13%
Verbal disruption (%)	0.00%	1.48%	Cardiac/peripheral vascular (%)	11.76%	31.42% *
Physical aggression (%)	0.00%	0.74%	Pulmonary (%)	32.35%	18.01%
Disruptive/Inappropriate behavior (%)	0.00%	0.87%	Diabetes mellitus (%)	2.94%	10.85%
Delusional, hallucinatory, etc. (%)	2.94%	1.43%	Gastrointestinal disorder (%)	23.53%	11.20%
None demonstrated (%)	82.35%	70.13%	Contagious/communicable (%)	5.88%	3.33%
Frequency of behavioral problems (0-5)	0.26	0.77	Urinary incontinence/catheter (%)	8.82%	14.61%
Psychiatric nursing (%)	0.00%	1.57%	Mental/emotional (%)	0.00%	1.57%
ACTIVITIES OF DAILY LIVING					
SOC / ROC Status					
Grooming (0-3)	0.97	1.34 *	Oxygen therapy (%)	23.53%	15.47%
Dress upper body (0-3)	0.91	1.47 **	IV/infusion therapy (%)	29.41%	3.30% **
Dress lower body (0-3)	1.12	1.80 **	Enteral/parenteral nutrition (%)	5.88%	1.79%
Bathing (0-6)	2.44	3.18 *	Ventilator (%)	0.00%	0.15%
Toilet transfer (0-4)	0.68	1.14 **	Chronic Conditions		
Toileting hygiene (0-3)	0.44	1.33 **	Dependence in living skills (%)	20.59%	38.84%
			Dependence in personal care (%)	26.47%	50.03% *
			Impaired ambulation/mobility (%)	23.53%	54.02% **
			Urinary incontinence/catheter (%)	14.71%	40.96% **
			Dependence in med. admin. (%)	41.18%	60.14%
			Chronic pain (%)	17.65%	16.87%
			Cognitive/mental/behavioral (%)	2.94%	21.25% *
			Chronic pt. with caregiver (%)	64.71%	69.13%
			Home Care Diagnoses		
			Infections/parasitic diseases (%)	11.76%	4.22%
			Neoplasms (%)	11.76%	8.51%
			Endocrine/nutrit./metabolic (%)	38.24%	42.67%
			Blood diseases (%)	2.94%	8.33%
			Mental diseases (%)	17.65%	27.66%
			Nervous system diseases (%)	14.71%	25.86%

Agency Patient-Related Characteristics Report

Agency Name: SALINE COUNTY HEALTH UNIT
 Agency ID: HHAR00169
 Location: BENTON, AR
 CCN: 047854 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 34
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean
Home Care Diagnoses		
Circulatory system diseases (%)	44.12%	77.02% **
Respiratory system diseases (%)	26.47%	24.52%
Digestive system diseases (%)	32.35%	12.13% *
Genitourinary sys. diseases (%)	20.59%	18.94%
Skin/subcutaneous diseases (%)	23.53%	11.67%
Musculoskeletal sys. diseases (%)	29.41%	48.35%
Ill-defined conditions (%)	44.12%	33.08%
Fractures (%)	2.94%	5.88%
Intracranial injury (%)	0.00%	0.29%
Other injury (%)	8.82%	4.82%
Adverse reactions and complications (%)	2.94%	3.63%

	Current Mean	Ref. Mean
Scheduled visit (%)	10.00%	5.54%
Other (%)	10.00%	35.71%
No hospitalization (%)	67.65%	73.58%

Asterisks represent significance levels of current and reference data comparisons.

* The probability is 1% or less that this difference is due to chance, and 99% or more that the difference is real.

** The probability is 0.1% or less that this difference is due to chance, and 99.9% or more that the difference is real.

PATIENT DISCHARGE INFORMATION

Length of Stay

LOS until discharge (in days)	48.53	59.14
LOS from 1 to 30 days (%)	52.94%	46.83%
LOS from 31 to 60 days (%)	26.47%	33.63%
LOS from 61 to 120 days (%)	14.71%	11.09%
LOS from 121 to 180 days (%)	2.94%	3.55%
LOS more than 180 days (%)	2.94%	4.90%

Reason for Emergent Care

Improper medications (%)	0.00%	1.06%
Injury from fall (%)	0.00%	7.79%
Respiratory infection (%)	0.00%	8.81%
Other respiratory (%)	0.00%	11.27%
Heart failure (%)	0.00%	7.42%
Cardiac dysrhythmia (%)	0.00%	2.75%
Myocardial infarction (%)	0.00%	3.53%
Other heart disease (%)	0.00%	1.91%
Stroke (CVA) or TIA (%)	0.00%	2.34%
Hypo/Hyperglycemia (%)	0.00%	1.76%
GI bleeding, obstruction, etc. (%)	16.67%	3.77%
Dehydration, malnutrition (%)	0.00%	4.36%
Urinary tract infection (%)	0.00%	6.86%
IV catheter-related infection (%)	0.00%	0.39%
Wound infection (%)	16.67%	4.13%
Uncontrolled pain (%)	0.00%	5.50%
Acute mental/behav. problem (%)	0.00%	3.42%
Deep vein thrombosis (%)	0.00%	1.17%
Other (%)	66.67%	37.08%
No emergent care (%)	78.79%	77.67%

Reason for Hospitalization

Improper medications (%)	0.00%	0.80%
Injury from fall (%)	0.00%	5.83%
Respiratory infection (%)	40.00%	9.02% *
Other respiratory (%)	10.00%	10.88%
Heart failure (%)	0.00%	7.52%
Cardiac dysrhythmia (%)	0.00%	2.63%
Myocardial infarction (%)	10.00%	3.29%
Other heart disease (%)	0.00%	1.94%
Stroke (CVA) or TIA (%)	0.00%	2.33%
Hypo/Hyperglycemia (%)	0.00%	1.63%
GI bleeding, obstruction, etc. (%)	10.00%	3.53%
Dehydration, malnutrition (%)	0.00%	4.13%
Urinary tract infection (%)	10.00%	6.55%
IV catheter-related infection (%)	0.00%	0.25%
Wound infection (%)	10.00%	5.05%
Uncontrolled pain (%)	0.00%	4.07%
Acute mental/behav. Problem (%)	0.00%	3.50%
Deep vein thrombosis (%)	0.00%	1.12%

Agency Patient-Related Characteristics Report

Agency Name: SCOTT COUNTY HEALTH UNIT
 Agency ID: HHAR00170
 Location: WALDRON, AR
 CCN: 047855 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 55
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
PATIENT HISTORY					
Demographics					
Age (years)	68.84	74.67 *	Lives with others (%)	74.55%	65.36%
Gender: Female (%)	61.82%	61.27%	Lives in congregate situation (%)	0.00%	10.39% *
Race: Black (%)	0.00%	13.94% **	Availability		
Race: White (%)	92.73%	75.77% *	Around the clock (%)	92.73%	76.40% *
Race: Other (%)	7.27%	10.57%	Regular daytime (%)	0.00%	4.06%
Payment Source			Regular nighttime (%)	1.82%	5.19%
Any Medicare (%)	70.91%	93.22% **	Occasional (%)	5.45%	13.43%
Any Medicaid (%)	29.09%	9.69% **	None (%)	0.00%	0.93%
Any HMO (%)	14.55%	26.98%	CARE MANAGEMENT		
Medicare HMO (%)	14.55%	22.66%	ADLs		
Other (%)	0.00%	3.89%	None needed (%)	3.64%	7.37%
Episode Start			Caregiver currently provides (%)	70.91%	58.83%
Episode timing: Early (%)	89.74%	88.34%	Caregiver training needed (%)	14.55%	26.54%
Episode timing: Later (%)	10.26%	7.55%	Uncertain/Unlikely to be provided (%)	5.45%	3.81%
Episode timing: Unknown (%)	0.00%	4.11%	Needed, but not available (%)	5.45%	3.45%
Inpatient Discharge / Medical Regimen			IADLs		
Long-term nursing facility (%)	0.00%	0.79%	None needed (%)	0.00%	2.81%
Skilled nursing facility (%)	30.91%	14.60% *	Caregiver provides (%)	76.36%	79.71%
Short-stay acute hospital (%)	27.27%	50.82% **	Caregiver training needed (%)	12.73%	12.67%
Long-term care hospital (%)	0.00%	0.68%	Uncertain/Unlikely to be provided (%)	3.64%	2.18%
Inpatient rehab hospital/unit (%)	18.18%	6.05% *	Needed, but not available (%)	7.27%	2.62%
Psychiatric hospital/unit (%)	0.00%	0.47%	Frequency of ADL / IADL (1-5)	1.35	1.32
Medical Regimen Change (%)	80.00%	89.37%	Medication Administration		
Prior Conditions			None needed (%)	34.55%	20.39%
Urinary incontinence (%)	57.14%	38.80% *	Caregiver provides (%)	58.18%	49.72%
Indwelling/suprapubic catheter (%)	4.08%	2.86%	Caregiver training needed (%)	3.64%	25.13% **
Intractable pain (%)	28.57%	15.84%	Uncertain/Unlikely to be provided (%)	3.64%	2.48%
Impaired decision-making (%)	24.49%	19.82%	Needed, but not available (%)	0.00%	2.28%
Disruptive/Inappropriate behav. (%)	6.12%	1.90%	Medical Procedures		
Memory loss (%)	22.45%	13.21%	None needed (%)	50.91%	47.01%
None listed (%)	30.61%	41.94%	Caregiver provides (%)	40.00%	21.30% *
No inpatient dc / No med. regimen chg. (%)	10.91%	5.56%	Caregiver training needed (%)	3.64%	23.48% **
Therapies			Uncertain/Unlikely to be provided (%)	0.00%	4.96%
IV/infusion therapy (%)	1.82%	3.30%	Needed, but not available (%)	5.45%	3.24%
Parenteral nutrition (%)	0.00%	0.24%	Management of Equipment		
Enteral nutrition (%)	5.45%	1.56%	None needed (%)	72.73%	63.40%
GENERAL HEALTH STATUS			Caregiver provides (%)	23.64%	21.24%
Hospitalization Risks			Caregiver training needed (%)	1.82%	13.13% *
Recent decline mental/emot/behav (%)	10.91%	15.71%	Uncertain/Unlikely to be provided (%)	0.00%	1.36%
Multiple hospitalizations (%)	43.64%	35.89%	Needed, but not available (%)	1.82%	0.87%
History of falls (%)	43.64%	32.20%	Supervision / Safety		
5 or more medications (%)	72.73%	87.63% *	None needed (%)	49.09%	30.62% *
Frailty factors (%)	21.82%	33.89%	Caregiver provides (%)	43.64%	50.04%
Other (%)	32.73%	27.84%	Caregiver training needed (%)	5.45%	16.13%
None (%)	5.45%	3.15%	Uncertain/Unlikely to be provided (%)	0.00%	1.63%
Overall Status			Needed, but not available (%)	1.82%	1.58%
Overall Status (0-3)	0.96	1.35 **	Advocacy		
Unknown / Unclear (%)	0.00%	0.20%	None needed (%)	16.36%	5.62% *
Other Risk Factors			Caregiver provides (%)	81.82%	82.80%
Smoking (%)	14.55%	19.35%	Caregiver training needed (%)	1.82%	8.26%
Obesity (%)	25.45%	21.59%	Uncertain/Unlikely to be provided (%)	0.00%	1.65%
Alcohol dependency (%)	0.00%	3.44%	Needed, but not available (%)	0.00%	1.66%
Drug dependency (%)	0.00%	1.75%	SENSORY STATUS		
None (%)	65.45%	61.84%	Sensory Status		
LIVING ARRANGEMENT / ASSISTANCE			Vision impairment (0-2)	0.38	0.29
Current Situation			Hearing impairment (0-2)	0.35	0.38
Lives alone (%)	25.45%	24.26%	Verbal content understanding (0-3)	0.58	0.51
			Speech/language (0-5)	0.75	0.59
			Pain interfering with activity (0-4)	2.45	2.32

Agency Patient-Related Characteristics Report

Agency Name: SCOTT COUNTY HEALTH UNIT
 Agency ID: HHAR00170
 Location: WALDRON, AR
 CCN: 047855 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 55
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
INTEGUMENTARY STATUS					
Pressure Ulcers					
Pressure ulcer risk (%)	60.00%	41.44% *	Bed transferring (0-5)	1.35	1.41
Pressure ulcer present (%)	9.09%	5.21%	Ambulation (0-6)	2.38	2.58 *
Stage II pressure ulcer count (#)	0.09	0.05	Eating (0-5)	0.85	0.71
Stage III pressure ulcer count (#)	0.00	0.01	Status Prior to SOC/ROC		
Stage IV pressure ulcer count (#)	0.00	0.01	Prior Self Care (0-2)	1.13	0.70 **
Unstageable pressure ulcer count (#)	0.02	0.02	Prior Ambulation (0-2)	1.11	0.65 **
Status most problematic PU (0-3)	3.00	2.88	Prior Transfer (0-2)	0.91	0.59 **
Stage I pressure ulcers count (0-4)	0.02	0.03	IADLs, MEDICATIONS, OTHER		
Stage most problematic PU (1-4)	1.80	2.09	IADLs		
Stasis Ulcers					
Stasis ulcer indicator (%)	3.64%	1.71%	Light meal prep (0-2)	1.25	1.27
Stasis ulcer count (0-4)	0.04	0.03	Phone use (0-5)	0.98	0.92
Status most problematic stasis (0-3)	2.00	2.66	Prior Household (0-2)	1.60	1.11 **
Surgical Wounds					
Surgical wound indicator (%)	21.82%	25.41%	Falls Risk		
Status most problematic surg. (0-3)	1.30	1.71	At risk of falls (%)	91.30%	91.58%
Other					
Skin lesion with intervention (%)	3.64%	24.79% **	Medication Status		
PHYSIOLOGICAL STATUS					
Respiratory					
Dyspnea (0-4)	1.31	1.41	Drug regimen: problem found (%)	69.09%	21.16% **
Oxygen therapy (%)	27.27%	15.47%	Mgmt. oral medications (0-3)	1.20	1.60 *
Ventilator therapy (%)	0.00%	0.15%	Mgmt. oral medications: NA (%)	1.82%	0.54%
CPAP / BPAP therapy (%)	0.00%	3.02%	Mgmt. injected medications (0-3)	1.93	1.77
Elimination Status					
Urinary Tract Infection (%)	12.73%	10.49%	Mgmt. injected medications: NA (%)	74.55%	77.68%
Urinary incontinence/catheter (%)	72.73%	55.57%	Prior mgmt. oral medications (0-2)	0.87	0.82
Urinary incontinence frequency (0-4)	2.22	2.48	Prior mgmt. oral medications: NA (%)	1.82%	2.41%
Bowel incontinence (0-5)	0.68	0.39	Prior mgmt. injected medications (0-2)	1.31	0.95
Bowel ostomy (%)	3.64%	2.05%	Prior mgmt. injected medications: NA (%)	76.36%	77.18%
NEURO / EMOTIONAL / BEHAVIORAL					
Cognition					
Cognitive deficit (0-4)	0.78	0.68	THERAPY / PLAN OF CARE		
Confusion frequency (0-4)	1.13	0.87	Therapy Visits		
Emotional					
Anxiety level (0-3)	1.24	0.74 **	# Therapy visits indicated (#)	7.22	7.16
Depression evaluation indicator (%)	19.51%	5.80% *	PATIENT DIAGNOSTIC INFORMATION		
PHQ-2: Interest/Pleasure (0-3)	0.60	0.27 **	Acute Conditions		
PHQ-2: Down/Depressed (0-3)	0.68	0.29 **	Orthopedic (%)	23.64%	39.58%
Behavioral					
Memory deficit (%)	25.45%	17.12%	Neurologic (%)	5.45%	12.97%
Impaired decision-making (%)	27.27%	22.46%	Open wounds/lesions (%)	5.45%	7.13%
Verbal disruption (%)	0.00%	1.48%	Cardiac/peripheral vascular (%)	29.09%	31.42%
Physical aggression (%)	0.00%	0.74%	Pulmonary (%)	20.00%	18.01%
Disruptive/Inappropriate behavior (%)	5.45%	0.87% *	Diabetes mellitus (%)	7.27%	10.85%
Delusional, hallucinatory, etc. (%)	5.45%	1.43%	Gastrointestinal disorder (%)	16.36%	11.20%
None demonstrated (%)	61.82%	70.13%	Contagious/communicable (%)	1.82%	3.33%
Frequency of behavioral problems (0-5)	0.91	0.77	Urinary incontinence/catheter (%)	10.91%	14.61%
Psychiatric nursing (%)	0.00%	1.57%	Mental/emotional (%)	0.00%	1.57%
ACTIVITIES OF DAILY LIVING					
SOC / ROC Status					
Grooming (0-3)	1.42	1.34	Oxygen therapy (%)	27.27%	15.47%
Dress upper body (0-3)	1.51	1.47	IV/infusion therapy (%)	1.82%	3.30%
Dress lower body (0-3)	1.82	1.80	Enteral/parenteral nutrition (%)	5.45%	1.79%
Bathing (0-6)	3.20	3.18	Ventilator (%)	0.00%	0.15%
Toilet transfer (0-4)	1.22	1.14	Chronic Conditions		
Toileting hygiene (0-3)	1.27	1.33	Dependence in living skills (%)	36.36%	38.84%
			Dependence in personal care (%)	76.36%	50.03% **
			Impaired ambulation/mobility (%)	76.36%	54.02% **
			Urinary incontinence/catheter (%)	61.82%	40.96% *
			Dependence in med. admin. (%)	60.00%	60.14%
			Chronic pain (%)	32.73%	16.87% *
			Cognitive/mental/behavioral (%)	29.09%	21.25%
			Chronic pt. with caregiver (%)	90.91%	69.13% **
			Home Care Diagnoses		
			Infections/parasitic diseases (%)	0.00%	4.22%
			Neoplasms (%)	7.27%	8.51%
			Endocrine/nutrit./metabolic (%)	58.18%	42.67%
			Blood diseases (%)	12.73%	8.33%
			Mental diseases (%)	20.00%	27.66%
			Nervous system diseases (%)	23.64%	25.86%

Agency Patient-Related Characteristics Report

Agency Name: SCOTT COUNTY HEALTH UNIT
Agency ID: HHAR00170
Location: WALDRON, AR
CCN: 047855 **Branch:** All
Medicaid Number: 104312514
Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 55
Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
Home Care Diagnoses					
Circulatory system diseases (%)	72.73%	77.02%	Scheduled visit (%)	10.53%	5.54%
Respiratory system diseases (%)	36.36%	24.52%	Other (%)	21.05%	35.71%
Digestive system diseases (%)	20.00%	12.13%	No hospitalization (%)	59.26%	73.58%
Genitourinary sys. diseases (%)	14.55%	18.94%			
Skin/subcutaneous diseases (%)	21.82%	11.67%			
Musculoskeletal sys. diseases (%)	43.64%	48.35%			
Ill-defined conditions (%)	40.00%	33.08%			
Fractures (%)	5.45%	5.88%			
Intracranial injury (%)	0.00%	0.29%			
Other injury (%)	12.73%	4.82%			
Adverse reactions and complications (%)	7.27%	3.63%			

PATIENT DISCHARGE INFORMATION

Length of Stay

LOS until discharge (in days)	109.20	59.14 *
LOS from 1 to 30 days (%)	23.64%	46.83% **
LOS from 31 to 60 days (%)	49.09%	33.63%
LOS from 61 to 120 days (%)	10.91%	11.09%
LOS from 121 to 180 days (%)	3.64%	3.55%
LOS more than 180 days (%)	12.73%	4.90%

Reason for Emergent Care

Improper medications (%)	0.00%	1.06%
Injury from fall (%)	14.29%	7.79%
Respiratory infection (%)	14.29%	8.81%
Other respiratory (%)	7.14%	11.27%
Heart failure (%)	14.29%	7.42%
Cardiac dysrhythmia (%)	7.14%	2.75%
Myocardial infarction (%)	14.29%	3.53%
Other heart disease (%)	0.00%	1.91%
Stroke (CVA) or TIA (%)	0.00%	2.34%
Hypo/Hyperglycemia (%)	0.00%	1.76%
GI bleeding, obstruction, etc. (%)	0.00%	3.77%
Dehydration, malnutrition (%)	0.00%	4.36%
Urinary tract infection (%)	0.00%	6.86%
IV catheter-related infection (%)	0.00%	0.39%
Wound infection (%)	14.29%	4.13%
Uncontrolled pain (%)	0.00%	5.50%
Acute mental/behav. problem (%)	0.00%	3.42%
Deep vein thrombosis (%)	0.00%	1.17%
Other (%)	14.29%	37.08%
No emergent care (%)	67.92%	77.67%

Reason for Hospitalization

Improper medications (%)	0.00%	0.80%
Injury from fall (%)	10.53%	5.83%
Respiratory infection (%)	5.26%	9.02%
Other respiratory (%)	10.53%	10.88%
Heart failure (%)	10.53%	7.52%
Cardiac dysrhythmia (%)	5.26%	2.63%
Myocardial infarction (%)	10.53%	3.29%
Other heart disease (%)	0.00%	1.94%
Stroke (CVA) or TIA (%)	0.00%	2.33%
Hypo/Hyperglycemia (%)	0.00%	1.63%
GI bleeding, obstruction, etc. (%)	0.00%	3.53%
Dehydration, malnutrition (%)	0.00%	4.13%
Urinary tract infection (%)	0.00%	6.55%
IV catheter-related infection (%)	0.00%	0.25%
Wound infection (%)	21.05%	5.05% *
Uncontrolled pain (%)	0.00%	4.07%
Acute mental/behav. Problem (%)	0.00%	3.50%
Deep vein thrombosis (%)	0.00%	1.12%

Asterisks represent significance levels of current and reference data comparisons.

* The probability is 1% or less that this difference is due to chance, and 99% or more that the difference is real.

** The probability is 0.1% or less that this difference is due to chance, and 99.9% or more that the difference is real.

Agency Patient-Related Characteristics Report

Agency Name: SEARCY COUNTY HEALTH UNIT
 Agency ID: HHAR00178
 Location: MARSHALL, AR
 CCN: 047869 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 157
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
PATIENT HISTORY					
Demographics			Lives with others (%)	77.07%	65.36% *
Age (years)	71.90	74.67 *	Lives in congregate situation (%)	1.27%	10.39% **
Gender: Female (%)	56.69%	61.27%	Availability		
Race: Black (%)	0.00%	13.94% **	Around the clock (%)	87.90%	76.40% **
Race: White (%)	100.00	75.77% **	Regular daytime (%)	2.55%	4.06%
Race: Other (%)	0.00%	10.57% **	Regular nighttime (%)	1.91%	5.19%
Payment Source			Occasional (%)	5.73%	13.43% *
Any Medicare (%)	89.81%	93.22%	None (%)	1.91%	0.93%
Any Medicaid (%)	13.38%	9.69%	CARE MANAGEMENT		
Any HMO (%)	14.01%	26.98% **	ADLs		
Medicare HMO (%)	14.01%	22.66% *	None needed (%)	8.92%	7.37%
Other (%)	1.27%	3.89%	Caregiver currently provides (%)	63.69%	58.83%
Episode Start			Caregiver training needed (%)	17.83%	26.54%
Episode timing: Early (%)	84.51%	88.34%	Uncertain/Unlikely to be provided (%)	5.73%	3.81%
Episode timing: Later (%)	15.49%	7.55% **	Needed, but not available (%)	3.82%	3.45%
Episode timing: Unknown (%)	0.00%	4.11% *	IADLs		
Inpatient Discharge / Medical Regimen			None needed (%)	8.92%	2.81% **
Long-term nursing facility (%)	5.73%	0.79% **	Caregiver provides (%)	71.34%	79.71% *
Skilled nursing facility (%)	5.10%	14.60% **	Caregiver training needed (%)	14.65%	12.67%
Short-stay acute hospital (%)	54.14%	50.82%	Uncertain/Unlikely to be provided (%)	1.27%	2.18%
Long-term care hospital (%)	0.64%	0.68%	Needed, but not available (%)	3.82%	2.62%
Inpatient rehab hospital/unit (%)	5.73%	6.05%	Frequency of ADL / IADL (1-5)	1.31	1.32
Psychiatric hospital/unit (%)	1.27%	0.47%	Medication Administration		
Medical Regimen Change (%)	96.18%	89.37% *	None needed (%)	39.49%	20.39% **
Prior Conditions			Caregiver provides (%)	52.23%	49.72%
Urinary incontinence (%)	43.71%	38.80%	Caregiver training needed (%)	6.37%	25.13% **
Indwelling/suprapubic catheter (%)	1.99%	2.86%	Uncertain/Unlikely to be provided (%)	1.27%	2.48%
Intractable pain (%)	0.66%	15.84% **	Needed, but not available (%)	0.64%	2.28%
Impaired decision-making (%)	6.62%	19.82% **	Medical Procedures		
Disruptive/inappropriate behav. (%)	0.66%	1.90%	None needed (%)	63.69%	47.01% **
Memory loss (%)	5.96%	13.21% *	Caregiver provides (%)	13.38%	21.30%
None listed (%)	51.66%	41.94%	Caregiver training needed (%)	14.65%	23.48% *
No inpatient dc / No med. regimen chg. (%)	3.18%	5.56%	Uncertain/Unlikely to be provided (%)	6.37%	4.96%
Therapies			Needed, but not available (%)	1.91%	3.24%
IV/infusion therapy (%)	7.64%	3.30% *	Management of Equipment		
Parenteral nutrition (%)	0.00%	0.24%	None needed (%)	81.53%	63.40% **
Enteral nutrition (%)	0.00%	1.56%	Caregiver provides (%)	11.46%	21.24% *
GENERAL HEALTH STATUS			Caregiver training needed (%)	3.18%	13.13% **
Hospitalization Risks			Uncertain/Unlikely to be provided (%)	2.55%	1.36%
Recent decline mental/emot/behav (%)	8.92%	15.71%	Needed, but not available (%)	1.27%	0.87%
Multiple hospitalizations (%)	34.39%	35.89%	Supervision / Safety		
History of falls (%)	15.92%	32.20% **	None needed (%)	26.75%	30.62%
5 or more medications (%)	59.24%	87.63% **	Caregiver provides (%)	67.52%	50.04% **
Frailty factors (%)	24.20%	33.89% *	Caregiver training needed (%)	3.18%	16.13% **
Other (%)	15.92%	27.84% **	Uncertain/Unlikely to be provided (%)	2.55%	1.63%
None (%)	14.01%	3.15% **	Needed, but not available (%)	0.00%	1.58%
Overall Status			Advocacy		
Overall Status (0-3)	0.54	1.35 **	None needed (%)	31.85%	5.62% **
Unknown / Unclear (%)	0.00%	0.20%	Caregiver provides (%)	66.88%	82.80% **
Other Risk Factors			Caregiver training needed (%)	0.64%	8.26% **
Smoking (%)	18.71%	19.35%	Uncertain/Unlikely to be provided (%)	0.64%	1.65%
Obesity (%)	12.90%	21.59% *	Needed, but not available (%)	0.00%	1.66%
Alcohol dependency (%)	1.29%	3.44%	SENSORY STATUS		
Drug dependency (%)	0.00%	1.75%	Sensory Status		
None (%)	69.03%	61.84%	Vision impairment (0-2)	0.19	0.29 *
LIVING ARRANGEMENT / ASSISTANCE			Hearing impairment (0-2)	0.24	0.38 **
Current Situation			Verbal content understanding (0-3)	0.34	0.51 **
Lives alone (%)	21.66%	24.26%	Speech/language (0-5)	0.32	0.59 **
			Pain interfering with activity (0-4)	2.20	2.32

Agency Patient-Related Characteristics Report

Agency Name: SEARCY COUNTY HEALTH UNIT
 Agency ID: HHAR00178
 Location: MARSHALL, AR
 CCN: 047869 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 157
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
INTEGUMENTARY STATUS					
Pressure Ulcers					
Pressure ulcer risk (%)	46.79%	41.44%	Bed transferring (0-5)	1.21	1.41 **
Pressure ulcer present (%)	5.73%	5.21%	Ambulation (0-6)	2.17	2.58 **
Stage II pressure ulcer count (#)	0.07	0.05	Eating (0-5)	0.76	0.71
Stage III pressure ulcer count (#)	0.05	0.01 **	Status Prior to SOC/ROC		
Stage IV pressure ulcer count (#)	0.00	0.01	Prior Self Care (0-2)	0.66	0.70
Unstageable pressure ulcer count (#)	0.02	0.02	Prior Ambulation (0-2)	0.63	0.65
Status most problematic PU (0-3)	2.44	2.88	Prior Transfer (0-2)	0.57	0.59
Stage I pressure ulcers count (0-4)	0.02	0.03	IADLs, MEDICATIONS, OTHER		
Stage most problematic PU (1-4)	2.57	2.09	IADLs		
Stasis Ulcers					
Stasis ulcer indicator (%)	1.91%	1.71%	Light meal prep (0-2)	1.06	1.27 **
Stasis ulcer count (0-4)	0.05	0.03	Phone use (0-5)	0.51	0.92 **
Status most problematic stasis (0-3)	2.67	2.66	Prior Household (0-2)	0.97	1.11 *
Surgical Wounds					
Surgical wound indicator (%)	37.58%	25.41% **	Falls Risk		
Status most problematic surg. (0-3)	1.45	1.71	At risk of falls (%)	91.03%	91.58%
Other					
Skin lesion with intervention (%)	12.10%	24.79% **	Medication Status		
PHYSIOLOGICAL STATUS					
Respiratory					
Dyspnea (0-4)	1.52	1.41	Drug regimen: problem found (%)	85.35%	21.16% **
Oxygen therapy (%)	20.38%	15.47%	Mgmt. oral medications (0-3)	1.02	1.60 **
Ventilator therapy (%)	0.00%	0.15%	Mgmt. oral medications: NA (%)	0.00%	0.54%
CPAP / BPAP therapy (%)	1.91%	3.02%	Mgmt. injected medications (0-3)	1.36	1.77
Elimination Status					
Urinary Tract Infection (%)	12.10%	10.49%	Mgmt. injected medications: NA (%)	71.34%	77.68%
Urinary incontinence/catheter (%)	59.87%	55.57%	Prior mgmt. oral medications (0-2)	0.65	0.82 *
Urinary incontinence frequency (0-4)	3.02	2.48 *	Prior mgmt. oral medications: NA (%)	1.27%	2.41%
Bowel incontinence (0-5)	0.17	0.39 **	Prior mgmt. injected medications (0-2)	0.79	0.95
Bowel ostomy (%)	4.46%	2.05%	Prior mgmt. injected medications: NA (%)	72.61%	77.18%
NEURO / EMOTIONAL / BEHAVIORAL					
Cognition					
Cognitive deficit (0-4)	0.39	0.68 **	THERAPY / PLAN OF CARE		
Confusion frequency (0-4)	0.78	0.87	Therapy Visits		
Emotional					
Anxiety level (0-3)	0.54	0.74 **	# Therapy visits indicated (#)	7.36	7.16
Depression evaluation indicator (%)	1.28%	5.80% *	PATIENT DIAGNOSTIC INFORMATION		
PHQ-2: Interest/Pleasure (0-3)	0.18	0.27 *	Acute Conditions		
PHQ-2: Down/Depressed (0-3)	0.17	0.29 **	Orthopedic (%)	35.03%	39.58%
Behavioral					
Memory deficit (%)	12.10%	17.12%	Neurologic (%)	10.83%	12.97%
Impaired decision-making (%)	5.10%	22.46% **	Open wounds/lesions (%)	9.55%	7.13%
Verbal disruption (%)	0.64%	1.48%	Cardiac/peripheral vascular (%)	24.84%	31.42%
Physical aggression (%)	1.27%	0.74%	Pulmonary (%)	18.47%	18.01%
Disruptive/inappropriate behavior (%)	0.64%	0.87%	Diabetes mellitus (%)	9.55%	10.85%
Delusional, hallucinatory, etc. (%)	2.55%	1.43%	Gastrointestinal disorder (%)	13.38%	11.20%
None demonstrated (%)	82.80%	70.13% **	Contagious/communicable (%)	6.37%	3.33%
Frequency of behavioral problems (0-5)	0.61	0.77	Urinary incontinence/catheter (%)	13.38%	14.61%
Psychiatric nursing (%)	0.64%	1.57%	Mental/emotional (%)	0.64%	1.57%
ACTIVITIES OF DAILY LIVING					
SOC / ROC Status					
Grooming (0-3)	1.08	1.34 **	Oxygen therapy (%)	20.38%	15.47%
Dress upper body (0-3)	1.25	1.47 **	IV/infusion therapy (%)	7.64%	3.30% *
Dress lower body (0-3)	1.48	1.80 **	Enteral/parenteral nutrition (%)	0.00%	1.79%
Bathing (0-6)	2.85	3.18 **	Ventilator (%)	0.00%	0.15%
Toilet transfer (0-4)	0.87	1.14 **	Chronic Conditions		
Toileting hygiene (0-3)	0.93	1.33 **	Dependence in living skills (%)	18.47%	38.84% **
			Dependence in personal care (%)	47.13%	50.03%
			Impaired ambulation/mobility (%)	47.13%	54.02%
			Urinary incontinence/catheter (%)	46.50%	40.96%
			Dependence in med. admin. (%)	46.50%	60.14% **
			Chronic pain (%)	1.92%	16.87% **
			Cognitive/mental/behavioral (%)	11.54%	21.25% *
			Chronic pt. with caregiver (%)	69.43%	69.13%
			Home Care Diagnoses		
			Infections/parasitic diseases (%)	8.92%	4.22% *
			Neoplasms (%)	12.74%	8.51%
			Endocrine/nutrit./metabolic (%)	43.31%	42.67%
			Blood diseases (%)	14.01%	8.33%
			Mental diseases (%)	33.76%	27.66%
			Nervous system diseases (%)	31.21%	25.86%

Agency Patient-Related Characteristics Report

Agency Name: SEARCY COUNTY HEALTH UNIT
Agency ID: HHAR00178
Location: MARSHALL, AR
CCN: 047869 **Branch:** All
Medicaid Number: 104312514
Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 157
Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean
Home Care Diagnoses		
Circulatory system diseases (%)	77.07%	77.02%
Respiratory system diseases (%)	27.39%	24.52%
Digestive system diseases (%)	14.65%	12.13%
Genitourinary sys. diseases (%)	18.47%	18.94%
Skin/subcutaneous diseases (%)	13.38%	11.67%
Musculoskeletal sys. diseases (%)	43.31%	48.35%
Ill-defined conditions (%)	50.96%	33.08% **
Fractures (%)	4.46%	5.88%
Intracranial injury (%)	0.64%	0.29%
Other injury (%)	10.83%	4.82% *
Adverse reactions and complications (%)	5.73%	3.63%

	Current Mean	Ref. Mean
Scheduled visit (%)	5.36%	5.54%
Other (%)	39.29%	35.71%
No hospitalization (%)	63.40%	73.58% *

Asterisks represent significance levels of current and reference data comparisons.

* The probability is 1% or less that this difference is due to chance, and 99% or more that the difference is real.

** The probability is 0.1% or less that this difference is due to chance, and 99.9% or more that the difference is real.

PATIENT DISCHARGE INFORMATION

Length of Stay

LOS until discharge (in days)	89.33	59.14
LOS from 1 to 30 days (%)	47.13%	46.83%
LOS from 31 to 60 days (%)	28.03%	33.63%
LOS from 61 to 120 days (%)	12.74%	11.09%
LOS from 121 to 180 days (%)	2.55%	3.55%
LOS more than 180 days (%)	9.55%	4.90% *

Reason for Emergent Care

Improper medications (%)	0.00%	1.06%
Injury from fall (%)	8.16%	7.79%
Respiratory infection (%)	16.33%	8.81%
Other respiratory (%)	8.16%	11.27%
Heart failure (%)	6.12%	7.42%
Cardiac dysrhythmia (%)	2.04%	2.75%
Myocardial infarction (%)	6.12%	3.53%
Other heart disease (%)	0.00%	1.91%
Stroke (CVA) or TIA (%)	2.04%	2.34%
Hypo/Hyperglycemia (%)	0.00%	1.76%
GI bleeding, obstruction, etc. (%)	4.08%	3.77%
Dehydration, malnutrition (%)	8.16%	4.36%
Urinary tract infection (%)	10.20%	6.86%
IV catheter-related infection (%)	0.00%	0.39%
Wound infection (%)	2.04%	4.13%
Uncontrolled pain (%)	4.08%	5.50%
Acute mental/behav. problem (%)	4.08%	3.42%
Deep vein thrombosis (%)	0.00%	1.17%
Other (%)	32.65%	37.08%
No emergent care (%)	67.97%	77.67% *

Reason for Hospitalization

Improper medications (%)	0.00%	0.80%
Injury from fall (%)	7.14%	5.83%
Respiratory infection (%)	14.29%	9.02%
Other respiratory (%)	7.14%	10.88%
Heart failure (%)	5.36%	7.52%
Cardiac dysrhythmia (%)	0.00%	2.63%
Myocardial infarction (%)	3.57%	3.29%
Other heart disease (%)	0.00%	1.94%
Stroke (CVA) or TIA (%)	1.79%	2.33%
Hypo/Hyperglycemia (%)	0.00%	1.63%
GI bleeding, obstruction, etc. (%)	3.57%	3.53%
Dehydration, malnutrition (%)	5.36%	4.13%
Urinary tract infection (%)	8.93%	6.55%
IV catheter-related infection (%)	0.00%	0.25%
Wound infection (%)	3.57%	5.05%
Uncontrolled pain (%)	3.57%	4.07%
Acute mental/behav. Problem (%)	3.57%	3.50%
Deep vein thrombosis (%)	0.00%	1.12%

Agency Patient-Related Characteristics Report

Agency Name: SEVIER COUNTY HEALTH UNIT
 Agency ID: HHAR00184
 Location: DE QUEEN, AR
 CCN: 047875 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 11/2014 - 07/2015

Number of Cases in Current Sample: 6
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
PATIENT HISTORY					
Demographics					
Age (years)	66.67	74.67	Lives with others (%)	50.00%	65.36%
Gender: Female (%)	83.33%	61.27%	Lives in congregate situation (%)	0.00%	10.39%
Race: Black (%)	0.00%	13.94%	Availability		
Race: White (%)	100.00	75.77%	Around the clock (%)	100.00	76.40%
Race: Other (%)	0.00%	10.57%	Regular daytime (%)	0.00%	4.06%
Payment Source			Regular nighttime (%)	0.00%	5.19%
Any Medicare (%)	83.33%	93.22%	Occasional (%)	0.00%	13.43%
Any Medicaid (%)	16.67%	9.69%	None (%)	0.00%	0.93%
Any HMO (%)	0.00%	26.98%	CARE MANAGEMENT		
Medicare HMO (%)	0.00%	22.66%	ADLs		
Other (%)	0.00%	3.89%	None needed (%)	33.33%	7.37%
Episode Start			Caregiver currently provides (%)	50.00%	58.83%
Episode timing: Early (%)	100.00	88.34%	Caregiver training needed (%)	0.00%	26.54%
Episode timing: Later (%)	0.00%	7.55%	Uncertain/Unlikely to be provided (%)	0.00%	3.81%
Episode timing: Unknown (%)	0.00%	4.11%	Needed, but not available (%)	16.67%	3.45%
Inpatient Discharge / Medical Regimen			IADLs		
Long-term nursing facility (%)	0.00%	0.79%	None needed (%)	16.67%	2.81%
Skilled nursing facility (%)	0.00%	14.60%	Caregiver provides (%)	66.67%	79.71%
Short-stay acute hospital (%)	50.00%	50.82%	Caregiver training needed (%)	0.00%	12.67%
Long-term care hospital (%)	0.00%	0.68%	Uncertain/Unlikely to be provided (%)	0.00%	2.18%
Inpatient rehab hospital/unit (%)	0.00%	6.05%	Needed, but not available (%)	16.67%	2.62%
Psychiatric hospital/unit (%)	0.00%	0.47%	Frequency of ADL / IADL (1-5)	1.67	1.32
Medical Regimen Change (%)	83.33%	89.37%	Medication Administration		
Prior Conditions			None needed (%)	66.67%	20.39%
Urinary incontinence (%)	25.00%	38.80%	Caregiver provides (%)	33.33%	49.72%
Indwelling/suprapubic catheter (%)	0.00%	2.86%	Caregiver training needed (%)	0.00%	25.13%
Intractable pain (%)	0.00%	15.84%	Uncertain/Unlikely to be provided (%)	0.00%	2.48%
Impaired decision-making (%)	0.00%	19.82%	Needed, but not available (%)	0.00%	2.28%
Disruptive/Inappropriate behav. (%)	0.00%	1.90%	Medical Procedures		
Memory loss (%)	0.00%	13.21%	None needed (%)	50.00%	47.01%
None listed (%)	75.00%	41.94%	Caregiver provides (%)	50.00%	21.30%
No inpatient dc / No med. regimen chg. (%)	16.67%	5.56%	Caregiver training needed (%)	0.00%	23.48%
Therapies			Uncertain/Unlikely to be provided (%)	0.00%	4.96%
IV/infusion therapy (%)	0.00%	3.30%	Needed, but not available (%)	0.00%	3.24%
Parenteral nutrition (%)	0.00%	0.24%	Management of Equipment		
Enteral nutrition (%)	0.00%	1.56%	None needed (%)	50.00%	63.40%
GENERAL HEALTH STATUS			Caregiver provides (%)	33.33%	21.24%
Hospitalization Risks			Caregiver training needed (%)	0.00%	13.13%
Recent decline mental/emot/behav (%)	0.00%	15.71%	Uncertain/Unlikely to be provided (%)	0.00%	1.36%
Multiple hospitalizations (%)	66.67%	35.89%	Needed, but not available (%)	16.67%	0.87%
History of falls (%)	33.33%	32.20%	Supervision / Safety		
5 or more medications (%)	50.00%	87.63%	None needed (%)	50.00%	30.62%
Frailty factors (%)	16.67%	33.89%	Caregiver provides (%)	50.00%	50.04%
Other (%)	33.33%	27.84%	Caregiver training needed (%)	0.00%	16.13%
None (%)	0.00%	3.15%	Uncertain/Unlikely to be provided (%)	0.00%	1.63%
Overall Status			Needed, but not available (%)	0.00%	1.58%
Overall Status (0-3)	1.17	1.35	Advocacy		
Unknown / Unclear (%)	0.00%	0.20%	None needed (%)	16.67%	5.62%
Other Risk Factors			Caregiver provides (%)	83.33%	82.80%
Smoking (%)	16.67%	19.35%	Caregiver training needed (%)	0.00%	8.26%
Obesity (%)	33.33%	21.59%	Uncertain/Unlikely to be provided (%)	0.00%	1.65%
Alcohol dependency (%)	0.00%	3.44%	Needed, but not available (%)	0.00%	1.66%
Drug dependency (%)	0.00%	1.75%	SENSORY STATUS		
None (%)	50.00%	61.84%	Sensory Status		
LIVING ARRANGEMENT / ASSISTANCE			Vision impairment (0-2)	0.00	0.29
Current Situation			Hearing impairment (0-2)	0.17	0.38
Lives alone (%)	50.00%	24.26%	Verbal content understanding (0-3)	0.17	0.51
			Speech/language (0-5)	0.00	0.59
			Pain interfering with activity (0-4)	2.33	2.32

Agency Patient-Related Characteristics Report

Agency Name: SEVIER COUNTY HEALTH UNIT
 Agency ID: HHAR00184
 Location: DE QUEEN, AR
 CCN: 047875 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 11/2014 - 07/2015

Number of Cases in Current Sample: 6
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
INTEGUMENTARY STATUS					
Pressure Ulcers					
Pressure ulcer risk (%)	16.67%	41.44%	Bed transferring (0-5)	0.67	1.41
Pressure ulcer present (%)	0.00%	5.21%	Ambulation (0-6)	0.67	2.58 **
Stage II pressure ulcer count (#)	0.00	0.05	Eating (0-5)	0.00	0.71 *
Stage III pressure ulcer count (#)	0.00	0.01	Status Prior to SOC/ROC		
Stage IV pressure ulcer count (#)	0.00	0.01	Prior Self Care (0-2)	0.67	0.70
Unstageable pressure ulcer count (#)	0.00	0.02	Prior Ambulation (0-2)	0.67	0.65
Status most problematic PU (0-3)	---	2.88	Prior Transfer (0-2)	0.50	0.59
Stage I pressure ulcers count (0-4)	0.00	0.03	IADLs, MEDICATIONS, OTHER		
Stage most problematic PU (1-4)	---	2.09	IADLs		
Stasis Ulcers					
Stasis ulcer indicator (%)	0.00%	1.71%	Light meal prep (0-2)	0.50	1.27 *
Stasis ulcer count (0-4)	0.00	0.03	Phone use (0-5)	0.00	0.92
Status most problematic stasis (0-3)	---	2.66	Prior Household (0-2)	1.00	1.11
Surgical Wounds					
Surgical wound indicator (%)	16.67%	25.41%	Falls Risk		
Status most problematic surg. (0-3)	0.00	1.71	At risk of falls (%)	60.00%	91.58%
Other					
Skin lesion with intervention (%)	16.67%	24.79%	Medication Status		
PHYSIOLOGICAL STATUS					
Respiratory					
Dyspnea (0-4)	1.50	1.41	Drug regimen: problem found (%)	66.67%	21.16%
Oxygen therapy (%)	50.00%	15.47%	Mgmt. oral medications (0-3)	0.33	1.60 *
Ventilator therapy (%)	0.00%	0.15%	Mgmt. oral medications: NA (%)	0.00%	0.54%
CPAP / BPAP therapy (%)	16.67%	3.02%	Mgmt. injected medications (0-3)	---	1.77
Elimination Status					
Urinary Tract Infection (%)	16.67%	10.49%	Mgmt. injected medications: NA (%)	100.00	77.68%
Urinary incontinence/catheter (%)	66.67%	55.57%	Prior mgmt. oral medications (0-2)	0.17	0.82
Urinary incontinence frequency (0-4)	3.25	2.48	Prior mgmt. oral medications: NA (%)	0.00%	2.41%
Bowel incontinence (0-5)	1.00	0.39	Prior mgmt. injected medications (0-2)	---	0.95
Bowel ostomy (%)	0.00%	2.05%	Prior mgmt. injected medications: NA (%)	100.00	77.18%
NEURO / EMOTIONAL / BEHAVIORAL					
Cognition					
Cognitive deficit (0-4)	0.17	0.68	THERAPY / PLAN OF CARE		
Confusion frequency (0-4)	1.00	0.87	Therapy Visits		
Emotional					
Anxiety level (0-3)	0.50	0.74	# Therapy visits indicated (#)	0.00	7.16 *
Depression evaluation indicator (%)	16.67%	5.80%	PATIENT DIAGNOSTIC INFORMATION		
PHQ-2: Interest/Pleasure (0-3)	0.00	0.27	Acute Conditions		
PHQ-2: Down/Depressed (0-3)	0.00	0.29	Orthopedic (%)	0.00%	39.58%
Behavioral					
Memory deficit (%)	0.00%	17.12%	Neurologic (%)	0.00%	12.97%
Impaired decision-making (%)	0.00%	22.46%	Open wounds/lesions (%)	0.00%	7.13%
Verbal disruption (%)	0.00%	1.48%	Cardiac/peripheral vascular (%)	33.33%	31.42%
Physical aggression (%)	0.00%	0.74%	Pulmonary (%)	50.00%	18.01%
Disruptive/inappropriate behavior (%)	0.00%	0.87%	Diabetes mellitus (%)	0.00%	10.85%
Delusional, hallucinatory, etc. (%)	0.00%	1.43%	Gastrointestinal disorder (%)	16.67%	11.20%
None demonstrated (%)	100.00	70.13%	Contagious/communicable (%)	0.00%	3.33%
Frequency of behavioral problems (0-5)	0.00	0.77	Urinary incontinence/catheter (%)	33.33%	14.61%
Psychiatric nursing (%)	0.00%	1.57%	Mental/emotional (%)	0.00%	1.57%
ACTIVITIES OF DAILY LIVING					
SOC / ROC Status					
Grooming (0-3)	0.50	1.34 *	Oxygen therapy (%)	50.00%	15.47%
Dress upper body (0-3)	0.33	1.47 **	IV/infusion therapy (%)	0.00%	3.30%
Dress lower body (0-3)	0.50	1.80 **	Enteral/parenteral nutrition (%)	0.00%	1.79%
Bathing (0-6)	2.17	3.18	Ventilator (%)	0.00%	0.15%
Toilet transfer (0-4)	0.17	1.14 *	Chronic Conditions		
Toileting hygiene (0-3)	0.33	1.33 *	Dependence in living skills (%)	0.00%	38.84%
			Dependence in personal care (%)	50.00%	50.03%
			Impaired ambulation/mobility (%)	16.67%	54.02%
			Urinary incontinence/catheter (%)	33.33%	40.96%
			Dependence in med. admin. (%)	16.67%	60.14%
			Chronic pain (%)	20.00%	16.87%
			Cognitive/mental/behavioral (%)	0.00%	21.25%
			Chronic pt. with caregiver (%)	66.67%	69.13%
			Home Care Diagnoses		
			Infections/parasitic diseases (%)	0.00%	4.22%
			Neoplasms (%)	33.33%	8.51%
			Endocrine/nutriL./metabolic (%)	50.00%	42.67%
			Blood diseases (%)	16.67%	8.33%
			Mental diseases (%)	33.33%	27.66%
			Nervous system diseases (%)	0.00%	25.86%

Agency Patient-Related Characteristics Report

Agency Name: SEVIER COUNTY HEALTH UNIT
Agency ID: HHAR00184
Location: DE QUEEN, AR
CCN: 047875 **Branch:** All
Medicaid Number: 104312514
Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
Actual Current Period: 11/2014 - 07/2015

Number of Cases in Current Sample: 6
Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean
Home Care Diagnoses		
Circulatory system diseases (%)	50.00%	77.02%
Respiratory system diseases (%)	50.00%	24.52%
Digestive system diseases (%)	0.00%	12.13%
Genitourinary sys. diseases (%)	16.67%	18.94%
Skin/subcutaneous diseases (%)	16.67%	11.67%
Musculoskeletal sys. diseases (%)	16.67%	48.35%
Ill-defined conditions (%)	50.00%	33.08%
Fractures (%)	0.00%	5.88%
Intracranial injury (%)	0.00%	0.29%
Other injury (%)	0.00%	4.82%
Adverse reactions and complications (%)	0.00%	3.63%

	Current Mean	Ref. Mean
Scheduled visit (%)	0.00%	5.54%
Other (%)	0.00%	35.71%
No hospitalization (%)	83.33%	73.58%

Asterisks represent significance levels of current and reference data comparisons.

* The probability is 1% or less that this difference is due to chance, and 99% or more that the difference is real.

** The probability is 0.1% or less that this difference is due to chance, and 99.9% or more that the difference is real.

PATIENT DISCHARGE INFORMATION

Length of Stay

LOS until discharge (in days)	29.00	59.14
LOS from 1 to 30 days (%)	66.67%	46.83%
LOS from 31 to 60 days (%)	33.33%	33.63%
LOS from 61 to 120 days (%)	0.00%	11.09%
LOS from 121 to 180 days (%)	0.00%	3.55%
LOS more than 180 days (%)	0.00%	4.90%

Reason for Emergent Care

Improper medications (%)	50.00%	1.06%
Injury from fall (%)	0.00%	7.79%
Respiratory infection (%)	50.00%	8.81%
Other respiratory (%)	0.00%	11.27%
Heart failure (%)	0.00%	7.42%
Cardiac dysrhythmia (%)	0.00%	2.75%
Myocardial infarction (%)	0.00%	3.53%
Other heart disease (%)	0.00%	1.91%
Stroke (CVA) or TIA (%)	0.00%	2.34%
Hypo/Hyperglycemia (%)	0.00%	1.76%
GI bleeding, obstruction, etc. (%)	0.00%	3.77%
Dehydration, malnutrition (%)	0.00%	4.36%
Urinary tract infection (%)	0.00%	6.86%
IV catheter-related infection (%)	0.00%	0.39%
Wound infection (%)	0.00%	4.13%
Uncontrolled pain (%)	0.00%	5.50%
Acute mental/behav. problem (%)	0.00%	3.42%
Deep vein thrombosis (%)	0.00%	1.17%
Other (%)	0.00%	37.08%
No emergent care (%)	66.67%	77.67%

Reason for Hospitalization

Improper medications (%)	100.00	0.80% *
Injury from fall (%)	0.00%	5.83%
Respiratory infection (%)	0.00%	9.02%
Other respiratory (%)	0.00%	10.88%
Heart failure (%)	0.00%	7.52%
Cardiac dysrhythmia (%)	0.00%	2.63%
Myocardial infarction (%)	0.00%	3.29%
Other heart disease (%)	0.00%	1.94%
Stroke (CVA) or TIA (%)	0.00%	2.33%
Hypo/Hyperglycemia (%)	0.00%	1.63%
GI bleeding, obstruction, etc. (%)	0.00%	3.53%
Dehydration, malnutrition (%)	0.00%	4.13%
Urinary tract infection (%)	0.00%	6.55%
IV catheter-related infection (%)	0.00%	0.25%
Wound infection (%)	0.00%	5.05%
Uncontrolled pain (%)	0.00%	4.07%
Acute mental/behav. Problem (%)	0.00%	3.50%
Deep vein thrombosis (%)	0.00%	1.12%

Agency Patient-Related Characteristics Report

Agency Name: SHARP COUNTY HEALTH UNIT
Agency ID: HHAR00171
Location: ASH FLAT, AR
CCN: 047858 **Branch:** All
Medicaid Number: 104312514
Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 59
Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
PATIENT HISTORY					
Demographics					
Age (years)	67.32	74.67 **	Lives with others (%)	71.19%	65.36%
Gender: Female (%)	57.63%	61.27%	Lives in congregate situation (%)	0.00%	10.39% *
Race: Black (%)	0.00%	13.94% **	Availability		
Race: White (%)	98.31%	75.77% **	Around the clock (%)	89.83%	76.40% *
Race: Other (%)	1.69%	10.57%	Regular daytime (%)	3.39%	4.06%
Payment Source			Regular nighttime (%)	3.39%	5.19%
Any Medicare (%)	76.27%	93.22% **	Occasional (%)	3.39%	13.43%
Any Medicaid (%)	25.42%	9.69% **	None (%)	0.00%	0.93%
Any HMO (%)	10.17%	26.98% *	CARE MANAGEMENT		
Medicare HMO (%)	10.17%	22.66%	ADLs		
Other (%)	0.00%	3.89%	None needed (%)	11.86%	7.37%
Episode Start			Caregiver currently provides (%)	77.97%	58.83% *
Episode timing: Early (%)	82.22%	88.34%	Caregiver training needed (%)	6.78%	26.54% **
Episode timing: Later (%)	17.78%	7.55%	Uncertain/Unlikely to be provided (%)	0.00%	3.81%
Episode timing: Unknown (%)	0.00%	4.11%	Needed, but not available (%)	3.39%	3.45%
Inpatient Discharge / Medical Regimen			IADLs		
Long-term nursing facility (%)	0.00%	0.79%	None needed (%)	5.08%	2.81%
Skilled nursing facility (%)	22.03%	14.60%	Caregiver provides (%)	93.22%	79.71% *
Short-stay acute hospital (%)	45.76%	50.82%	Caregiver training needed (%)	0.00%	12.67% **
Long-term care hospital (%)	0.00%	0.68%	Uncertain/Unlikely to be provided (%)	1.69%	2.18%
Inpatient rehab hospital/unit (%)	1.69%	6.05%	Needed, but not available (%)	0.00%	2.62%
Psychiatric hospital/unit (%)	0.00%	0.47%	Frequency of ADL / IADL (1-5)	1.46	1.32 *
Medical Regimen Change (%)	72.88%	89.37% **	Medication Administration		
Prior Conditions			None needed (%)	30.51%	20.39%
Urinary incontinence (%)	39.13%	38.80%	Caregiver provides (%)	62.71%	49.72%
Indwelling/suprapubic catheter (%)	6.52%	2.86%	Caregiver training needed (%)	1.69%	25.13% **
Intractable pain (%)	15.22%	15.84%	Uncertain/Unlikely to be provided (%)	1.69%	2.48%
Impaired decision-making (%)	15.22%	19.82%	Needed, but not available (%)	3.39%	2.28%
Disruptive/Inappropriate behav. (%)	2.17%	1.90%	Medical Procedures		
Memory loss (%)	2.17%	13.21%	None needed (%)	27.12%	47.01% *
None listed (%)	36.96%	41.94%	Caregiver provides (%)	42.37%	21.30% **
No inpatient dc / No med. regimen chg. (%)	22.03%	5.56% **	Caregiver training needed (%)	13.56%	23.48%
Therapies			Uncertain/Unlikely to be provided (%)	8.47%	4.96%
IV/infusion therapy (%)	3.39%	3.30%	Needed, but not available (%)	8.47%	3.24%
Parenteral nutrition (%)	0.00%	0.24%	Management of Equipment		
Enteral nutrition (%)	0.00%	1.56%	None needed (%)	77.97%	63.40%
GENERAL HEALTH STATUS			Caregiver provides (%)	22.03%	21.24%
Hospitalization Risks			Caregiver training needed (%)	0.00%	13.13% **
Recent decline mental/emot/behav (%)	10.17%	15.71%	Uncertain/Unlikely to be provided (%)	0.00%	1.36%
Multiple hospitalizations (%)	32.20%	35.89%	Needed, but not available (%)	0.00%	0.87%
History of falls (%)	25.42%	32.20%	Supervision / Safety		
5 or more medications (%)	74.58%	87.63% *	None needed (%)	35.59%	30.62%
Frailty factors (%)	11.86%	33.89% **	Caregiver provides (%)	61.02%	50.04%
Other (%)	27.12%	27.84%	Caregiver training needed (%)	3.39%	16.13% *
None (%)	10.17%	3.15% *	Uncertain/Unlikely to be provided (%)	0.00%	1.63%
Overall Status			Needed, but not available (%)	0.00%	1.58%
Overall Status (0-3)	1.22	1.35	Advocacy		
Unknown / Unclear (%)	0.00%	0.20%	None needed (%)	11.86%	5.62%
Other Risk Factors			Caregiver provides (%)	86.44%	82.80%
Smoking (%)	22.41%	19.35%	Caregiver training needed (%)	1.69%	8.26%
Obesity (%)	46.55%	21.59% **	Uncertain/Unlikely to be provided (%)	0.00%	1.65%
Alcohol dependency (%)	5.17%	3.44%	Needed, but not available (%)	0.00%	1.66%
Drug dependency (%)	3.45%	1.75%	SENSORY STATUS		
None (%)	37.93%	61.84% **	Sensory Status		
LIVING ARRANGEMENT / ASSISTANCE			Vision impairment (0-2)	0.14	0.29 *
Current Situation			Hearing impairment (0-2)	0.12	0.38 **
Lives alone (%)	28.81%	24.26%	Verbal content understanding (0-3)	0.07	0.51 **
			Speech/language (0-5)	0.20	0.59 **
			Pain interfering with activity (0-4)	1.80	2.32 *

Agency Patient-Related Characteristics Report

Agency Name: SHARP COUNTY HEALTH UNIT
 Agency ID: HHAR00171
 Location: ASH FLAT, AR
 CCN: 047858 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 59
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
INTEGUMENTARY STATUS					
Pressure Ulcers					
Pressure ulcer risk (%)	16.95%	41.44% **	Bed transferring (0-5)	1.03	1.41 **
Pressure ulcer present (%)	6.78%	5.21%	Ambulation (0-6)	1.98	2.58 **
Stage II pressure ulcer count (#)	0.10	0.05	Eating (0-5)	0.81	0.71
Stage III pressure ulcer count (#)	0.02	0.01	Status Prior to SOC/ROC		
Stage IV pressure ulcer count (#)	0.00	0.01	Prior Self Care (0-2)	0.95	0.70 **
Unstageable pressure ulcer count (#)	0.02	0.02	Prior Ambulation (0-2)	0.95	0.65 **
Status most problematic PU (0-3)	3.00	2.88	Prior Transfer (0-2)	0.90	0.59 **
Stage I pressure ulcers count (0-4)	0.02	0.03	IADLs, MEDICATIONS, OTHER		
Stage most problematic PU (1-4)	2.00	2.09	IADLs		
Stasis Ulcers					
Stasis ulcer indicator (%)	0.00%	1.71%	Light meal prep (0-2)	1.22	1.27
Stasis ulcer count (0-4)	0.00	0.03 **	Phone use (0-5)	0.37	0.92 **
Status most problematic stasis (0-3)	---	2.66	Prior Household (0-2)	1.68	1.11 **
Surgical Wounds					
Surgical wound indicator (%)	38.98%	25.41%	Falls Risk		
Status most problematic surg. (0-3)	2.14	1.71	At risk of falls (%)	89.83%	91.58%
Other					
Skin lesion with intervention (%)	11.86%	24.79%	Medication Status		
PHYSIOLOGICAL STATUS					
Respiratory					
Dyspnea (0-4)	1.66	1.41	Drug regimen: problem found (%)	67.80%	21.16% **
Oxygen therapy (%)	20.34%	15.47%	Mgmt. oral medications (0-3)	1.08	1.60 **
Ventilator therapy (%)	0.00%	0.15%	Mgmt. oral medications: NA (%)	0.00%	0.54%
CPAP / BPAP therapy (%)	1.69%	3.02%	Mgmt. injected medications (0-3)	1.65	1.77
Elimination Status					
Urinary Tract Infection (%)	5.08%	10.49%	Mgmt. injected medications: NA (%)	71.19%	77.68%
Urinary incontinence/catheter (%)	45.76%	55.57%	Prior mgmt. oral medications (0-2)	0.80	0.82
Urinary incontinence frequency (0-4)	2.57	2.48	Prior mgmt. oral medications: NA (%)	0.00%	2.41%
Bowel incontinence (0-5)	0.26	0.39	Prior mgmt. injected medications (0-2)	1.13	0.95
Bowel ostomy (%)	1.69%	2.05%	Prior mgmt. injected medications: NA (%)	72.88%	77.18%
NEURO / EMOTIONAL / BEHAVIORAL					
Cognition					
Cognitive deficit (0-4)	0.12	0.68 **	THERAPY / PLAN OF CARE		
Confusion frequency (0-4)	0.27	0.87 **	Therapy Visits		
Emotional					
Anxiety level (0-3)	0.47	0.74 *	# Therapy visits indicated (#)	6.58	7.16
Depression evaluation indicator (%)	1.69%	5.80%	PATIENT DIAGNOSTIC INFORMATION		
PHQ-2: Interest/Pleasure (0-3)	0.07	0.27 *	Acute Conditions		
PHQ-2: Down/Depressed (0-3)	0.07	0.29 *	Orthopedic (%)	28.81%	39.58%
Behavioral					
Memory deficit (%)	3.39%	17.12% *	Neurologic (%)	6.78%	12.97%
Impaired decision-making (%)	10.17%	22.46%	Open wounds/lesions (%)	1.69%	7.13%
Verbal disruption (%)	0.00%	1.48%	Cardiac/peripheral vascular (%)	22.03%	31.42%
Physical aggression (%)	0.00%	0.74%	Pulmonary (%)	10.17%	18.01%
Disruptive/inappropriate behavior (%)	1.69%	0.87%	Diabetes mellitus (%)	5.08%	10.85%
Delusional, hallucinatory, etc. (%)	3.39%	1.43%	Gastrointestinal disorder (%)	1.69%	11.20% *
None demonstrated (%)	88.14%	70.13% *	Contagious/communicable (%)	5.08%	3.33%
Frequency of behavioral problems (0-5)	0.37	0.77	Urinary incontinence/catheter (%)	6.78%	14.61%
Psychiatric nursing (%)	0.00%	1.57%	Mental/emotional (%)	0.00%	1.57%
ACTIVITIES OF DAILY LIVING					
SOC / ROC Status					
Grooming (0-3)	1.42	1.34	Oxygen therapy (%)	20.34%	15.47%
Dress upper body (0-3)	1.46	1.47	IV/infusion therapy (%)	3.39%	3.30%
Dress lower body (0-3)	1.97	1.80	Enteral/parenteral nutrition (%)	0.00%	1.79%
Bathing (0-6)	2.90	3.18	Ventilator (%)	0.00%	0.15%
Toilet transfer (0-4)	0.76	1.14 **	Chronic Conditions		
Toileting hygiene (0-3)	1.00	1.33 *	Dependence in living skills (%)	40.68%	38.84%
			Dependence in personal care (%)	55.93%	50.03%
			Impaired ambulation/mobility (%)	62.71%	54.02%
			Urinary incontinence/catheter (%)	38.98%	40.96%
			Dependence in med. admin. (%)	62.71%	60.14%
			Chronic pain (%)	22.03%	16.87%
			Cognitive/mental/behavioral (%)	10.17%	21.25%
			Chronic pt. with caregiver (%)	84.75%	69.13% *
			Home Care Diagnoses		
			Infections/parasitic diseases (%)	10.17%	4.22%
			Neoplasms (%)	11.86%	8.51%
			Endocrine/nutrit./metabolic (%)	49.15%	42.67%
			Blood diseases (%)	8.47%	8.33%
			Mental diseases (%)	23.73%	27.66%
			Nervous system diseases (%)	30.51%	25.86%

Agency Patient-Related Characteristics Report

Agency Name: SHARP COUNTY HEALTH UNIT
Agency ID: HHAR00171
Location: ASH FLAT, AR
CCN: 047858 **Branch:** All
Medicaid Number: 104312514
Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 59
Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean
Home Care Diagnoses		
Circulatory system diseases (%)	64.41%	77.02%
Respiratory system diseases (%)	18.64%	24.52%
Digestive system diseases (%)	18.64%	12.13%
Genitourinary sys. diseases (%)	5.08%	18.94% *
Skin/subcutaneous diseases (%)	15.25%	11.67%
Musculoskeletal sys. diseases (%)	35.59%	48.35%
Ill-defined conditions (%)	54.24%	33.08% **
Fractures (%)	0.00%	5.88%
Intracranial injury (%)	0.00%	0.29%
Other injury (%)	8.47%	4.82%
Adverse reactions and complications (%)	10.17%	3.63%

PATIENT DISCHARGE INFORMATION

Length of Stay

LOS until discharge (in days)	121.92	59.14
LOS from 1 to 30 days (%)	35.59%	46.83%
LOS from 31 to 60 days (%)	38.98%	33.63%
LOS from 61 to 120 days (%)	8.47%	11.09%
LOS from 121 to 180 days (%)	3.39%	3.55%
LOS more than 180 days (%)	13.56%	4.90% *

Reason for Emergent Care

Improper medications (%)	0.00%	1.06%
Injury from fall (%)	0.00%	7.79%
Respiratory infection (%)	0.00%	8.81%
Other respiratory (%)	0.00%	11.27%
Heart failure (%)	0.00%	7.42%
Cardiac dysrhythmia (%)	0.00%	2.75%
Myocardial infarction (%)	0.00%	3.53%
Other heart disease (%)	0.00%	1.91%
Stroke (CVA) or TIA (%)	0.00%	2.34%
Hypo/Hyperglycemia (%)	0.00%	1.76%
GI bleeding, obstruction, etc. (%)	0.00%	3.77%
Dehydration, malnutrition (%)	0.00%	4.36%
Urinary tract infection (%)	0.00%	6.86%
IV catheter-related infection (%)	0.00%	0.39%
Wound infection (%)	33.33%	4.13%
Uncontrolled pain (%)	0.00%	5.50%
Acute mental/behav. problem (%)	0.00%	3.42%
Deep vein thrombosis (%)	0.00%	1.17%
Other (%)	100.00	37.08%
No emergent care (%)	94.83%	77.67% **

Reason for Hospitalization

Improper medications (%)	0.00%	0.80%
Injury from fall (%)	0.00%	5.83%
Respiratory infection (%)	0.00%	9.02%
Other respiratory (%)	0.00%	10.88%
Heart failure (%)	18.18%	7.52%
Cardiac dysrhythmia (%)	0.00%	2.63%
Myocardial infarction (%)	9.09%	3.29%
Other heart disease (%)	0.00%	1.94%
Stroke (CVA) or TIA (%)	9.09%	2.33%
Hypo/Hyperglycemia (%)	0.00%	1.63%
GI bleeding, obstruction, etc. (%)	9.09%	3.53%
Dehydration, malnutrition (%)	0.00%	4.13%
Urinary tract infection (%)	9.09%	6.55%
IV catheter-related infection (%)	0.00%	0.25%
Wound infection (%)	9.09%	5.05%
Uncontrolled pain (%)	9.09%	4.07%
Acute mental/behav. Problem (%)	0.00%	3.50%
Deep vein thrombosis (%)	0.00%	1.12%

Scheduled visit (%)	18.18%	5.54%
Other (%)	9.09%	35.71%
No hospitalization (%)	81.03%	73.58%

Asterisks represent significance levels of current and reference data comparisons.

* The probability is 1% or less that this difference is due to chance, and 99% or more that the difference is real.

** The probability is 0.1% or less that this difference is due to chance, and 99.9% or more that the difference is real.

Agency Patient-Related Characteristics Report

Agency Name: ST FRANCIS COUNTY HEALTH UNIT
 Agency ID: HHAR00168
 Location: FORREST CITY, AR
 CCN: 047853 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 74
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
PATIENT HISTORY					
Demographics					
Age (years)	68.64	74.67	Lives with others (%)	78.38%	65.36%
Gender: Female (%)	78.38%	61.27% *	Lives in congregate situation (%)	0.00%	10.39% **
Race: Black (%)	64.86%	13.94% **	Availability		
Race: White (%)	33.78%	75.77% **	Around the clock (%)	87.84%	76.40%
Race: Other (%)	1.35%	10.57% *	Regular daytime (%)	1.35%	4.06%
Payment Source			Regular nighttime (%)	10.81%	5.19%
Any Medicare (%)	51.35%	93.22% **	Occasional (%)	0.00%	13.43% **
Any Medicaid (%)	50.00%	9.69% **	None (%)	0.00%	0.93%
Any HMO (%)	14.86%	26.98%	CARE MANAGEMENT		
Medicare HMO (%)	14.86%	22.66%	ADLs		
Other (%)	0.00%	3.89%	None needed (%)	9.46%	7.37%
Episode Start			Caregiver currently provides (%)	77.03%	58.83% *
Episode timing: Early (%)	97.37%	88.34%	Caregiver training needed (%)	2.70%	26.54% **
Episode timing: Later (%)	2.63%	7.55%	Uncertain/Unlikely to be provided (%)	6.76%	3.81%
Episode timing: Unknown (%)	0.00%	4.11%	Needed, but not available (%)	4.05%	3.45%
Inpatient Discharge / Medical Regimen			IADLs		
Long-term nursing facility (%)	1.35%	0.79%	None needed (%)	6.76%	2.81%
Skilled nursing facility (%)	4.05%	14.60% *	Caregiver provides (%)	81.08%	79.71%
Short-stay acute hospital (%)	56.76%	50.82%	Caregiver training needed (%)	2.70%	12.67% *
Long-term care hospital (%)	0.00%	0.68%	Uncertain/Unlikely to be provided (%)	6.76%	2.18%
Inpatient rehab hospital/unit (%)	8.11%	6.05%	Needed, but not available (%)	2.70%	2.62%
Psychiatric hospital/unit (%)	0.00%	0.47%	Frequency of ADL / IADL (1-5)	1.30	1.32
Medical Regimen Change (%)	72.97%	89.37% **	Medication Administration		
Prior Conditions			None needed (%)	25.68%	20.39%
Urinary incontinence (%)	56.14%	38.80% *	Caregiver provides (%)	62.16%	49.72%
Indwelling/suprapubic catheter (%)	7.02%	2.86%	Caregiver training needed (%)	2.70%	25.13% **
Intractable pain (%)	1.75%	15.84% *	Uncertain/Unlikely to be provided (%)	5.41%	2.48%
Impaired decision-making (%)	38.60%	19.82% **	Needed, but not available (%)	4.05%	2.28%
Disruptive/inappropriate behav. (%)	1.75%	1.90%	Medical Procedures		
Memory loss (%)	21.05%	13.21%	None needed (%)	71.62%	47.01% **
None listed (%)	33.33%	41.94%	Caregiver provides (%)	20.27%	21.30%
No inpatient dc / No med. regimen chg. (%)	21.62%	5.56% **	Caregiver training needed (%)	5.41%	23.48% **
Therapies			Uncertain/Unlikely to be provided (%)	0.00%	4.96%
IV/infusion therapy (%)	9.46%	3.30% *	Needed, but not available (%)	2.70%	3.24%
Parenteral nutrition (%)	0.00%	0.24%	Management of Equipment		
Enteral nutrition (%)	6.76%	1.56% *	None needed (%)	77.03%	63.40%
GENERAL HEALTH STATUS			Caregiver provides (%)	18.92%	21.24%
Hospitalization Risks			Caregiver training needed (%)	2.70%	13.13% *
Recent decline mental/emot/behav (%)	12.16%	15.71%	Uncertain/Unlikely to be provided (%)	1.35%	1.36%
Multiple hospitalizations (%)	37.84%	35.89%	Needed, but not available (%)	0.00%	0.87%
History of falls (%)	25.68%	32.20%	Supervision / Safety		
5 or more medications (%)	74.32%	87.63% *	None needed (%)	27.03%	30.62%
Frailty factors (%)	36.49%	33.89%	Caregiver provides (%)	66.22%	50.04% *
Other (%)	22.97%	27.84%	Caregiver training needed (%)	0.00%	16.13% **
None (%)	6.76%	3.15%	Uncertain/Unlikely to be provided (%)	4.05%	1.63%
Overall Status			Needed, but not available (%)	2.70%	1.58%
Overall Status (0-3)	0.86	1.35 **	Advocacy		
Unknown / Unclear (%)	0.00%	0.20%	None needed (%)	9.46%	5.62%
Other Risk Factors			Caregiver provides (%)	86.49%	82.80%
Smoking (%)	16.90%	19.35%	Caregiver training needed (%)	0.00%	8.26% *
Obesity (%)	26.76%	21.59%	Uncertain/Unlikely to be provided (%)	1.35%	1.65%
Alcohol dependency (%)	1.41%	3.44%	Needed, but not available (%)	2.70%	1.66%
Drug dependency (%)	0.00%	1.75%	SENSORY STATUS		
None (%)	57.75%	61.84%	Sensory Status		
LIVING ARRANGEMENT / ASSISTANCE			Vision impairment (0-2)	0.42	0.29
Current Situation			Hearing impairment (0-2)	0.38	0.38
Lives alone (%)	21.62%	24.26%	Verbal content understanding (0-3)	0.55	0.51
			Speech/language (0-5)	0.80	0.59
			Pain interfering with activity (0-4)	1.61	2.32 **

Agency Patient-Related Characteristics Report

Agency Name: ST FRANCIS COUNTY HEALTH UNIT
 Agency ID: HHAR00168
 Location: FORREST CITY, AR
 CCN: 047853 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 74
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
INTEGUMENTARY STATUS					
Pressure Ulcers					
Pressure ulcer risk (%)	40.54%	41.44%	Bed transferring (0-5)	1.42	1.41
Pressure ulcer present (%)	6.76%	5.21%	Ambulation (0-6)	2.62	2.58
Stage II pressure ulcer count (#)	0.12	0.05	Eating (0-5)	0.93	0.71
Stage III pressure ulcer count (#)	0.01	0.01	Status Prior to SOC/ROC		
Stage IV pressure ulcer count (#)	0.00	0.01	Prior Self Care (0-2)	1.09	0.70 **
Unstageable pressure ulcer count (#)	0.04	0.02	Prior Ambulation (0-2)	1.16	0.85 **
Status most problematic PU (0-3)	2.20	2.88 *	Prior Transfer (0-2)	0.85	0.59 *
Stage I pressure ulcers count (0-4)	0.00	0.03 **	IADLs, MEDICATIONS, OTHER		
Stage most problematic PU (1-4)	2.20	2.09	IADLs		
Stasis Ulcers					
Stasis ulcer indicator (%)	0.00%	1.71%	Light meal prep (0-2)	1.46	1.27 *
Stasis ulcer count (0-4)	0.00	0.03 **	Phone use (0-5)	1.15	0.92
Status most problematic stasis (0-3)	---	2.66	Prior Household (0-2)	1.39	1.11 **
Surgical Wounds					
Surgical wound indicator (%)	27.03%	25.41%	Falls Risk		
Status most problematic surg. (0-3)	1.13	1.71	At risk of falls (%)	81.94%	91.58% *
Other					
Skin lesion with intervention (%)	4.05%	24.79% **	Medication Status		
PHYSIOLOGICAL STATUS					
Respiratory					
Dyspnea (0-4)	1.05	1.41 *	Drug regimen: problem found (%)	71.62%	21.16% **
Oxygen therapy (%)	13.51%	15.47%	Mgmt. oral medications (0-3)	1.44	1.60
Ventilator therapy (%)	0.00%	0.15%	Mgmt. oral medications: NA (%)	2.70%	0.54%
CPAP / BPAP therapy (%)	1.35%	3.02%	Mgmt. injected medications (0-3)	1.92	1.77
Elimination Status					
Urinary Tract Infection (%)	17.57%	10.49%	Mgmt. injected medications: NA (%)	67.57%	77.68%
Urinary incontinence/catheter (%)	63.51%	55.57%	Prior mgmt. oral medications (0-2)	0.88	0.82
Urinary incontinence frequency (0-4)	3.12	2.48 *	Prior mgmt. oral medications: NA (%)	2.70%	2.41%
Bowel incontinence (0-5)	0.72	0.39 *	Prior mgmt. injected medications (0-2)	1.09	0.95
Bowel ostomy (%)	8.11%	2.05% *	Prior mgmt. injected medications: NA (%)	70.27%	77.18%
NEURO / EMOTIONAL / BEHAVIORAL					
Cognition					
Cognitive deficit (0-4)	0.78	0.68	THERAPY / PLAN OF CARE		
Confusion frequency (0-4)	0.99	0.87	Therapy Visits		
Emotional					
Anxiety level (0-3)	0.55	0.74	# Therapy visits indicated (#)	8.45	7.16
Depression evaluation indicator (%)	2.74%	5.80%	PATIENT DIAGNOSTIC INFORMATION		
PHQ-2: Interest/Pleasure (0-3)	0.07	0.27 **	Acute Conditions		
PHQ-2: Down/Depressed (0-3)	0.10	0.29 **	Orthopedic (%)	27.03%	39.58%
Behavioral					
Memory deficit (%)	16.22%	17.12%	Neurologic (%)	6.76%	12.97%
Impaired decision-making (%)	29.73%	22.46%	Open wounds/lesions (%)	4.05%	7.13%
Verbal disruption (%)	1.35%	1.48%	Cardiac/peripheral vascular (%)	39.19%	31.42%
Physical aggression (%)	0.00%	0.74%	Pulmonary (%)	21.62%	18.01%
Disruptive/Inappropriate behavior (%)	1.35%	0.87%	Diabetes mellitus (%)	22.97%	10.85% *
Delusional, hallucinatory, etc. (%)	1.35%	1.43%	Gastrointestinal disorder (%)	9.46%	11.20%
None demonstrated (%)	60.81%	70.13%	Contagious/communicable (%)	5.41%	3.33%
Frequency of behavioral problems (0-5)	1.50	0.77 **	Urinary incontinence/catheter (%)	1.35%	14.61% **
Psychiatric nursing (%)	0.00%	1.57%	Mental/emotional (%)	0.00%	1.57%
ACTIVITIES OF DAILY LIVING					
SOC / ROC Status					
Grooming (0-3)	1.54	1.34	Oxygen therapy (%)	13.51%	15.47%
Dress upper body (0-3)	1.72	1.47 *	IV/infusion therapy (%)	9.46%	3.30% *
Dress lower body (0-3)	1.80	1.80	Enteral/parenteral nutrition (%)	6.76%	1.79% *
Bathing (0-6)	3.70	3.18 *	Ventilator (%)	0.00%	0.15%
Toilet transfer (0-4)	1.49	1.14	Chronic Conditions		
Toileting hygiene (0-3)	1.46	1.33	Dependence in living skills (%)	52.70%	38.84%
			Dependence in personal care (%)	72.97%	50.03% **
			Impaired ambulation/mobility (%)	75.68%	54.02% **
			Urinary incontinence/catheter (%)	62.16%	40.96% **
			Dependence in med. admin. (%)	66.22%	60.14%
			Chronic pain (%)	10.96%	16.87%
			Cognitive/mental/behavioral (%)	36.99%	21.25% *
			Chronic pt. with caregiver (%)	90.54%	69.13% **
			Home Care Diagnoses		
			Infections/parasitic diseases (%)	2.70%	4.22%
			Neoplasms (%)	5.41%	8.51%
			Endocrine/nutrit./metabolic (%)	67.57%	42.67% **
			Blood diseases (%)	13.51%	8.33%
			Mental diseases (%)	10.81%	27.66% *
			Nervous system diseases (%)	32.43%	25.86%

Agency Patient-Related Characteristics Report

Agency Name: ST FRANCIS COUNTY HEALTH UNIT
Agency ID: HHAR00168
Location: FORREST CITY, AR
CCN: 047853 **Branch:** All
Medicaid Number: 104312514
Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 74
Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean
Home Care Diagnoses		
Circulatory system diseases (%)	75.68%	77.02%
Respiratory system diseases (%)	21.62%	24.52%
Digestive system diseases (%)	6.76%	12.13%
Genitourinary sys. diseases (%)	25.68%	18.94%
Skin/subcutaneous diseases (%)	8.11%	11.67%
Musculoskeletal sys. diseases (%)	37.84%	48.35%
Ill-defined conditions (%)	43.24%	33.08%
Fractures (%)	5.41%	5.88%
Intracranial injury (%)	0.00%	0.29%
Other injury (%)	6.76%	4.82%
Adverse reactions and complications (%)	2.70%	3.63%

	Current Mean	Ref. Mean
Scheduled visit (%)	2.78%	5.54%
Other (%)	22.22%	35.71%
No hospitalization (%)	51.35%	73.58% **

Asterisks represent significance levels of current and reference data comparisons.

* The probability is 1% or less that this difference is due to chance, and 99% or more that the difference is real.

** The probability is 0.1% or less that this difference is due to chance, and 99.9% or more that the difference is real.

PATIENT DISCHARGE INFORMATION

Length of Stay

LOS until discharge (in days)	176.35	59.14 **
LOS from 1 to 30 days (%)	31.08%	46.83% *
LOS from 31 to 60 days (%)	35.14%	33.63%
LOS from 61 to 120 days (%)	2.70%	11.09%
LOS from 121 to 180 days (%)	8.11%	3.55%
LOS more than 180 days (%)	22.97%	4.90% **

Reason for Emergent Care

Improper medications (%)	0.00%	1.06%
Injury from fall (%)	2.56%	7.79%
Respiratory infection (%)	12.82%	8.81%
Other respiratory (%)	2.56%	11.27%
Heart failure (%)	10.26%	7.42%
Cardiac dysrhythmia (%)	5.13%	2.75%
Myocardial infarction (%)	12.82%	3.53% *
Other heart disease (%)	2.56%	1.91%
Stroke (CVA) or TIA (%)	2.56%	2.34%
Hypo/Hyperglycemia (%)	7.69%	1.76%
GI bleeding, obstruction, etc. (%)	2.56%	3.77%
Dehydration, malnutrition (%)	5.13%	4.36%
Urinary tract infection (%)	10.26%	6.86%
IV catheter-related infection (%)	0.00%	0.39%
Wound infection (%)	7.69%	4.13%
Uncontrolled pain (%)	0.00%	5.50%
Acute mental/behav. problem (%)	7.69%	3.42%
Deep vein thrombosis (%)	2.56%	1.17%
Other (%)	28.21%	37.08%
No emergent care (%)	45.21%	77.67% **

Reason for Hospitalization

Improper medications (%)	0.00%	0.80%
Injury from fall (%)	2.78%	5.83%
Respiratory infection (%)	13.89%	9.02%
Other respiratory (%)	2.78%	10.88%
Heart failure (%)	11.11%	7.52%
Cardiac dysrhythmia (%)	5.56%	2.63%
Myocardial infarction (%)	13.89%	3.29% *
Other heart disease (%)	2.78%	1.94%
Stroke (CVA) or TIA (%)	2.78%	2.33%
Hypo/Hyperglycemia (%)	5.56%	1.63%
GI bleeding, obstruction, etc. (%)	2.78%	3.53%
Dehydration, malnutrition (%)	5.56%	4.13%
Urinary tract infection (%)	11.11%	6.55%
IV catheter-related infection (%)	0.00%	0.25%
Wound infection (%)	11.11%	5.05%
Uncontrolled pain (%)	0.00%	4.07%
Acute mental/behav. Problem (%)	8.33%	3.50%
Deep vein thrombosis (%)	2.78%	1.12%

Agency Patient-Related Characteristics Report

Agency Name: STONE COUNTY HEALTH UNIT
 Agency ID: HHAR00180
 Location: MOUNTAIN VIEW, AR
 CCN: 047871 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 211
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
PATIENT HISTORY					
Demographics					
Age (years)	70.65	74.67 **	Lives with others (%)	62.56%	65.36%
Gender: Female (%)	61.14%	61.27%	Lives in congregate situation (%)	2.84%	10.39% **
Race: Black (%)	0.00%	13.94% **	Availability		
Race: White (%)	99.05%	75.77% **	Around the clock (%)	97.16%	76.40% **
Race: Other (%)	0.95%	10.57% **	Regular daytime (%)	0.47%	4.06% *
Payment Source			Regular nighttime (%)	0.00%	5.19% **
Any Medicare (%)	75.36%	93.22% **	Occasional (%)	2.37%	13.43% **
Any Medicaid (%)	24.64%	9.69% **	None (%)	0.00%	0.93%
Any HMO (%)	8.06%	26.98% **	CARE MANAGEMENT		
Medicare HMO (%)	8.06%	22.66% **	ADLs		
Other (%)	0.00%	3.89% **	None needed (%)	9.48%	7.37%
Episode Start			Caregiver currently provides (%)	73.46%	58.83% **
Episode timing: Early (%)	73.94%	88.34% **	Caregiver training needed (%)	4.27%	26.54% **
Episode timing: Later (%)	25.45%	7.55% **	Uncertain/Unlikely to be provided (%)	4.27%	3.81%
Episode timing: Unknown (%)	0.61%	4.11%	Needed, but not available (%)	8.53%	3.45% **
Inpatient Discharge / Medical Regimen			IADLs		
Long-term nursing facility (%)	0.95%	0.79%	None needed (%)	7.58%	2.81% **
Skilled nursing facility (%)	2.37%	14.60% **	Caregiver provides (%)	80.57%	79.71%
Short-stay acute hospital (%)	63.98%	50.82% **	Caregiver training needed (%)	3.79%	12.67% **
Long-term care hospital (%)	0.95%	0.68%	Uncertain/Unlikely to be provided (%)	1.90%	2.18%
Inpatient rehab hospital/unit (%)	2.37%	6.05%	Needed, but not available (%)	6.16%	2.62% *
Psychiatric hospital/unit (%)	0.47%	0.47%	Frequency of ADL / IADL (1-5)	1.31	1.32
Medical Regimen Change (%)	75.83%	89.37% **	Medication Administration		
Prior Conditions			None needed (%)	33.65%	20.39% **
Urinary incontinence (%)	57.54%	38.80% **	Caregiver provides (%)	52.61%	49.72%
Indwelling/suprapubic catheter (%)	0.56%	2.86%	Caregiver training needed (%)	4.27%	25.13% **
Intractable pain (%)	4.47%	15.84% **	Uncertain/Unlikely to be provided (%)	2.37%	2.48%
Impaired decision-making (%)	4.47%	19.82% **	Needed, but not available (%)	7.11%	2.28% **
Disruptive/inappropriate behav. (%)	0.00%	1.90%	Medical Procedures		
Memory loss (%)	1.68%	13.21% **	None needed (%)	67.77%	47.01% **
None listed (%)	37.99%	41.94%	Caregiver provides (%)	18.48%	21.30%
No inpatient dc / No med. regimen chg. (%)	14.69%	5.56% **	Caregiver training needed (%)	2.84%	23.48% **
Therapies			Uncertain/Unlikely to be provided (%)	4.27%	4.96%
IV/infusion therapy (%)	3.32%	3.30%	Needed, but not available (%)	6.64%	3.24% *
Parenteral nutrition (%)	0.00%	0.24%	Management of Equipment		
Enteral nutrition (%)	2.37%	1.56%	None needed (%)	73.93%	63.40% *
GENERAL HEALTH STATUS			Caregiver provides (%)	23.22%	21.24%
Hospitalization Risks			Caregiver training needed (%)	0.00%	13.13% **
Recent decline mental/emot/behav (%)	3.79%	15.71% **	Uncertain/Unlikely to be provided (%)	0.47%	1.36%
Multiple hospitalizations (%)	48.34%	35.89% **	Needed, but not available (%)	2.37%	0.87%
History of falls (%)	18.48%	32.20% **	Supervision / Safety		
5 or more medications (%)	56.87%	87.63% **	None needed (%)	67.77%	30.62% **
Frailty factors (%)	18.96%	33.89% **	Caregiver provides (%)	30.81%	50.04% **
Other (%)	20.38%	27.84%	Caregiver training needed (%)	0.47%	16.13% **
None (%)	13.74%	3.15% **	Uncertain/Unlikely to be provided (%)	0.00%	1.63%
Overall Status			Needed, but not available (%)	0.95%	1.58%
Overall Status (0-3)	0.83	1.35 **	Advocacy		
Unknown / Unclear (%)	0.00%	0.20%	None needed (%)	59.72%	5.62% **
Other Risk Factors			Caregiver provides (%)	36.97%	82.80% **
Smoking (%)	21.57%	19.35%	Caregiver training needed (%)	1.42%	8.26% **
Obesity (%)	9.31%	21.59% **	Uncertain/Unlikely to be provided (%)	0.00%	1.65%
Alcohol dependency (%)	0.98%	3.44%	Needed, but not available (%)	1.90%	1.66%
Drug dependency (%)	1.47%	1.75%	SENSORY STATUS		
None (%)	70.10%	61.84%	Sensory Status		
LIVING ARRANGEMENT / ASSISTANCE			Vision impairment (0-2)	0.15	0.29 **
Current Situation			Hearing impairment (0-2)	0.13	0.38 **
Lives alone (%)	34.60%	24.26% **	Verbal content understanding (0-3)	0.08	0.51 **
			Speech/language (0-5)	0.20	0.59 **
			Pain interfering with activity (0-4)	2.87	2.32 **

Agency Patient-Related Characteristics Report

Agency Name: STONE COUNTY HEALTH UNIT
 Agency ID: HHAR00180
 Location: MOUNTAIN VIEW, AR
 CCN: 047871 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 211
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
INTEGUMENTARY STATUS					
Pressure Ulcers					
Pressure ulcer risk (%)	65.36%	41.44% **	Bed transferring (0-5)	1.06	1.41 **
Pressure ulcer present (%)	0.95%	5.21% *	Ambulation (0-6)	1.81	2.58 **
Stage II pressure ulcer count (#)	0.01	0.05	Eating (0-5)	0.63	0.71
Stage III pressure ulcer count (#)	0.00	0.01	Status Prior to SOC/ROC		
Stage IV pressure ulcer count (#)	0.00	0.01	Prior Self Care (0-2)	0.84	0.70 **
Unstageable pressure ulcer count (#)	0.00	0.02	Prior Ambulation (0-2)	0.52	0.65 *
Status most problematic PU (0-3)	3.00	2.88	Prior Transfer (0-2)	0.45	0.59 *
Stage I pressure ulcers count (0-4)	0.01	0.03	IADLs, MEDICATIONS, OTHER		
Stage most problematic PU (1-4)	1.50	2.09	IADLs		
Stasis Ulcers					
Stasis ulcer indicator (%)	0.00%	1.71%	Light meal prep (0-2)	1.06	1.27 **
Stasis ulcer count (0-4)	0.00	0.03 **	Phone use (0-5)	0.51	0.92 **
Status most problematic stasis (0-3)	---	2.66	Prior Household (0-2)	1.13	1.11
Surgical Wounds					
Surgical wound indicator (%)	26.54%	25.41%	Falls Risk		
Status most problematic surg. (0-3)	1.06	1.71 **	At risk of falls (%)	90.59%	91.58%
Other					
Skin lesion with intervention (%)	8.53%	24.79% **	Medication Status		
PHYSIOLOGICAL STATUS					
Respiratory					
Dyspnea (0-4)	1.84	1.41 **	Drug regimen: problem found (%)	83.17%	21.16% **
Oxygen therapy (%)	43.60%	15.47% **	Mgmt. oral medications (0-3)	1.14	1.60 **
Ventilator therapy (%)	0.00%	0.15%	Mgmt. oral medications: NA (%)	0.47%	0.54%
CPAP / BPAP therapy (%)	1.90%	3.02%	Mgmt. injected medications (0-3)	2.51	1.77 **
Elimination Status					
Urinary Tract Infection (%)	12.02%	10.49%	Mgmt. injected medications: NA (%)	65.40%	77.68% **
Urinary incontinence/catheter (%)	73.93%	55.57% **	Prior mgmt. oral medications (0-2)	0.64	0.82 **
Urinary incontinence frequency (0-4)	2.78	2.48 *	Prior mgmt. oral medications: NA (%)	0.00%	2.41% *
Bowel incontinence (0-5)	0.14	0.39 **	Prior mgmt. injected medications (0-2)	1.63	0.95 **
Bowel ostomy (%)	1.42%	2.05%	Prior mgmt. injected medications: NA (%)	65.88%	77.18% **
NEURO / EMOTIONAL / BEHAVIORAL					
Cognition					
Cognitive deficit (0-4)	0.21	0.68 **	THERAPY / PLAN OF CARE		
Confusion frequency (0-4)	0.33	0.87 **	Therapy Visits		
Emotional					
Anxiety level (0-3)	0.64	0.74	# Therapy visits indicated (#)	2.31	7.16 **
Depression evaluation indicator (%)	0.00%	5.80% **	PATIENT DIAGNOSTIC INFORMATION		
PHQ-2: Interest/Pleasure (0-3)	0.07	0.27 **	Acute Conditions		
PHQ-2: Down/Depressed (0-3)	0.08	0.29 **	Orthopedic (%)	13.27%	39.58% **
Behavioral					
Memory deficit (%)	2.84%	17.12% **	Neurologic (%)	7.11%	12.97%
Impaired decision-making (%)	2.37%	22.46% **	Open wounds/lesions (%)	1.90%	7.13% **
Verbal disruption (%)	0.00%	1.48%	Cardiac/peripheral vascular (%)	26.54%	31.42%
Physical aggression (%)	0.00%	0.74%	Pulmonary (%)	27.01%	18.01% **
Disruptive/inappropriate behavior (%)	0.00%	0.87%	Diabetes mellitus (%)	1.42%	10.85% **
Delusional, hallucinatory, etc. (%)	1.42%	1.43%	Gastrointestinal disorder (%)	12.80%	11.20%
None demonstrated (%)	94.79%	70.13% **	Contagious/communicable (%)	2.37%	3.33%
Frequency of behavioral problems (0-5)	0.08	0.77 **	Urinary incontinence/catheter (%)	14.69%	14.61%
Psychiatric nursing (%)	0.95%	1.57%	Mental/emotional (%)	0.95%	1.57%
ACTIVITIES OF DAILY LIVING					
SOC / ROC Status					
Grooming (0-3)	1.14	1.34 **	Oxygen therapy (%)	43.60%	15.47% **
Dress upper body (0-3)	1.22	1.47 **	IV/infusion therapy (%)	3.32%	3.30%
Dress lower body (0-3)	1.51	1.80 **	Enteral/parenteral nutrition (%)	2.37%	1.79%
Bathing (0-6)	2.75	3.18 **	Ventilator (%)	0.00%	0.15%
Toilet transfer (0-4)	0.51	1.14 **	Chronic Conditions		
Toileting hygiene (0-3)	1.00	1.33 **	Dependence in living skills (%)	24.17%	38.84% **
			Dependence in personal care (%)	50.71%	50.03%
			Impaired ambulation/mobility (%)	32.70%	54.02% **
			Urinary incontinence/catheter (%)	59.24%	40.96% **
			Dependence in med. admin. (%)	57.82%	60.14%
			Chronic pain (%)	14.76%	16.87%
			Cognitive/mental/behavioral (%)	2.38%	21.25% **
			Chronic pt. with caregiver (%)	83.89%	69.13% **
			Home Care Diagnoses		
			Infections/parasitic diseases (%)	3.32%	4.22%
			Neoplasms (%)	10.43%	8.51%
			Endocrine/nutrit./metabolic (%)	48.82%	42.67%
			Blood diseases (%)	26.54%	8.33% **
			Mental diseases (%)	16.59%	27.66% **
			Nervous system diseases (%)	19.43%	25.86%

Agency Patient-Related Characteristics Report

Agency Name: STONE COUNTY HEALTH UNIT
Agency ID: HHAR00180
Location: MOUNTAIN VIEW, AR
CCN: 047871 **Branch:** All
Medicaid Number: 104312514
Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 211
Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean
Home Care Diagnoses		
Circulatory system diseases (%)	79.15%	77.02%
Respiratory system diseases (%)	39.34%	24.52% **
Digestive system diseases (%)	34.12%	12.13% **
Genitourinary sys. diseases (%)	17.06%	18.94%
Skin/subcutaneous diseases (%)	9.00%	11.67%
Musculoskeletal sys. diseases (%)	37.44%	48.35% *
Ill-defined conditions (%)	51.18%	33.08% **
Fractures (%)	2.84%	5.88%
Intracranial injury (%)	0.00%	0.29%
Other injury (%)	5.21%	4.82%
Adverse reactions and complications (%)	4.74%	3.63%

	Current Mean	Ref. Mean
Scheduled visit (%)	5.15%	5.54%
Other (%)	41.24%	35.71%
No hospitalization (%)	46.19%	73.58% **

Asterisks represent significance levels of current and reference data comparisons.

* The probability is 1% or less that this difference is due to chance, and 99% or more that the difference is real.

** The probability is 0.1% or less that this difference is due to chance, and 99.9% or more that the difference is real.

PATIENT DISCHARGE INFORMATION

Length of Stay

LOS until discharge (in days)	140.03	59.14 **
LOS from 1 to 30 days (%)	35.07%	46.83% **
LOS from 31 to 60 days (%)	24.64%	33.63% *
LOS from 61 to 120 days (%)	15.64%	11.09%
LOS from 121 to 180 days (%)	2.84%	3.55%
LOS more than 180 days (%)	21.80%	4.90% **

Reason for Emergent Care

Improper medications (%)	0.00%	1.06%
Injury from fall (%)	10.00%	7.79%
Respiratory infection (%)	15.00%	8.81%
Other respiratory (%)	10.00%	11.27%
Heart failure (%)	2.50%	7.42%
Cardiac dysrhythmia (%)	2.50%	2.75%
Myocardial infarction (%)	2.50%	3.53%
Other heart disease (%)	2.50%	1.91%
Stroke (CVA) or TIA (%)	2.50%	2.34%
Hypo/Hyperglycemia (%)	0.00%	1.76%
GI bleeding, obstruction, etc. (%)	0.00%	3.77%
Dehydration, malnutrition (%)	2.50%	4.36%
Urinary tract infection (%)	2.50%	6.86%
IV catheter-related infection (%)	0.00%	0.39%
Wound infection (%)	5.00%	4.13%
Uncontrolled pain (%)	5.00%	5.50%
Acute mental/behav. problem (%)	2.50%	3.42%
Deep vein thrombosis (%)	7.50%	1.17% *
Other (%)	42.50%	37.08%
No emergent care (%)	80.48%	77.67%

Reason for Hospitalization

Improper medications (%)	2.06%	0.80%
Injury from fall (%)	3.09%	5.83%
Respiratory infection (%)	16.49%	9.02%
Other respiratory (%)	8.25%	10.88%
Heart failure (%)	6.19%	7.52%
Cardiac dysrhythmia (%)	5.15%	2.63%
Myocardial infarction (%)	3.09%	3.29%
Other heart disease (%)	5.15%	1.94%
Stroke (CVA) or TIA (%)	4.12%	2.33%
Hypo/Hyperglycemia (%)	0.00%	1.63%
GI bleeding, obstruction, etc. (%)	3.09%	3.53%
Dehydration, malnutrition (%)	4.12%	4.13%
Urinary tract infection (%)	3.09%	6.55%
IV catheter-related infection (%)	0.00%	0.25%
Wound infection (%)	2.06%	5.05%
Uncontrolled pain (%)	4.12%	4.07%
Acute mental/behav. Problem (%)	0.00%	3.50%
Deep vein thrombosis (%)	3.09%	1.12%

Agency Patient-Related Characteristics Report

Agency Name: UNION COUNTY HEALTH UNIT
 Agency ID: HHAR00172
 Location: EL DORADO, AR
 CCN: 047859 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 36
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
PATIENT HISTORY					
Demographics					
Age (years)	65.08	74.67 **	Lives with others (%)	75.00%	65.36%
Gender: Female (%)	52.78%	61.27%	Lives in congregate situation (%)	0.00%	10.39%
Race: Black (%)	33.33%	13.94% *	Availability		
Race: White (%)	66.67%	75.77%	Around the clock (%)	91.67%	76.40%
Race: Other (%)	0.00%	10.57%	Regular daytime (%)	2.78%	4.06%
Payment Source			Regular nighttime (%)	2.78%	5.19%
Any Medicare (%)	75.00%	93.22% **	Occasional (%)	2.78%	13.43%
Any Medicaid (%)	25.00%	9.69% *	None (%)	0.00%	0.93%
Any HMO (%)	11.11%	26.98%	CARE MANAGEMENT		
Medicare HMO (%)	11.11%	22.66%	ADLs		
Other (%)	0.00%	3.89%	None needed (%)	27.78%	7.37% **
Episode Start			Caregiver currently provides (%)	61.11%	58.83%
Episode timing: Early (%)	96.30%	88.34%	Caregiver training needed (%)	5.56%	26.54% *
Episode timing: Later (%)	3.70%	7.55%	Uncertain/Unlikely to be provided (%)	0.00%	3.81%
Episode timing: Unknown (%)	0.00%	4.11%	Needed, but not available (%)	5.56%	3.45%
Inpatient Discharge / Medical Regimen			IADLs		
Long-term nursing facility (%)	0.00%	0.79%	None needed (%)	5.56%	2.81%
Skilled nursing facility (%)	8.33%	14.60%	Caregiver provides (%)	77.78%	79.71%
Short-stay acute hospital (%)	66.67%	50.82%	Caregiver training needed (%)	5.56%	12.67%
Long-term care hospital (%)	0.00%	0.68%	Uncertain/Unlikely to be provided (%)	0.00%	2.18%
Inpatient rehab hospital/unit (%)	0.00%	6.05%	Needed, but not available (%)	11.11%	2.62% *
Psychiatric hospital/unit (%)	0.00%	0.47%	Frequency of ADL / IADL (1-5)	1.36	1.32
Medical Regimen Change (%)	75.00%	89.37% *	Medication Administration		
Prior Conditions			None needed (%)	55.56%	20.39% **
Urinary incontinence (%)	32.14%	38.80%	Caregiver provides (%)	27.78%	49.72% *
Indwelling/suprapubic catheter (%)	0.00%	2.86%	Caregiver training needed (%)	5.56%	25.13% *
Intractable pain (%)	3.57%	15.84%	Uncertain/Unlikely to be provided (%)	0.00%	2.48%
Impaired decision-making (%)	7.14%	19.82%	Needed, but not available (%)	11.11%	2.28% *
Disruptive/inappropriate behav. (%)	0.00%	1.90%	Medical Procedures		
Memory loss (%)	0.00%	13.21%	None needed (%)	22.22%	47.01% *
None listed (%)	64.29%	41.94%	Caregiver provides (%)	30.56%	21.30%
No inpatient dc / No med. regimen chg. (%)	22.22%	5.56% **	Caregiver training needed (%)	27.78%	23.48%
Therapies			Uncertain/Unlikely to be provided (%)	2.78%	4.96%
IV/infusion therapy (%)	11.11%	3.30%	Needed, but not available (%)	16.67%	3.24% **
Parenteral nutrition (%)	8.33%	0.24% **	Management of Equipment		
Enteral nutrition (%)	8.33%	1.56%	None needed (%)	72.22%	63.40%
GENERAL HEALTH STATUS			Caregiver provides (%)	13.89%	21.24%
Hospitalization Risks			Caregiver training needed (%)	8.33%	13.13%
Recent decline mental/emot/behav (%)	8.33%	15.71%	Uncertain/Unlikely to be provided (%)	2.78%	1.36%
Multiple hospitalizations (%)	36.11%	35.89%	Needed, but not available (%)	2.78%	0.87%
History of falls (%)	5.56%	32.20% **	Supervision / Safety		
5 or more medications (%)	66.67%	87.63% **	None needed (%)	44.44%	30.62%
Frailty factors (%)	33.33%	33.89%	Caregiver provides (%)	50.00%	50.04%
Other (%)	22.22%	27.84%	Caregiver training needed (%)	5.56%	16.13%
None (%)	19.44%	3.15% **	Uncertain/Unlikely to be provided (%)	0.00%	1.63%
Overall Status			Needed, but not available (%)	0.00%	1.58%
Overall Status (0-3)	1.08	1.35	Advocacy		
Unknown / Unclear (%)	0.00%	0.20%	None needed (%)	11.11%	5.62%
Other Risk Factors			Caregiver provides (%)	88.89%	82.80%
Smoking (%)	22.86%	19.35%	Caregiver training needed (%)	0.00%	8.26%
Obesity (%)	11.43%	21.59%	Uncertain/Unlikely to be provided (%)	0.00%	1.65%
Alcohol dependency (%)	0.00%	3.44%	Needed, but not available (%)	0.00%	1.66%
Drug dependency (%)	0.00%	1.75%	SENSORY STATUS		
None (%)	71.43%	61.84%	Sensory Status		
LIVING ARRANGEMENT / ASSISTANCE			Vision impairment (0-2)	0.17	0.29
Current Situation			Hearing impairment (0-2)	0.17	0.38 *
Lives alone (%)	25.00%	24.26%	Verbal content understanding (0-3)	0.58	0.51
			Speech/language (0-5)	0.81	0.59 *
			Pain interfering with activity (0-4)	2.08	2.32

Agency Patient-Related Characteristics Report

Agency Name: UNION COUNTY HEALTH UNIT
 Agency ID: HHAR00172
 Location: EL DORADO, AR
 CCN: 047859 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 36
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
INTEGUMENTARY STATUS					
Pressure Ulcers					
Pressure ulcer risk (%)	19.44%	41.44% *	Bed transferring (0-5)	0.56	1.41 **
Pressure ulcer present (%)	5.56%	5.21%	Ambulation (0-6)	1.56	2.58 **
Stage II pressure ulcer count (#)	0.08	0.05	Eating (0-5)	0.72	0.71 *
Stage III pressure ulcer count (#)	0.00	0.01	Status Prior to SOC/ROC		
Stage IV pressure ulcer count (#)	0.00	0.01	Prior Self Care (0-2)	0.72	0.70
Unstageable pressure ulcer count (#)	0.00	0.02	Prior Ambulation (0-2)	0.56	0.65
Status most problematic PU (0-3)	3.00	2.88	Prior Transfer (0-2)	0.28	0.59 **
Stage I pressure ulcers count (0-4)	0.06	0.03	IADLs, MEDICATIONS, OTHER		
Stage most problematic PU (1-4)	1.50	2.09	IADLs		
Stasis Ulcers					
Stasis ulcer indicator (%)	0.00%	1.71%	Light meal prep (0-2)	0.94	1.27 *
Stasis ulcer count (0-4)	0.00	0.03 **	Phone use (0-5)	0.44	0.92 *
Status most problematic stasis (0-3)	---	2.66	Prior Household (0-2)	1.08	1.11
Surgical Wounds					
Surgical wound indicator (%)	72.22%	25.41% **	Falls Risk		
Status most problematic surg. (0-3)	1.92	1.71	At risk of falls (%)	75.00%	91.58% *
Other					
Skin lesion with intervention (%)	19.44%	24.79%	Medication Status		
PHYSIOLOGICAL STATUS					
Respiratory					
Dyspnea (0-4)	1.39	1.41	Drug regimen: problem found (%)	63.89%	21.16% **
Oxygen therapy (%)	8.33%	15.47%	Mgmt. oral medications (0-3)	0.60	1.60 **
Ventilator therapy (%)	0.00%	0.15%	Mgmt. oral medications: NA (%)	2.78%	0.54%
CPAP / BPAP therapy (%)	0.00%	3.02%	Mgmt. injected medications (0-3)	1.30	1.77
Elimination Status					
Urinary Tract Infection (%)	0.00%	10.49%	Mgmt. injected medications: NA (%)	72.22%	77.68%
Urinary incontinence/catheter (%)	63.89%	55.57%	Prior mgmt. oral medications (0-2)	0.50	0.82 *
Urinary incontinence frequency (0-4)	2.26	2.48	Prior mgmt. oral medications: NA (%)	0.00%	2.41%
Bowel incontinence (0-5)	0.29	0.39	Prior mgmt. injected medications (0-2)	0.70	0.95
Bowel ostomy (%)	5.56%	2.05%	Prior mgmt. injected medications: NA (%)	72.22%	77.18%
NEURO / EMOTIONAL / BEHAVIORAL					
Cognition					
Cognitive deficit (0-4)	0.56	0.68	THERAPY / PLAN OF CARE		
Confusion frequency (0-4)	0.72	0.87	Therapy Visits		
Emotional					
Anxiety level (0-3)	0.64	0.74	# Therapy visits indicated (#)	0.00	7.16 **
Depression evaluation indicator (%)	0.00%	5.80%	PATIENT DIAGNOSTIC INFORMATION		
PHQ-2: Interest/Pleasure (0-3)	0.25	0.27	Acute Conditions		
PHQ-2: Down/Depressed (0-3)	0.22	0.29	Orthopedic (%)	0.00%	39.58% **
Behavioral					
Memory deficit (%)	2.78%	17.12% *	Neurologic (%)	5.56%	12.97%
Impaired decision-making (%)	5.56%	22.46% *	Open wounds/lesions (%)	2.78%	7.13%
Verbal disruption (%)	0.00%	1.48%	Cardiac/peripheral vascular (%)	27.78%	31.42%
Physical aggression (%)	0.00%	0.74%	Pulmonary (%)	16.67%	18.01%
Disruptive/inappropriate behavior (%)	0.00%	0.87%	Diabetes mellitus (%)	13.89%	10.85%
Delusional, hallucinatory, etc. (%)	0.00%	1.43%	Gastrointestinal disorder (%)	30.56%	11.20% **
None demonstrated (%)	94.44%	70.13% **	Contagious/communicable (%)	2.78%	3.33%
Frequency of behavioral problems (0-5)	0.28	0.77	Urinary incontinence/catheter (%)	19.44%	14.61%
Psychiatric nursing (%)	0.00%	1.57%	Mental/emotional (%)	0.00%	1.57%
ACTIVITIES OF DAILY LIVING					
SOC / ROC Status					
Grooming (0-3)	0.97	1.34 *	Oxygen therapy (%)	8.33%	15.47%
Dress upper body (0-3)	0.83	1.47 **	IV/infusion therapy (%)	11.11%	3.30%
Dress lower body (0-3)	1.03	1.80 **	Enteral/parenteral nutrition (%)	16.67%	1.79% **
Bathing (0-6)	2.31	3.18 *	Ventilator (%)	0.00%	0.15%
Toilet transfer (0-4)	0.42	1.14 **	Chronic Conditions		
Toileting hygiene (0-3)	0.42	1.33 **	Dependence in living skills (%)	19.44%	38.84%
			Dependence in personal care (%)	33.33%	50.03%
			Impaired ambulation/mobility (%)	38.89%	54.02%
			Urinary incontinence/catheter (%)	44.44%	40.96%
			Dependence in med. admin. (%)	33.33%	60.14% *
			Chronic pain (%)	5.56%	16.87%
			Cognitive/mental/behavioral (%)	5.56%	21.25%
			Chronic pt. with caregiver (%)	66.67%	69.13%
			Home Care Diagnoses		
			Infections/parasitic diseases (%)	11.11%	4.22%
			Neoplasms (%)	41.67%	8.51% **
			Endocrine/nutrit./metabolic (%)	44.44%	42.67%
			Blood diseases (%)	16.67%	8.33%
			Mental diseases (%)	19.44%	27.66%
			Nervous system diseases (%)	16.67%	25.86%

Agency Patient-Related Characteristics Report

Agency Name: UNION COUNTY HEALTH UNIT
Agency ID: HHAR00172
Location: EL DORADO, AR
CCN: 047859 **Branch:** All
Medicaid Number: 104312514
Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 36
Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean
Home Care Diagnoses		
Circulatory system diseases (%)	66.67%	77.02%
Respiratory system diseases (%)	16.67%	24.52%
Digestive system diseases (%)	22.22%	12.13%
Genitourinary sys. diseases (%)	13.89%	18.94%
Skin/subcutaneous diseases (%)	11.11%	11.67%
Musculoskeletal sys. diseases (%)	8.33%	48.35% **
Ill-defined conditions (%)	36.11%	33.08%
Fractures (%)	0.00%	5.88%
Intracranial injury (%)	0.00%	0.29%
Other injury (%)	5.56%	4.82%
Adverse reactions and complications (%)	16.67%	3.63% *

PATIENT DISCHARGE INFORMATION

Length of Stay		
LOS until discharge (in days)	76.89	59.14
LOS from 1 to 30 days (%)	38.89%	46.83%
LOS from 31 to 60 days (%)	36.11%	33.63%
LOS from 61 to 120 days (%)	13.89%	11.09%
LOS from 121 to 180 days (%)	5.56%	3.55%
LOS more than 180 days (%)	5.56%	4.90%

Reason for Emergent Care

Improper medications (%)	0.00%	1.06%
Injury from fall (%)	16.67%	7.79%
Respiratory infection (%)	0.00%	8.81%
Other respiratory (%)	16.67%	11.27%
Heart failure (%)	0.00%	7.42%
Cardiac dysrhythmia (%)	0.00%	2.75%
Myocardial infarction (%)	0.00%	3.53%
Other heart disease (%)	0.00%	1.91%
Stroke (CVA) or TIA (%)	0.00%	2.34%
Hypo/Hyperglycemia (%)	0.00%	1.76%
GI bleeding, obstruction, etc. (%)	16.67%	3.77%
Dehydration, malnutrition (%)	0.00%	4.36%
Urinary tract infection (%)	0.00%	6.86%
IV catheter-related infection (%)	0.00%	0.39%
Wound infection (%)	0.00%	4.13%
Uncontrolled pain (%)	0.00%	5.50%
Acute mental/behav. problem (%)	0.00%	3.42%
Deep vein thrombosis (%)	0.00%	1.17%
Other (%)	50.00%	37.08%
No emergent care (%)	82.86%	77.67%

Reason for Hospitalization

Improper medications (%)	0.00%	0.80%
Injury from fall (%)	12.50%	5.83%
Respiratory infection (%)	0.00%	9.02%
Other respiratory (%)	0.00%	10.88%
Heart failure (%)	12.50%	7.52%
Cardiac dysrhythmia (%)	0.00%	2.63%
Myocardial infarction (%)	0.00%	3.29%
Other heart disease (%)	0.00%	1.94%
Stroke (CVA) or TIA (%)	0.00%	2.33%
Hypo/Hyperglycemia (%)	0.00%	1.63%
GI bleeding, obstruction, etc. (%)	0.00%	3.53%
Dehydration, malnutrition (%)	0.00%	4.13%
Urinary tract infection (%)	0.00%	6.55%
IV catheter-related infection (%)	0.00%	0.25%
Wound infection (%)	0.00%	5.05%
Uncontrolled pain (%)	12.50%	4.07%
Acute mental/behav. Problem (%)	0.00%	3.50%
Deep vein thrombosis (%)	0.00%	1.12%

Scheduled visit (%)	25.00%	5.54%
Other (%)	50.00%	35.71%
No hospitalization (%)	77.78%	73.58%

Asterisks represent significance levels of current and reference data comparisons.

* The probability is 1% or less that this difference is due to chance, and 99% or more that the difference is real.

** The probability is 0.1% or less that this difference is due to chance, and 99.9% or more that the difference is real.

Agency Patient-Related Characteristics Report

Agency Name: VAN BUREN COUNTY HEALTH UNIT
 Agency ID: HHAR00173
 Location: CLINTON, AR
 CCN: 047860 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 104
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
PATIENT HISTORY					
Demographics					
Age (years)	67.03	74.67 **	Lives with others (%)	75.96%	65.36%
Gender: Female (%)	56.73%	61.27%	Lives in congregate situation (%)	0.00%	10.39% **
Race: Black (%)	1.92%	13.94% **	Availability		
Race: White (%)	100.00	75.77% **	Around the clock (%)	96.15%	76.40% **
Race: Other (%)	0.00%	10.57% **	Regular daytime (%)	1.92%	4.06%
Payment Source			Regular nighttime (%)	0.00%	5.19% *
Any Medicare (%)	82.69%	93.22% **	Occasional (%)	1.92%	13.43% **
Any Medicaid (%)	17.31%	9.69%	None (%)	0.00%	0.93%
Any HMO (%)	13.46%	26.98% *	CARE MANAGEMENT		
Medicare HMO (%)	13.46%	22.66%	ADLs		
Other (%)	0.96%	3.89%	None needed (%)	10.58%	7.37%
Episode Start			Caregiver currently provides (%)	75.00%	58.83% **
Episode timing: Early (%)	73.26%	88.34% **	Caregiver training needed (%)	3.85%	26.54% **
Episode timing: Later (%)	26.74%	7.55% **	Uncertain/Unlikely to be provided (%)	6.73%	3.81%
Episode timing: Unknown (%)	0.00%	4.11%	Needed, but not available (%)	3.85%	3.45%
Inpatient Discharge / Medical Regimen			IADLs		
Long-term nursing facility (%)	0.00%	0.79%	None needed (%)	3.85%	2.81%
Skilled nursing facility (%)	0.00%	14.60% **	Caregiver provides (%)	92.31%	79.71% *
Short-stay acute hospital (%)	63.46%	50.82% *	Caregiver training needed (%)	0.96%	12.67% **
Long-term care hospital (%)	0.00%	0.68%	Uncertain/Unlikely to be provided (%)	0.96%	2.18%
Inpatient rehab hospital/unit (%)	12.50%	6.05% *	Needed, but not available (%)	1.92%	2.62%
Psychiatric hospital/unit (%)	0.00%	0.47%	Frequency of ADL / IADL (1-5)	1.25	1.32
Medical Regimen Change (%)	92.31%	89.37%	Medication Administration		
Prior Conditions			None needed (%)	35.58%	20.39% **
Urinary incontinence (%)	54.64%	38.80% *	Caregiver provides (%)	60.58%	49.72%
Indwelling/suprapubic catheter (%)	3.09%	2.86%	Caregiver training needed (%)	0.96%	25.13% **
Intractable pain (%)	11.34%	15.84%	Uncertain/Unlikely to be provided (%)	2.88%	2.48%
Impaired decision-making (%)	13.40%	19.82%	Needed, but not available (%)	0.00%	2.28%
Disruptive/inappropriate behav. (%)	0.00%	1.90%	Medical Procedures		
Memory loss (%)	10.31%	13.21%	None needed (%)	50.96%	47.01%
None listed (%)	30.93%	41.94%	Caregiver provides (%)	23.08%	21.30%
No inpatient dc / No med. regimen chg. (%)	6.73%	5.56%	Caregiver training needed (%)	14.42%	23.48%
Therapies			Uncertain/Unlikely to be provided (%)	9.62%	4.96%
IV/infusion therapy (%)	11.54%	3.30% **	Needed, but not available (%)	1.92%	3.24%
Parenteral nutrition (%)	0.00%	0.24%	Management of Equipment		
Enteral nutrition (%)	3.85%	1.56%	None needed (%)	76.92%	63.40% *
GENERAL HEALTH STATUS			Caregiver provides (%)	23.08%	21.24%
Hospitalization Risks			Caregiver training needed (%)	0.00%	13.13% **
Recent decline mental/emot/behav (%)	12.50%	15.71%	Uncertain/Unlikely to be provided (%)	0.00%	1.36%
Multiple hospitalizations (%)	31.73%	35.89%	Needed, but not available (%)	0.00%	0.87%
History of falls (%)	20.19%	32.20% *	Supervision / Safety		
5 or more medications (%)	71.15%	87.63% **	None needed (%)	35.58%	30.62%
Frailty factors (%)	18.27%	33.89% **	Caregiver provides (%)	63.46%	50.04% *
Other (%)	16.35%	27.84% *	Caregiver training needed (%)	0.00%	16.13% **
None (%)	12.50%	3.15% **	Uncertain/Unlikely to be provided (%)	0.00%	1.63%
Overall Status			Needed, but not available (%)	0.96%	1.58%
Overall Status (0-3)	0.55	1.35 **	Advocacy		
Unknown / Unclear (%)	0.00%	0.20%	None needed (%)	2.88%	5.62%
Other Risk Factors			Caregiver provides (%)	95.19%	82.80% **
Smoking (%)	25.24%	19.35%	Caregiver training needed (%)	0.96%	8.26% *
Obesity (%)	31.07%	21.59%	Uncertain/Unlikely to be provided (%)	0.96%	1.65%
Alcohol dependency (%)	0.00%	3.44%	Needed, but not available (%)	0.00%	1.66%
Drug dependency (%)	1.94%	1.75%	SENSORY STATUS		
None (%)	44.66%	61.84% **	Sensory Status		
LIVING ARRANGEMENT / ASSISTANCE			Vision impairment (0-2)	0.16	0.29 *
Current Situation			Hearing impairment (0-2)	0.37	0.38
Lives alone (%)	24.04%	24.26%	Verbal content understanding (0-3)	0.36	0.51
			Speech/language (0-5)	0.51	0.59
			Pain interfering with activity (0-4)	2.86	2.32 **

Agency Patient-Related Characteristics Report

Agency Name: VAN BUREN COUNTY HEALTH UNIT
 Agency ID: HHAR00173
 Location: CLINTON, AR
 CCN: 047860 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 104
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
INTEGUMENTARY STATUS					
Pressure Ulcers					
Pressure ulcer risk (%)	38.83%	41.44%	Bed transferring (0-5)	1.10	1.41 **
Pressure ulcer present (%)	13.46%	5.21% **	Ambulation (0-6)	2.25	2.58 **
Stage II pressure ulcer count (#)	0.23	0.05 **	Eating (0-5)	0.77	0.71
Stage III pressure ulcer count (#)	0.01	0.01	Status Prior to SOC/ROC		
Stage IV pressure ulcer count (#)	0.19	0.01 **	Prior Self Care (0-2)	0.72	0.70
Unstageable pressure ulcer count (#)	0.00	0.02	Prior Ambulation (0-2)	0.76	0.65
Status most problematic PU (0-3)	3.00	2.88	Prior Transfer (0-2)	0.64	0.59
Stage I pressure ulcers count (0-4)	0.08	0.03 **	IADLs, MEDICATIONS, OTHER		
Stage most problematic PU (1-4)	2.28	2.09	IADLs		
Stasis Ulcers					
Stasis ulcer indicator (%)	0.96%	1.71%	Light meal prep (0-2)	1.13	1.27
Stasis ulcer count (0-4)	0.02	0.03	Phone use (0-5)	0.53	0.92
Status most problematic stasis (0-3)	2.00	2.66	Prior Household (0-2)	1.00	1.11
Surgical Wounds					
Surgical wound indicator (%)	32.69%	25.41%	Falls Risk		
Status most problematic surg. (0-3)	1.83	1.71	At risk of falls (%)	86.54%	91.58%
Other					
Skin lesion with intervention (%)	8.65%	24.79% **	Medication Status		
PHYSIOLOGICAL STATUS					
Respiratory					
Dyspnea (0-4)	1.24	1.41	Drug regimen: problem found (%)	44.66%	21.16% **
Oxygen therapy (%)	20.19%	15.47%	Mgmt. oral medications (0-3)	1.07	1.60 **
Ventilator therapy (%)	0.00%	0.15%	Mgmt. oral medications: NA (%)	0.00%	0.54%
CPAP / BPAP therapy (%)	3.85%	3.02%	Mgmt. injected medications (0-3)	1.84	1.77
Elimination Status					
Urinary Tract Infection (%)	17.31%	10.49%	Mgmt. injected medications: NA (%)	75.96%	77.68%
Urinary incontinence/catheter (%)	69.23%	55.57% *	Prior mgmt. oral medications (0-2)	0.61	0.82 *
Urinary incontinence frequency (0-4)	2.57	2.48	Prior mgmt. oral medications: NA (%)	0.96%	2.41%
Bowel incontinence (0-5)	0.38	0.39	Prior mgmt. injected medications (0-2)	1.04	0.95
Bowel ostomy (%)	1.92%	2.05%	Prior mgmt. injected medications: NA (%)	76.92%	77.18%
NEURO / EMOTIONAL / BEHAVIORAL					
Cognition					
Cognitive deficit (0-4)	0.51	0.68	THERAPY / PLAN OF CARE		
Confusion frequency (0-4)	0.67	0.87	Therapy Visits		
Emotional					
Anxiety level (0-3)	0.62	0.74	# Therapy visits indicated (#)	5.65	7.16
Depression evaluation indicator (%)	5.83%	5.80%	PATIENT DIAGNOSTIC INFORMATION		
PHQ-2: Interest/Pleasure (0-3)	0.25	0.27	Acute Conditions		
PHQ-2: Down/Depressed (0-3)	0.29	0.29	Orthopedic (%)	30.77%	39.58%
Behavioral					
Memory deficit (%)	7.69%	17.12% *	Neurologic (%)	6.73%	12.97%
Impaired decision-making (%)	7.69%	22.46% **	Open wounds/lesions (%)	13.46%	7.13%
Verbal disruption (%)	0.96%	1.48%	Cardiac/peripheral vascular (%)	19.23%	31.42% *
Physical aggression (%)	0.00%	0.74%	Pulmonary (%)	22.12%	18.01%
Disruptive/Inappropriate behavior (%)	0.00%	0.87%	Diabetes mellitus (%)	4.81%	10.85%
Delusional, hallucinatory, etc. (%)	0.96%	1.43%	Gastrointestinal disorder (%)	5.77%	11.20%
None demonstrated (%)	86.54%	70.13% **	Contagious/communicable (%)	2.88%	3.33%
Frequency of behavioral problems (0-5)	0.57	0.77	Urinary incontinence/catheter (%)	11.54%	14.61%
Psychiatric nursing (%)	0.00%	1.57%	Mental/emotional (%)	0.00%	1.57%
ACTIVITIES OF DAILY LIVING					
SOC / ROC Status					
Grooming (0-3)	1.21	1.34	Oxygen therapy (%)	20.19%	15.47%
Dress upper body (0-3)	1.36	1.47	IV/infusion therapy (%)	11.54%	3.30% **
Dress lower body (0-3)	1.50	1.80 **	Enteral/parenteral nutrition (%)	3.85%	1.79%
Bathing (0-6)	3.14	3.18	Ventilator (%)	0.00%	0.15%
Toilet transfer (0-4)	0.76	1.14 **	Chronic Conditions		
Toileting hygiene (0-3)	0.88	1.33 **	Dependence in living skills (%)	25.96%	38.84% *
			Dependence in personal care (%)	53.85%	50.03%
			Impaired ambulation/mobility (%)	54.81%	54.02%
			Urinary incontinence/catheter (%)	57.69%	40.96% **
			Dependence in med. admin. (%)	54.81%	60.14%
			Chronic pain (%)	16.35%	16.87%
			Cognitive/mental/behavioral (%)	11.54%	21.25%
			Chronic pt. with caregiver (%)	81.73%	69.13% *
			Home Care Diagnoses		
			Infections/parasitic diseases (%)	5.77%	4.22%
			Neoplasms (%)	7.69%	8.51%
			Endocrine/nutrit./metabolic (%)	47.12%	42.67%
			Blood diseases (%)	7.69%	8.33%
			Mental diseases (%)	15.38%	27.66% *
			Nervous system diseases (%)	29.81%	25.86%

Agency Patient-Related Characteristics Report

Agency Name: VAN BUREN COUNTY HEALTH UNIT
 Agency ID: HHAR00173
 Location: CLINTON, AR
 CCN: 047860 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 104
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean
Home Care Diagnoses		
Circulatory system diseases (%)	65.38%	77.02% *
Respiratory system diseases (%)	25.00%	24.52%
Digestive system diseases (%)	7.69%	12.13%
Genitourinary sys. diseases (%)	19.23%	18.94%
Skin/subcutaneous diseases (%)	21.15%	11.67% *
Musculoskeletal sys. diseases (%)	37.50%	48.35%
Ill-defined conditions (%)	48.08%	33.08% *
Fractures (%)	1.92%	5.88%
Intracranial injury (%)	0.00%	0.29%
Other injury (%)	6.73%	4.82%
Adverse reactions and complications (%)	10.58%	3.63% **

PATIENT DISCHARGE INFORMATION

Length of Stay

LOS until discharge (in days)	103.30	59.14 **
LOS from 1 to 30 days (%)	28.85%	46.83% **
LOS from 31 to 60 days (%)	34.62%	33.63%
LOS from 61 to 120 days (%)	16.35%	11.09%
LOS from 121 to 180 days (%)	3.85%	3.55%
LOS more than 180 days (%)	16.35%	4.90% **

Reason for Emergent Care

Improper medications (%)	0.00%	1.06%
Injury from fall (%)	0.00%	7.79%
Respiratory infection (%)	8.70%	8.81%
Other respiratory (%)	13.04%	11.27%
Heart failure (%)	17.39%	7.42%
Cardiac dysrhythmia (%)	0.00%	2.75%
Myocardial infarction (%)	8.70%	3.53%
Other heart disease (%)	0.00%	1.91%
Stroke (CVA) or TIA (%)	0.00%	2.34%
Hypo/Hyperglycemia (%)	0.00%	1.76%
GI bleeding, obstruction, etc. (%)	8.70%	3.77%
Dehydration, malnutrition (%)	0.00%	4.36%
Urinary tract infection (%)	13.04%	6.86%
IV catheter-related infection (%)	0.00%	0.39%
Wound infection (%)	0.00%	4.13%
Uncontrolled pain (%)	13.04%	5.50%
Acute mental/behav. problem (%)	0.00%	3.42%
Deep vein thrombosis (%)	0.00%	1.17%
Other (%)	21.74%	37.08%
No emergent care (%)	77.45%	77.67%

Reason for Hospitalization

Improper medications (%)	0.00%	0.80%
Injury from fall (%)	2.22%	5.83%
Respiratory infection (%)	8.89%	9.02%
Other respiratory (%)	11.11%	10.88%
Heart failure (%)	8.89%	7.52%
Cardiac dysrhythmia (%)	4.44%	2.63%
Myocardial infarction (%)	4.44%	3.29%
Other heart disease (%)	0.00%	1.94%
Stroke (CVA) or TIA (%)	0.00%	2.33%
Hypo/Hyperglycemia (%)	0.00%	1.63%
GI bleeding, obstruction, etc. (%)	4.44%	3.53%
Dehydration, malnutrition (%)	2.22%	4.13%
Urinary tract infection (%)	17.78%	6.55% *
IV catheter-related infection (%)	0.00%	0.25%
Wound infection (%)	15.56%	5.05% *
Uncontrolled pain (%)	6.67%	4.07%
Acute mental/behav. Problem (%)	0.00%	3.50%
Deep vein thrombosis (%)	0.00%	1.12%

	Current Mean	Ref. Mean
Scheduled visit (%)	6.67%	5.54%
Other (%)	13.33%	35.71% *
No hospitalization (%)	55.88%	73.58% **

Asterisks represent significance levels of current and reference data comparisons.

* The probability is 1% or less that this difference is due to chance, and 99% or more that the difference is real.

** The probability is 0.1% or less that this difference is due to chance, and 99.9% or more that the difference is real.

Agency Patient-Related Characteristics Report

Agency Name: WHITE COUNTY HEALTH UNIT
 Agency ID: HHAR00174
 Location: SEARCY, AR
 CCN: 047862 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 110
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
PATIENT HISTORY					
Demographics					
Age (years)	63.49	74.67 **	Lives with others (%)	72.73%	65.36%
Gender: Female (%)	68.18%	61.27%	Lives in congregate situation (%)	0.00%	10.39% **
Race: Black (%)	0.00%	13.94% **	Availability		
Race: White (%)	100.00	75.77% **	Around the clock (%)	60.00%	76.40% **
Race: Other (%)	0.00%	10.57% **	Regular daytime (%)	5.45%	4.06%
Payment Source			Regular nighttime (%)	19.09%	5.19% **
Any Medicare (%)	70.00%	93.22% **	Occasional (%)	15.45%	13.43%
Any Medicaid (%)	32.73%	9.69% **	None (%)	0.00%	0.93%
Any HMO (%)	20.91%	26.98%	CARE MANAGEMENT		
Medicare HMO (%)	19.09%	22.66%	ADLs		
Other (%)	5.45%	3.89%	None needed (%)	20.00%	7.37% **
Episode Start			Caregiver currently provides (%)	53.64%	58.83%
Episode timing: Early (%)	86.25%	88.34%	Caregiver training needed (%)	12.73%	26.54% *
Episode timing: Later (%)	13.75%	7.55%	Uncertain/Unlikely to be provided (%)	6.36%	3.81%
Episode timing: Unknown (%)	0.00%	4.11%	Needed, but not available (%)	7.27%	3.45%
Inpatient Discharge / Medical Regimen			IADLs		
Long-term nursing facility (%)	0.00%	0.79%	None needed (%)	2.73%	2.81%
Skilled nursing facility (%)	5.45%	14.60% *	Caregiver provides (%)	81.82%	79.71%
Short-stay acute hospital (%)	70.91%	50.82% **	Caregiver training needed (%)	4.55%	12.67% *
Long-term care hospital (%)	0.91%	0.68%	Uncertain/Unlikely to be provided (%)	5.45%	2.18%
Inpatient rehab hospital/unit (%)	14.55%	6.05% **	Needed, but not available (%)	5.45%	2.62%
Psychiatric hospital/unit (%)	0.91%	0.47%	Frequency of ADL / IADL (1-5)	1.48	1.32 *
Medical Regimen Change (%)	89.09%	89.37%	Medication Administration		
Prior Conditions			None needed (%)	59.09%	20.39% **
Urinary incontinence (%)	26.92%	38.80%	Caregiver provides (%)	35.45%	49.72% *
Indwelling/suprapubic catheter (%)	12.50%	2.86% **	Caregiver training needed (%)	3.64%	25.13% **
Intractable pain (%)	8.65%	15.84%	Uncertain/Unlikely to be provided (%)	0.91%	2.48%
Impaired decision-making (%)	10.58%	19.82%	Needed, but not available (%)	0.91%	2.28%
Disruptive/inappropriate behav. (%)	0.96%	1.90%	Medical Procedures		
Memory loss (%)	10.58%	13.21%	None needed (%)	39.09%	47.01%
None listed (%)	50.00%	41.94%	Caregiver provides (%)	21.82%	21.30%
No inpatient dc / No med. regimen chg. (%)	5.45%	5.56%	Caregiver training needed (%)	15.45%	23.48%
Therapies			Uncertain/Unlikely to be provided (%)	20.91%	4.96% **
IV/infusion therapy (%)	11.82%	3.30% **	Needed, but not available (%)	2.73%	3.24%
Parenteral nutrition (%)	2.73%	0.24% *	Management of Equipment		
Enteral nutrition (%)	9.09%	1.56% **	None needed (%)	52.73%	63.40%
GENERAL HEALTH STATUS			Caregiver provides (%)	20.00%	21.24%
Hospitalization Risks			Caregiver training needed (%)	6.36%	13.13%
Recent decline mental/emot/behav (%)	14.55%	15.71%	Uncertain/Unlikely to be provided (%)	20.00%	1.36% **
Multiple hospitalizations (%)	54.55%	35.89% **	Needed, but not available (%)	0.91%	0.87%
History of falls (%)	37.27%	32.20%	Supervision / Safety		
5 or more medications (%)	80.00%	87.63%	None needed (%)	50.91%	30.62% **
Frailty factors (%)	30.00%	33.89%	Caregiver provides (%)	47.27%	50.04%
Other (%)	55.45%	27.84% **	Caregiver training needed (%)	0.91%	16.13% **
None (%)	1.82%	3.15%	Uncertain/Unlikely to be provided (%)	0.00%	1.63%
Overall Status			Needed, but not available (%)	0.91%	1.58%
Overall Status (0-3)	1.45	1.35	Advocacy		
Unknown / Unclear (%)	0.00%	0.20%	None needed (%)	11.82%	5.62% *
Other Risk Factors			Caregiver provides (%)	86.36%	82.80%
Smoking (%)	38.53%	19.35% **	Caregiver training needed (%)	0.91%	8.26% *
Obesity (%)	31.19%	21.59%	Uncertain/Unlikely to be provided (%)	0.00%	1.65%
Alcohol dependency (%)	2.75%	3.44%	Needed, but not available (%)	0.91%	1.66%
Drug dependency (%)	0.00%	1.75%	SENSORY STATUS		
None (%)	39.45%	61.84% **	Sensory Status		
LIVING ARRANGEMENT / ASSISTANCE			Vision impairment (0-2)	0.25	0.29
Current Situation			Hearing impairment (0-2)	0.23	0.38 *
Lives alone (%)	27.27%	24.26%	Verbal content understanding (0-3)	0.43	0.51
			Speech/language (0-5)	0.56	0.59
			Pain interfering with activity (0-4)	2.20	2.32

Agency Patient-Related Characteristics Report

Agency Name: WHITE COUNTY HEALTH UNIT
 Agency ID: HHAR00174
 Location: SEARCY, AR
 CCN: 047862 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 110
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
INTEGUMENTARY STATUS					
Pressure Ulcers					
Pressure ulcer risk (%)	27.27%	41.44% *	Bed transferring (0-5)	1.04	1.41 **
Pressure ulcer present (%)	9.09%	5.21%	Ambulation (0-6)	2.25	2.58 **
Stage II pressure ulcer count (#)	0.10	0.05 *	Eating (0-5)	0.84	0.71
Stage III pressure ulcer count (#)	0.02	0.01	Status Prior to SOC/ROC		
Stage IV pressure ulcer count (#)	0.02	0.01	Prior Self Care (0-2)	0.72	0.70
Unstageable pressure ulcer count (#)	0.03	0.02	Prior Ambulation (0-2)	0.80	0.65
Status most problematic PU (0-3)	2.70	2.88	Prior Transfer (0-2)	0.59	0.59
Stage I pressure ulcers count (0-4)	0.01	0.03	IADLs, MEDICATIONS, OTHER		
Stage most problematic PU (1-4)	2.30	2.09	IADLs		
Stasis Ulcers					
Stasis ulcer indicator (%)	0.91%	1.71%	Light meal prep (0-2)	0.82	1.27 **
Stasis ulcer count (0-4)	0.02	0.03	Phone use (0-5)	0.73	0.92
Status most problematic stasis (0-3)	1.00	2.66	Prior Household (0-2)	1.13	1.11
Surgical Wounds					
Surgical wound indicator (%)	41.82%	25.41% **	Falls Risk		
Status most problematic surg. (0-3)	1.63	1.71	At risk of falls (%)	97.22%	91.58%
Other					
Skin lesion with intervention (%)	26.36%	24.79%	Medication Status		
PHYSIOLOGICAL STATUS					
Respiratory					
Dyspnea (0-4)	1.42	1.41	Drug regimen: problem found (%)	76.36%	21.16% **
Oxygen therapy (%)	34.55%	15.47% **	Mgmt. oral medications (0-3)	0.75	1.60 **
Ventilator therapy (%)	0.00%	0.15%	Mgmt. oral medications: NA (%)	0.00%	0.54%
CPAP / BPAP therapy (%)	5.45%	3.02%	Mgmt. injected medications (0-3)	1.68	1.77
Elimination Status					
Urinary Tract Infection (%)	11.82%	10.49%	Mgmt. injected medications: NA (%)	66.36%	77.68% *
Urinary incontinence/catheter (%)	49.09%	55.57%	Prior mgmt. oral medications (0-2)	0.51	0.82 **
Urinary incontinence frequency (0-4)	2.74	2.48	Prior mgmt. oral medications: NA (%)	0.00%	2.41%
Bowel incontinence (0-5)	0.64	0.39 **	Prior mgmt. injected medications (0-2)	1.00	0.95
Bowel ostomy (%)	2.73%	2.05%	Prior mgmt. injected medications: NA (%)	66.36%	77.18% *
NEURO / EMOTIONAL / BEHAVIORAL					
Cognition					
Cognitive deficit (0-4)	0.82	0.68 *	THERAPY / PLAN OF CARE		
Confusion frequency (0-4)	1.02	0.87	Therapy Visits		
Emotional					
Anxiety level (0-3)	0.57	0.74	# Therapy visits indicated (#)	6.46	7.16
Depression evaluation indicator (%)	0.00%	5.80% *	PATIENT DIAGNOSTIC INFORMATION		
PHQ-2: Interest/Pleasure (0-3)	0.08	0.27 **	Acute Conditions		
PHQ-2: Down/Depressed (0-3)	0.09	0.29 **	Orthopedic (%)	50.00%	39.58%
Behavioral					
Memory deficit (%)	13.64%	17.12%	Neurologic (%)	13.64%	12.97%
Impaired decision-making (%)	9.09%	22.46% **	Open wounds/lesions (%)	5.45%	7.13%
Verbal disruption (%)	0.91%	1.48%	Cardiac/peripheral vascular (%)	21.82%	31.42%
Physical aggression (%)	0.91%	0.74%	Pulmonary (%)	21.82%	18.01%
Disruptive/Inappropriate behavior (%)	0.00%	0.87%	Diabetes mellitus (%)	10.00%	10.85%
Delusional, hallucinatory, etc. (%)	0.91%	1.43%	Gastrointestinal disorder (%)	15.45%	11.20%
None demonstrated (%)	82.73%	70.13% *	Contagious/communicable (%)	5.45%	3.33%
Frequency of behavioral problems (0-5)	0.73	0.77	Urinary incontinence/catheter (%)	10.00%	14.61%
Psychiatric nursing (%)	0.00%	1.57%	Mental/emotional (%)	0.00%	1.57%
ACTIVITIES OF DAILY LIVING					
SOC / ROC Status					
Grooming (0-3)	0.86	1.34 **	Oxygen therapy (%)	34.55%	15.47% **
Dress upper body (0-3)	1.06	1.47 **	IV/infusion therapy (%)	11.82%	3.30% **
Dress lower body (0-3)	1.43	1.80 **	Enteral/parenteral nutrition (%)	11.82%	1.79% **
Bathing (0-6)	2.70	3.18 **	Ventilator (%)	0.00%	0.15%
Toilet transfer (0-4)	0.65	1.14 **	Chronic Conditions		
Toileting hygiene (0-3)	1.01	1.33 **	Dependence in living skills (%)	23.64%	38.84% *
			Dependence in personal care (%)	44.55%	50.03%
			Impaired ambulation/mobility (%)	60.00%	54.02%
			Urinary incontinence/catheter (%)	39.09%	40.96%
			Dependence in med. admin. (%)	39.09%	60.14% **
			Chronic pain (%)	12.73%	16.87%
			Cognitive/mental/behavioral (%)	10.91%	21.25% *
			Chronic pt. with caregiver (%)	62.73%	69.13%
			Home Care Diagnoses		
			Infections/parasitic diseases (%)	7.27%	4.22%
			Neoplasms (%)	13.64%	8.51%
			Endocrine/nutrit./metabolic (%)	49.09%	42.67%
			Blood diseases (%)	9.09%	8.33%
			Mental diseases (%)	23.64%	27.66%
			Nervous system diseases (%)	17.27%	25.86%

Agency Patient-Related Characteristics Report

Agency Name: WHITE COUNTY HEALTH UNIT
 Agency ID: HHAR00174
 Location: SEARCY, AR
 CCN: 047862 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 110
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean
Home Care Diagnoses		
Circulatory system diseases (%)	43.64%	77.02% **
Respiratory system diseases (%)	22.73%	24.52%
Digestive system diseases (%)	15.45%	12.13%
Genitourinary sys. diseases (%)	10.91%	18.94%
Skin/subcutaneous diseases (%)	18.18%	11.67%
Musculoskeletal sys. diseases (%)	68.18%	48.35% **
Ill-defined conditions (%)	55.45%	33.08% **
Fractures (%)	4.55%	5.88%
Intracranial injury (%)	0.00%	0.29%
Other injury (%)	6.36%	4.82%
Adverse reactions and complications (%)	7.27%	3.63%

	Current Mean	Ref. Mean
Scheduled visit (%)	14.29%	5.54%
Other (%)	42.86%	35.71%
No hospitalization (%)	67.89%	73.58%

Asterisks represent significance levels of current and reference data comparisons.

* The probability is 1% or less that this difference is due to chance, and 99% or more that the difference is real.

** The probability is 0.1% or less that this difference is due to chance, and 99.9% or more that the difference is real.

PATIENT DISCHARGE INFORMATION

Length of Stay

LOS until discharge (in days)	85.85	59.14
LOS from 1 to 30 days (%)	40.91%	46.83%
LOS from 31 to 60 days (%)	41.82%	33.63%
LOS from 61 to 120 days (%)	8.18%	11.09%
LOS from 121 to 180 days (%)	2.73%	3.55%
LOS more than 180 days (%)	6.36%	4.90%

Reason for Emergent Care

Improper medications (%)	0.00%	1.06%
Injury from fall (%)	2.63%	7.79%
Respiratory infection (%)	7.89%	8.81%
Other respiratory (%)	10.53%	11.27%
Heart failure (%)	2.63%	7.42%
Cardiac dysrhythmia (%)	2.63%	2.75%
Myocardial infarction (%)	7.89%	3.53%
Other heart disease (%)	0.00%	1.91%
Stroke (CVA) or TIA (%)	7.89%	2.34%
Hypo/Hyperglycemia (%)	0.00%	1.76%
GI bleeding, obstruction, etc. (%)	5.26%	3.77%
Dehydration, malnutrition (%)	2.63%	4.36%
Urinary tract infection (%)	2.63%	6.86%
IV catheter-related infection (%)	0.00%	0.39%
Wound infection (%)	2.63%	4.13%
Uncontrolled pain (%)	7.89%	5.50%
Acute mental/behav. problem (%)	0.00%	3.42%
Deep vein thrombosis (%)	0.00%	1.17%
Other (%)	52.63%	37.08%
No emergent care (%)	65.14%	77.67% *

Reason for Hospitalization

Improper medications (%)	0.00%	0.80%
Injury from fall (%)	2.86%	5.83%
Respiratory infection (%)	8.57%	9.02%
Other respiratory (%)	8.57%	10.88%
Heart failure (%)	2.86%	7.52%
Cardiac dysrhythmia (%)	2.86%	2.63%
Myocardial infarction (%)	8.57%	3.29%
Other heart disease (%)	0.00%	1.94%
Stroke (CVA) or TIA (%)	5.71%	2.33%
Hypo/Hyperglycemia (%)	2.86%	1.63%
GI bleeding, obstruction, etc. (%)	2.86%	3.53%
Dehydration, malnutrition (%)	0.00%	4.13%
Urinary tract infection (%)	2.86%	6.55%
IV catheter-related infection (%)	0.00%	0.25%
Wound infection (%)	8.57%	5.05%
Uncontrolled pain (%)	2.86%	4.07%
Acute mental/behav. Problem (%)	0.00%	3.50%
Deep vein thrombosis (%)	0.00%	1.12%

Agency Patient-Related Characteristics Report

Agency Name: WOODRUFF COUNTY HEALTH UNIT
 Agency ID: HHAR00175
 Location: AUGUSTA, AR
 CCN: 047863 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 58
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
PATIENT HISTORY					
Demographics					
Age (years)	65.48	74.67 **	Lives with others (%)	63.79%	65.36%
Gender: Female (%)	68.97%	61.27%	Lives in congregate situation (%)	0.00%	10.39% *
Race: Black (%)	50.00%	13.94% **	Availability		
Race: White (%)	50.00%	75.77% **	Around the clock (%)	94.83%	76.40% **
Race: Other (%)	0.00%	10.57% *	Regular daytime (%)	0.00%	4.06%
Payment Source			Regular nighttime (%)	3.45%	5.19%
Any Medicare (%)	65.52%	93.22% **	Occasional (%)	1.72%	13.43% *
Any Medicaid (%)	34.48%	9.69% **	None (%)	0.00%	0.93%
Any HMO (%)	5.17%	26.98% **	CARE MANAGEMENT		
Medicare HMO (%)	5.17%	22.66% **	ADLs		
Other (%)	0.00%	3.89%	None needed (%)	10.34%	7.37%
Episode Start			Caregiver currently provides (%)	39.66%	58.83% *
Episode timing: Early (%)	97.37%	88.34%	Caregiver training needed (%)	36.21%	26.54%
Episode timing: Later (%)	2.63%	7.55%	Uncertain/Unlikely to be provided (%)	10.34%	3.81%
Episode timing: Unknown (%)	0.00%	4.11%	Needed, but not available (%)	3.45%	3.45%
Inpatient Discharge / Medical Regimen			IADLs		
Long-term nursing facility (%)	0.00%	0.79%	None needed (%)	3.45%	2.81%
Skilled nursing facility (%)	8.62%	14.60%	Caregiver provides (%)	60.34%	79.71% **
Short-stay acute hospital (%)	50.00%	50.82%	Caregiver training needed (%)	29.31%	12.67% **
Long-term care hospital (%)	0.00%	0.68%	Uncertain/Unlikely to be provided (%)	3.45%	2.18%
Inpatient rehab hospital/unit (%)	0.00%	6.05%	Needed, but not available (%)	3.45%	2.62%
Psychiatric hospital/unit (%)	0.00%	0.47%	Frequency of ADL / IADL (1-5)	1.07	1.32 *
Medical Regimen Change (%)	84.48%	89.37%	Medication Administration		
Prior Conditions			None needed (%)	37.93%	20.39% *
Urinary incontinence (%)	54.72%	38.80%	Caregiver provides (%)	31.03%	49.72% *
Indwelling/suprapubic catheter (%)	7.55%	2.86%	Caregiver training needed (%)	22.41%	25.13%
Intractable pain (%)	5.66%	15.84%	Uncertain/Unlikely to be provided (%)	3.45%	2.48%
Impaired decision-making (%)	3.77%	19.82% *	Needed, but not available (%)	5.17%	2.28%
Disruptive/inappropriate behav. (%)	0.00%	1.90%	Medical Procedures		
Memory loss (%)	0.00%	13.21% **	None needed (%)	67.24%	47.01% *
None listed (%)	28.30%	41.94%	Caregiver provides (%)	1.72%	21.30% **
No inpatient dc / No med. regimen chg. (%)	8.62%	5.56%	Caregiver training needed (%)	15.52%	23.48%
Therapies			Uncertain/Unlikely to be provided (%)	12.07%	4.96%
IV/infusion therapy (%)	3.45%	3.30%	Needed, but not available (%)	3.45%	3.24%
Parenteral nutrition (%)	0.00%	0.24%	Management of Equipment		
Enteral nutrition (%)	1.72%	1.56%	None needed (%)	82.76%	63.40% *
GENERAL HEALTH STATUS			Caregiver provides (%)	13.79%	21.24%
Hospitalization Risks			Caregiver training needed (%)	3.45%	13.13%
Recent decline mental/emot/behav (%)	6.90%	15.71%	Uncertain/Unlikely to be provided (%)	0.00%	1.36%
Multiple hospitalizations (%)	29.31%	35.89%	Needed, but not available (%)	0.00%	0.87%
History of falls (%)	17.24%	32.20%	Supervision / Safety		
5 or more medications (%)	60.34%	87.63% **	None needed (%)	13.79%	30.62% *
Frailty factors (%)	37.93%	33.89%	Caregiver provides (%)	82.76%	50.04% **
Other (%)	13.79%	27.84%	Caregiver training needed (%)	1.72%	16.13% **
None (%)	3.45%	3.15%	Uncertain/Unlikely to be provided (%)	0.00%	1.63%
Overall Status			Needed, but not available (%)	1.72%	1.58%
Overall Status (0-3)	0.88	1.35 **	Advocacy		
Unknown / Unclear (%)	0.00%	0.20%	None needed (%)	1.72%	5.62%
Other Risk Factors			Caregiver provides (%)	93.10%	82.80%
Smoking (%)	24.14%	19.35%	Caregiver training needed (%)	1.72%	8.26%
Obesity (%)	27.59%	21.59%	Uncertain/Unlikely to be provided (%)	0.00%	1.65%
Alcohol dependency (%)	3.45%	3.44%	Needed, but not available (%)	3.45%	1.66%
Drug dependency (%)	1.72%	1.75%	SENSORY STATUS		
None (%)	50.00%	61.84%	Sensory Status		
LIVING ARRANGEMENT / ASSISTANCE			Vision impairment (0-2)	0.36	0.29
Current Situation			Hearing impairment (0-2)	0.14	0.38 **
Lives alone (%)	36.21%	24.26%	Verbal content understanding (0-3)	0.16	0.51 **
			Speech/language (0-5)	0.21	0.59 **
			Pain interfering with activity (0-4)	2.62	2.32

Agency Patient-Related Characteristics Report

Agency Name: WOODRUFF COUNTY HEALTH UNIT
 Agency ID: HHAR00175
 Location: AUGUSTA, AR
 CCN: 047863 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 58
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
INTEGUMENTARY STATUS					
Pressure Ulcers					
Pressure ulcer risk (%)	74.14%	41.44% **	Bed transferring (0-5)	1.19	1.41 *
Pressure ulcer present (%)	6.90%	5.21%	Ambulation (0-6)	2.26	2.58 **
Stage II pressure ulcer count (#)	0.14	0.05	Eating (0-5)	0.79	0.71
Stage III pressure ulcer count (#)	0.00	0.01	Status Prior to SOC/ROC		
Stage IV pressure ulcer count (#)	0.00	0.01	Prior Self Care (0-2)	1.03	0.70 **
Unstageable pressure ulcer count (#)	0.03	0.02	Prior Ambulation (0-2)	0.98	0.65 **
Status most problematic PU (0-3)	2.75	2.88	Prior Transfer (0-2)	0.95	0.59 **
Stage I pressure ulcers count (0-4)	0.02	0.03	IADLs, MEDICATIONS, OTHER		
Stage most problematic PU (1-4)	2.00	2.09	IADLs		
Stasis Ulcers					
Stasis ulcer indicator (%)	1.72%	1.71%	Light meal prep (0-2)	1.74	1.27 **
Stasis ulcer count (0-4)	0.03	0.03	Phone use (0-5)	0.26	0.92 **
Status most problematic stasis (0-3)	3.00	2.66	Prior Household (0-2)	1.47	1.11 **
Surgical Wounds					
Surgical wound indicator (%)	41.38%	25.41% *	Falls Risk		
Status most problematic surg. (0-3)	1.50	1.71	At risk of falls (%)	92.98%	91.58%
Other					
Skin lesion with intervention (%)	8.62%	24.79% *	Medication Status		
PHYSIOLOGICAL STATUS					
Respiratory					
Dyspnea (0-4)	1.64	1.41	Drug regimen: problem found (%)	78.95%	21.16% **
Oxygen therapy (%)	18.97%	15.47%	Mgmt. oral medications (0-3)	1.17	1.60 *
Ventilator therapy (%)	0.00%	0.15%	Mgmt. oral medications: NA (%)	0.00%	0.54%
CPAP / BPAP therapy (%)	0.00%	3.02%	Mgmt. injected medications (0-3)	1.84	1.77
Elimination Status					
Urinary Tract Infection (%)	10.34%	10.49%	Mgmt. injected medications: NA (%)	67.24%	77.68%
Urinary incontinence/catheter (%)	74.14%	55.57% *	Prior mgmt. oral medications (0-2)	0.78	0.82
Urinary incontinence frequency (0-4)	2.03	2.48	Prior mgmt. oral medications: NA (%)	0.00%	2.41%
Bowel incontinence (0-5)	0.31	0.39	Prior mgmt. injected medications (0-2)	1.22	0.95
Bowel ostomy (%)	0.00%	2.05%	Prior mgmt. injected medications: NA (%)	68.97%	77.18%
NEURO / EMOTIONAL / BEHAVIORAL					
Cognition					
Cognitive deficit (0-4)	0.12	0.68 **	THERAPY / PLAN OF CARE		
Confusion frequency (0-4)	0.97	0.87 **	Therapy Visits		
Emotional					
Anxiety level (0-3)	0.95	0.74 *	# Therapy visits indicated (#)	6.26	7.16
Depression evaluation indicator (%)	0.00%	5.80%	PATIENT DIAGNOSTIC INFORMATION		
PHQ-2: Interest/Pleasure (0-3)	0.21	0.27	Acute Conditions		
PHQ-2: Down/Depressed (0-3)	0.21	0.29	Orthopedic (%)	29.31%	39.58%
Behavioral					
Memory deficit (%)	1.72%	17.12% **	Neurologic (%)	18.97%	12.97%
Impaired decision-making (%)	5.17%	22.46% **	Open wounds/lesions (%)	5.17%	7.13%
Verbal disruption (%)	0.00%	1.48%	Cardiac/peripheral vascular (%)	37.93%	31.42%
Physical aggression (%)	0.00%	0.74%	Pulmonary (%)	12.07%	18.01%
Disruptive/inappropriate behavior (%)	1.72%	0.87%	Diabetes mellitus (%)	5.17%	10.85%
Delusional, hallucinatory, etc. (%)	1.72%	1.43%	Gastrointestinal disorder (%)	12.07%	11.20%
None demonstrated (%)	89.66%	70.13% **	Contagious/communicable (%)	1.72%	3.33%
Frequency of behavioral problems (0-5)	0.17	0.77 *	Urinary incontinence/catheter (%)	17.24%	14.61%
Psychiatric nursing (%)	0.00%	1.57%	Mental/emotional (%)	0.00%	1.57%
ACTIVITIES OF DAILY LIVING					
SOC / ROC Status					
Grooming (0-3)	1.59	1.34 *	Oxygen therapy (%)	18.97%	15.47%
Dress upper body (0-3)	1.59	1.47	IV/infusion therapy (%)	3.45%	3.30%
Dress lower body (0-3)	1.69	1.80	Enteral/parenteral nutrition (%)	1.72%	1.79%
Bathing (0-6)	3.00	3.18	Ventilator (%)	0.00%	0.15%
Toilet transfer (0-4)	1.14	1.14	Chronic Conditions		
Toileting hygiene (0-3)	1.14	1.33	Dependence in living skills (%)	77.59%	38.84% **
			Dependence in personal care (%)	70.69%	50.03% *
			Impaired ambulation/mobility (%)	74.14%	54.02% *
			Urinary incontinence/catheter (%)	56.90%	40.96%
			Dependence in med. admin. (%)	58.62%	60.14%
			Chronic pain (%)	10.34%	16.87%
			Cognitive/mental/behavioral (%)	3.45%	21.25% **
			Chronic pt. with caregiver (%)	96.55%	69.13% **
			Home Care Diagnoses		
			Infections/parasitic diseases (%)	1.72%	4.22%
			Neoplasms (%)	8.62%	8.51%
			Endocrine/nutrit./metabolic (%)	50.00%	42.67%
			Blood diseases (%)	10.34%	8.33%
			Mental diseases (%)	22.41%	27.66%
			Nervous system diseases (%)	32.76%	25.86%

Agency Patient-Related Characteristics Report

Agency Name: WOODRUFF COUNTY HEALTH UNIT
Agency ID: HHAR00175
Location: AUGUSTA, AR
CCN: 047863 **Branch:** All
Medicaid Number: 104312514
Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 58
Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
Home Care Diagnoses					
Circulatory system diseases (%)	75.86%	77.02%	Scheduled visit (%)	4.76%	5.54%
Respiratory system diseases (%)	24.14%	24.52%	Other (%)	38.10%	35.71%
Digestive system diseases (%)	20.69%	12.13%	No hospitalization (%)	63.79%	73.58%
Genitourinary sys. diseases (%)	18.97%	18.94%			
Skin/subcutaneous diseases (%)	13.79%	11.67%			
Musculoskeletal sys. diseases (%)	43.10%	48.35%			
Ill-defined conditions (%)	31.03%	33.08%			
Fractures (%)	1.72%	5.88%			
Intracranial injury (%)	0.00%	0.29%			
Other injury (%)	8.62%	4.82%			
Adverse reactions and complications (%)	12.07%	3.63% *			

PATIENT DISCHARGE INFORMATION

Length of Stay		
LOS until discharge (in days)	123.38	59.14 **
LOS from 1 to 30 days (%)	18.97%	46.83% **
LOS from 31 to 60 days (%)	44.83%	33.63%
LOS from 61 to 120 days (%)	17.24%	11.09%
LOS from 121 to 180 days (%)	6.90%	3.55%
LOS more than 180 days (%)	12.07%	4.90%

Reason for Emergent Care

Improper medications (%)	0.00%	1.06%
Injury from fall (%)	0.00%	7.79%
Respiratory infection (%)	16.67%	8.81%
Other respiratory (%)	16.67%	11.27%
Heart failure (%)	8.33%	7.42%
Cardiac dysrhythmia (%)	0.00%	2.75%
Myocardial infarction (%)	4.17%	3.53%
Other heart disease (%)	0.00%	1.91%
Stroke (CVA) or TIA (%)	4.17%	2.34%
Hypo/Hyperglycemia (%)	4.17%	1.76%
GI bleeding, obstruction, etc. (%)	4.17%	3.77%
Dehydration, malnutrition (%)	0.00%	4.36%
Urinary tract infection (%)	4.17%	6.86%
IV catheter-related infection (%)	0.00%	0.39%
Wound infection (%)	0.00%	4.13%
Uncontrolled pain (%)	4.17%	5.50%
Acute mental/behav. problem (%)	0.00%	3.42%
Deep vein thrombosis (%)	0.00%	1.17%
Other (%)	45.83%	37.08%
No emergent care (%)	58.62%	77.67% **

Reason for Hospitalization

Improper medications (%)	0.00%	0.80%
Injury from fall (%)	0.00%	5.83%
Respiratory infection (%)	19.05%	9.02%
Other respiratory (%)	19.05%	10.88%
Heart failure (%)	4.76%	7.52%
Cardiac dysrhythmia (%)	0.00%	2.63%
Myocardial infarction (%)	4.76%	3.29%
Other heart disease (%)	0.00%	1.94%
Stroke (CVA) or TIA (%)	4.76%	2.33%
Hypo/Hyperglycemia (%)	0.00%	1.63%
GI bleeding, obstruction, etc. (%)	4.76%	3.53%
Dehydration, malnutrition (%)	0.00%	4.13%
Urinary tract infection (%)	9.52%	6.55%
IV catheter-related infection (%)	0.00%	0.25%
Wound infection (%)	0.00%	5.05%
Uncontrolled pain (%)	0.00%	4.07%
Acute mental/behav. Problem (%)	0.00%	3.50%
Deep vein thrombosis (%)	0.00%	1.12%

Asterisks represent significance levels of current and reference data comparisons.

* The probability is 1% or less that this difference is due to chance, and 99% or more that the difference is real.

** The probability is 0.1% or less that this difference is due to chance, and 99.9% or more that the difference is real.

Agency Patient-Related Characteristics Report

Agency Name: YELL COUNTY HEALTH UNIT DANVILLE
 Agency ID: HHAR00188
 Location: DANVILLE, AR
 CCN: 047880 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 39
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
PATIENT HISTORY					
Demographics					
Age (years)	65.62	74.67 **	Lives with others (%)	76.92%	65.36%
Gender: Female (%)	51.28%	61.27%	Lives in congregate situation (%)	0.00%	10.39%
Race: Black (%)	0.00%	13.94% *	Availability		
Race: White (%)	100.00	75.77% **	Around the clock (%)	51.28%	76.40% **
Race: Other (%)	0.00%	10.57%	Regular daytime (%)	0.00%	4.06%
Payment Source			Regular nighttime (%)	46.15%	5.19% **
Any Medicare (%)	76.92%	93.22% **	Occasional (%)	2.56%	13.43%
Any Medicaid (%)	23.08%	9.69% *	None (%)	0.00%	0.93%
Any HMO (%)	5.13%	26.98% **	CARE MANAGEMENT		
Medicare HMO (%)	5.13%	22.66% *	ADLs		
Other (%)	0.00%	3.89%	None needed (%)	20.51%	7.37% *
Episode Start			Caregiver currently provides (%)	53.85%	58.83%
Episode timing: Early (%)	77.42%	88.34%	Caregiver training needed (%)	12.82%	26.54%
Episode timing: Later (%)	22.58%	7.55% *	Uncertain/Unlikely to be provided (%)	10.26%	3.81%
Episode timing: Unknown (%)	0.00%	4.11%	Needed, but not available (%)	2.56%	3.45%
Inpatient Discharge / Medical Regimen			IADLs		
Long-term nursing facility (%)	0.00%	0.79%	None needed (%)	2.56%	2.81%
Skilled nursing facility (%)	10.26%	14.60%	Caregiver provides (%)	76.92%	79.71%
Short-stay acute hospital (%)	71.79%	50.82% *	Caregiver training needed (%)	10.26%	12.67%
Long-term care hospital (%)	0.00%	0.68%	Uncertain/Unlikely to be provided (%)	7.69%	2.18%
Inpatient rehab hospital/unit (%)	2.56%	6.05%	Needed, but not available (%)	2.56%	2.62%
Psychiatric hospital/unit (%)	0.00%	0.47%	Frequency of ADL / IADL (1-5)	1.46	1.32
Medical Regimen Change (%)	97.44%	89.37%	Medication Administration		
Prior Conditions			None needed (%)	33.33%	20.39%
Urinary incontinence (%)	46.15%	38.80%	Caregiver provides (%)	41.03%	49.72%
Indwelling/suprapubic catheter (%)	0.00%	2.86%	Caregiver training needed (%)	12.82%	25.13%
Intractable pain (%)	30.77%	15.84%	Uncertain/Unlikely to be provided (%)	0.00%	2.48%
Impaired decision-making (%)	5.13%	19.82%	Needed, but not available (%)	12.82%	2.28% *
Disruptive/inappropriate behav. (%)	0.00%	1.90%	Medical Procedures		
Memory loss (%)	2.56%	13.21%	None needed (%)	61.54%	47.01%
None listed (%)	41.03%	41.94%	Caregiver provides (%)	12.82%	21.30%
No inpatient dc / No med. regimen chg. (%)	0.00%	5.56%	Caregiver training needed (%)	17.95%	23.48%
Therapies			Uncertain/Unlikely to be provided (%)	5.13%	4.96%
IV/infusion therapy (%)	5.13%	3.30%	Needed, but not available (%)	2.56%	3.24%
Parenteral nutrition (%)	0.00%	0.24%	Management of Equipment		
Enteral nutrition (%)	2.56%	1.56%	None needed (%)	76.92%	63.40%
GENERAL HEALTH STATUS			Caregiver provides (%)	15.38%	21.24%
Hospitalization Risks			Caregiver training needed (%)	7.69%	13.13%
Recent decline mental/emot/behav (%)	2.56%	15.71%	Uncertain/Unlikely to be provided (%)	0.00%	1.36%
Multiple hospitalizations (%)	46.15%	35.89%	Needed, but not available (%)	0.00%	0.87%
History of falls (%)	30.77%	32.20%	Supervision / Safety		
5 or more medications (%)	97.44%	87.63%	None needed (%)	74.36%	30.62% **
Frailty factors (%)	15.38%	33.89%	Caregiver provides (%)	25.64%	50.04% *
Other (%)	30.77%	27.84%	Caregiver training needed (%)	0.00%	16.13% *
None (%)	0.00%	3.15%	Uncertain/Unlikely to be provided (%)	0.00%	1.63%
Overall Status			Needed, but not available (%)	0.00%	1.58%
Overall Status (0-3)	1.05	1.35 *	Advocacy		
Unknown / Unclear (%)	0.00%	0.20%	None needed (%)	2.56%	5.62%
Other Risk Factors			Caregiver provides (%)	92.31%	82.80%
Smoking (%)	23.08%	19.35%	Caregiver training needed (%)	5.13%	8.26%
Obesity (%)	43.59%	21.59% *	Uncertain/Unlikely to be provided (%)	0.00%	1.65%
Alcohol dependency (%)	2.56%	3.44%	Needed, but not available (%)	0.00%	1.66%
Drug dependency (%)	0.00%	1.75%	SENSORY STATUS		
None (%)	41.03%	61.84% *	Sensory Status		
LIVING ARRANGEMENT / ASSISTANCE			Vision impairment (0-2)	0.15	0.29
Current Situation			Hearing impairment (0-2)	0.26	0.38
Lives alone (%)	23.08%	24.26%	Verbal content understanding (0-3)	0.18	0.51 **
			Speech/language (0-5)	0.18	0.59 **
			Pain interfering with activity (0-4)	3.00	2.32 **

Agency Patient-Related Characteristics Report

Agency Name: YELL COUNTY HEALTH UNIT DANVILLE
 Agency ID: HHAR00188
 Location: DANVILLE, AR
 CCN: 047880 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 39
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
INTEGUMENTARY STATUS					
Pressure Ulcers					
Pressure ulcer risk (%)	10.26%	41.44% **	Bed transferring (0-5)	0.97	1.41 **
Pressure ulcer present (%)	0.00%	5.21%	Ambulation (0-6)	1.92	2.58 **
Stage II pressure ulcer count (#)	0.00	0.05	Eating (0-5)	0.10	0.71 **
Stage III pressure ulcer count (#)	0.00	0.01	Status Prior to SOC/ROC		
Stage IV pressure ulcer count (#)	0.00	0.01	Prior Self Care (0-2)	0.74	0.70
Unstageable pressure ulcer count (#)	0.00	0.02	Prior Ambulation (0-2)	0.92	0.65 *
Status most problematic PU (0-3)	---	2.88	Prior Transfer (0-2)	0.79	0.59
Stage I pressure ulcers count (0-4)	0.03	0.03	IADLs, MEDICATIONS, OTHER		
Stage most problematic PU (1-4)	1.00	2.09	IADLs		
Stasis Ulcers					
Stasis ulcer indicator (%)	12.82%	1.71% **	Light meal prep (0-2)	0.74	1.27 **
Stasis ulcer count (0-4)	0.10	0.03 **	Phone use (0-5)	0.31	0.92 *
Status most problematic stasis (0-3)	2.25	2.66	Prior Household (0-2)	1.13	1.11
Surgical Wounds					
Surgical wound indicator (%)	23.08%	25.41%	Falls Risk		
Status most problematic surg. (0-3)	2.43	1.71	At risk of falls (%)	89.74%	91.58%
Other					
Skin lesion with intervention (%)	2.56%	24.79% **	Medication Status		
PHYSIOLOGICAL STATUS					
Respiratory					
Dyspnea (0-4)	1.13	1.41	Drug regimen: problem found (%)	87.18%	21.16% **
Oxygen therapy (%)	30.77%	15.47% *	Mgmt. oral medications (0-3)	0.77	1.60 **
Ventilator therapy (%)	0.00%	0.15%	Mgmt. oral medications: NA (%)	0.00%	0.54%
CPAP / BPAP therapy (%)	0.00%	3.02%	Mgmt. injected medications (0-3)	1.81	1.77
Elimination Status					
Urinary Tract Infection (%)	15.38%	10.49%	Mgmt. injected medications: NA (%)	58.97%	77.68% *
Urinary incontinence/catheter (%)	46.15%	55.57%	Prior mgmt. oral medications (0-2)	0.54	0.82
Urinary incontinence frequency (0-4)	3.65	2.48 *	Prior mgmt. oral medications: NA (%)	0.00%	2.41%
Bowel incontinence (0-5)	0.16	0.39	Prior mgmt. injected medications (0-2)	1.29	0.95
Bowel ostomy (%)	5.13%	2.05%	Prior mgmt. injected medications: NA (%)	64.10%	77.18%
NEURO / EMOTIONAL / BEHAVIORAL					
Cognition					
Cognitive deficit (0-4)	0.13	0.68 **	THERAPY / PLAN OF CARE		
Confusion frequency (0-4)	0.28	0.87 **	Therapy Visits		
Emotional					
Anxiety level (0-3)	0.36	0.74 *	# Therapy visits indicated (#)	1.47	7.16 **
Depression evaluation indicator (%)	0.00%	5.80%	PATIENT DIAGNOSTIC INFORMATION		
PHQ-2: Interest/Pleasure (0-3)	0.05	0.27	Acute Conditions		
PHQ-2: Down/Depressed (0-3)	0.05	0.29 *	Orthopedic (%)	15.38%	39.58% *
Behavioral					
Memory deficit (%)	5.13%	17.12%	Neurologic (%)	12.82%	12.97%
Impaired decision-making (%)	2.56%	22.46% **	Open wounds/lesions (%)	7.69%	7.13%
Verbal disruption (%)	0.00%	1.48%	Cardiac/peripheral vascular (%)	43.59%	31.42%
Physical aggression (%)	0.00%	0.74%	Pulmonary (%)	12.82%	18.01%
Disruptive/inappropriate behavior (%)	0.00%	0.87%	Diabetes mellitus (%)	7.69%	10.85%
Delusional, hallucinatory, etc. (%)	10.26%	1.43% *	Gastrointestinal disorder (%)	23.08%	11.20%
None demonstrated (%)	82.05%	70.13%	Contagious/communicable (%)	10.26%	3.33%
Frequency of behavioral problems (0-5)	0.56	0.77	Urinary incontinence/catheter (%)	0.00%	14.61% *
Psychiatric nursing (%)	2.56%	1.57%	Mental/emotional (%)	2.56%	1.57%
ACTIVITIES OF DAILY LIVING					
SOC / ROC Status					
Grooming (0-3)	0.77	1.34 **	Oxygen therapy (%)	30.77%	15.47% *
Dress upper body (0-3)	0.49	1.47 **	IV/infusion therapy (%)	5.13%	3.30%
Dress lower body (0-3)	0.90	1.80 **	Enteral/parenteral nutrition (%)	2.56%	1.79%
Bathing (0-6)	2.59	3.18	Ventilator (%)	0.00%	0.15%
Toilet transfer (0-4)	0.59	1.14 **	Chronic Conditions		
Toileting hygiene (0-3)	0.46	1.33 **	Dependence in living skills (%)	12.82%	38.84% **
			Dependence in personal care (%)	48.72%	50.03%
			Impaired ambulation/mobility (%)	69.23%	54.02%
			Urinary incontinence/catheter (%)	46.15%	40.96%
			Dependence in med. admin. (%)	58.97%	60.14%
			Chronic pain (%)	30.77%	16.87%
			Cognitive/mental/behavioral (%)	5.13%	21.25% *
			Chronic pt. with caregiver (%)	82.05%	69.13%
			Home Care Diagnoses		
			Infections/parasitic diseases (%)	10.26%	4.22%
			Neoplasms (%)	15.38%	8.51%
			Endocrine/nutrit./metabolic (%)	33.33%	42.67%
			Blood diseases (%)	23.08%	8.33% *
			Mental diseases (%)	12.82%	27.66%
			Nervous system diseases (%)	58.97%	25.86% **

Agency Patient-Related Characteristics Report

Agency Name: YELL COUNTY HEALTH UNIT DANVILLE
Agency ID: HHAR00188
Location: DANVILLE, AR
CCN: 047880 **Branch:** All
Medicaid Number: 104312514
Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 39
Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean
Home Care Diagnoses		
Circulatory system diseases (%)	94.87%	77.02% *
Respiratory system diseases (%)	17.95%	24.52%
Digestive system diseases (%)	46.15%	12.13% **
Genitourinary sys. diseases (%)	17.95%	18.94%
Skin/subcutaneous diseases (%)	20.51%	11.67%
Musculoskeletal sys. diseases (%)	30.77%	48.35%
Ill-defined conditions (%)	41.03%	33.08%
Fractures (%)	2.56%	5.88%
Intracranial injury (%)	0.00%	0.29%
Other injury (%)	7.69%	4.82%
Adverse reactions and complications (%)	7.69%	3.63%

	Current Mean	Ref. Mean
Scheduled visit (%)	4.76%	5.54%
Other (%)	47.62%	35.71%
No hospitalization (%)	43.59%	73.58% **

Asterisks represent significance levels of current and reference data comparisons.

* The probability is 1% or less that this difference is due to chance, and 99% or more that the difference is real.

** The probability is 0.1% or less that this difference is due to chance, and 99.9% or more that the difference is real.

PATIENT DISCHARGE INFORMATION

Length of Stay

LOS until discharge (in days)	79.79	59.14
LOS from 1 to 30 days (%)	30.77%	46.83%
LOS from 31 to 60 days (%)	28.21%	33.63%
LOS from 61 to 120 days (%)	30.77%	11.09% **
LOS from 121 to 180 days (%)	0.00%	3.55%
LOS more than 180 days (%)	10.26%	4.90%

Reason for Emergent Care

Improper medications (%)	0.00%	1.06%
Injury from fall (%)	7.69%	7.79%
Respiratory infection (%)	15.38%	8.81%
Other respiratory (%)	0.00%	11.27%
Heart failure (%)	7.69%	7.42%
Cardiac dysrhythmia (%)	0.00%	2.75%
Myocardial infarction (%)	0.00%	3.53%
Other heart disease (%)	15.38%	1.91%
Stroke (CVA) or TIA (%)	0.00%	2.34%
Hypo/Hyperglycemia (%)	0.00%	1.76%
GI bleeding, obstruction, etc. (%)	0.00%	3.77%
Dehydration, malnutrition (%)	7.69%	4.36%
Urinary tract infection (%)	0.00%	6.86%
IV catheter-related infection (%)	0.00%	0.39%
Wound infection (%)	7.69%	4.13%
Uncontrolled pain (%)	7.69%	5.50%
Acute mental/behav. problem (%)	7.69%	3.42%
Deep vein thrombosis (%)	0.00%	1.17%
Other (%)	38.46%	37.08%
No emergent care (%)	66.67%	77.67%

Reason for Hospitalization

Improper medications (%)	0.00%	0.80%
Injury from fall (%)	14.29%	5.83%
Respiratory infection (%)	14.29%	9.02%
Other respiratory (%)	0.00%	10.88%
Heart failure (%)	9.52%	7.52%
Cardiac dysrhythmia (%)	4.76%	2.63%
Myocardial infarction (%)	4.76%	3.29%
Other heart disease (%)	9.52%	1.94%
Stroke (CVA) or TIA (%)	0.00%	2.33%
Hypo/Hyperglycemia (%)	0.00%	1.63%
GI bleeding, obstruction, etc. (%)	0.00%	3.53%
Dehydration, malnutrition (%)	4.76%	4.13%
Urinary tract infection (%)	4.76%	6.55%
IV catheter-related infection (%)	0.00%	0.25%
Wound infection (%)	4.76%	5.05%
Uncontrolled pain (%)	4.76%	4.07%
Acute mental/behav. Problem (%)	4.76%	3.50%
Deep vein thrombosis (%)	0.00%	1.12%

Agency Patient-Related Characteristics Report

Agency Name: YELL COUNTY HEALTH UNIT DARDANELLE
 Agency ID: HHAR00176
 Location: DARDANELLE, AR
 CCN: 047864 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 50
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
PATIENT HISTORY					
Demographics					
Age (years)	73.14	74.67	Lives with others (%)	74.00%	65.36%
Gender: Female (%)	76.00%	61.27%	Lives in congregate situation (%)	2.00%	10.39%
Race: Black (%)	2.00%	13.94% *	Availability		
Race: White (%)	98.00%	75.77% **	Around the clock (%)	78.00%	76.40%
Race: Other (%)	0.00%	10.57% *	Regular daytime (%)	0.00%	4.06%
Payment Source			Regular nighttime (%)	16.00%	5.19% *
Any Medicare (%)	96.00%	93.22%	Occasional (%)	6.00%	13.43%
Any Medicaid (%)	4.00%	9.69%	None (%)	0.00%	0.93%
Any HMO (%)	20.00%	26.98%	CARE MANAGEMENT		
Medicare HMO (%)	20.00%	22.66%	ADLs		
Other (%)	2.00%	3.89%	None needed (%)	10.00%	7.37%
Episode Start			Caregiver currently provides (%)	44.00%	58.83%
Episode timing: Early (%)	91.67%	88.34%	Caregiver training needed (%)	12.00%	26.54%
Episode timing: Later (%)	8.33%	7.55%	Uncertain/Unlikely to be provided (%)	2.00%	3.81%
Episode timing: Unknown (%)	0.00%	4.11%	Needed, but not available (%)	32.00%	3.45% **
Inpatient Discharge / Medical Regimen			IADLs		
Long-term nursing facility (%)	2.00%	0.79%	None needed (%)	4.00%	2.81%
Skilled nursing facility (%)	8.00%	14.60%	Caregiver provides (%)	70.00%	79.71%
Short-stay acute hospital (%)	48.00%	50.82%	Caregiver training needed (%)	8.00%	12.67%
Long-term care hospital (%)	0.00%	0.68%	Uncertain/Unlikely to be provided (%)	4.00%	2.18%
Inpatient rehab hospital/unit (%)	4.00%	6.05%	Needed, but not available (%)	14.00%	2.62% **
Psychiatric hospital/unit (%)	0.00%	0.47%	Frequency of ADL / IADL (1-5)	2.26	1.32 **
Medical Regimen Change (%)	84.00%	89.37%	Medication Administration		
Prior Conditions			None needed (%)	50.00%	20.39% **
Urinary incontinence (%)	46.51%	38.80%	Caregiver provides (%)	40.00%	49.72%
Indwelling/suprapubic catheter (%)	0.00%	2.86%	Caregiver training needed (%)	8.00%	25.13% *
Intractable pain (%)	11.63%	15.84%	Uncertain/Unlikely to be provided (%)	0.00%	2.48%
Impaired decision-making (%)	11.63%	19.82%	Needed, but not available (%)	2.00%	2.28%
Disruptive/inappropriate behav. (%)	0.00%	1.90%	Medical Procedures		
Memory loss (%)	4.65%	13.21%	None needed (%)	70.00%	47.01% *
None listed (%)	41.86%	41.94%	Caregiver provides (%)	14.00%	21.30%
No inpatient dc / No med. regimen chg. (%)	14.00%	5.56%	Caregiver training needed (%)	8.00%	23.48% *
Therapies			Uncertain/Unlikely to be provided (%)	0.00%	4.96%
IV/infusion therapy (%)	2.00%	3.30%	Needed, but not available (%)	8.00%	3.24%
Parenteral nutrition (%)	0.00%	0.24%	Management of Equipment		
Enteral nutrition (%)	2.00%	1.56%	None needed (%)	84.00%	63.40% *
GENERAL HEALTH STATUS			Caregiver provides (%)	12.00%	21.24%
Hospitalization Risks			Caregiver training needed (%)	2.00%	13.13% *
Recent decline mental/emot/behav (%)	12.00%	15.71%	Uncertain/Unlikely to be provided (%)	2.00%	1.36%
Multiple hospitalizations (%)	28.00%	35.89%	Needed, but not available (%)	0.00%	0.87%
History of falls (%)	10.00%	32.20% **	Supervision / Safety		
5 or more medications (%)	76.00%	87.63%	None needed (%)	66.00%	30.62% **
Frailty factors (%)	16.00%	33.89% *	Caregiver provides (%)	32.00%	50.04%
Other (%)	12.00%	27.84% *	Caregiver training needed (%)	2.00%	16.13% *
None (%)	12.00%	3.15% *	Uncertain/Unlikely to be provided (%)	0.00%	1.63%
Overall Status			Needed, but not available (%)	0.00%	1.58%
Overall Status (0-3)	0.48	1.35 **	Advocacy		
Unknown / Unclear (%)	0.00%	0.20%	None needed (%)	6.00%	5.62%
Other Risk Factors			Caregiver provides (%)	90.00%	82.80%
Smoking (%)	18.00%	19.35%	Caregiver training needed (%)	0.00%	8.26%
Obesity (%)	22.00%	21.59%	Uncertain/Unlikely to be provided (%)	2.00%	1.65%
Alcohol dependency (%)	2.00%	3.44%	Needed, but not available (%)	2.00%	1.66%
Drug dependency (%)	2.00%	1.75%	SENSORY STATUS		
None (%)	60.00%	61.84%	Sensory Status		
LIVING ARRANGEMENT / ASSISTANCE			Vision impairment (0-2)	0.14	0.29
Current Situation			Hearing impairment (0-2)	0.38	0.38
Lives alone (%)	24.00%	24.26%	Verbal content understanding (0-3)	0.26	0.51 *
			Speech/language (0-5)	0.34	0.59
			Pain interfering with activity (0-4)	2.46	2.32

Agency Patient-Related Characteristics Report

Agency Name: YELL COUNTY HEALTH UNIT DARDANELLE
 Agency ID: HHAR00176
 Location: DARDANELLE, AR
 CCN: 047864 Branch: All
 Medicaid Number: 104312514
 Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
 Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 50
 Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean		Current Mean	Ref. Mean
INTEGUMENTARY STATUS					
Pressure Ulcers					
Pressure ulcer risk (%)	22.00%	41.44% *	Bed transferring (0-5)	0.90	1.41 **
Pressure ulcer present (%)	4.00%	5.21%	Ambulation (0-6)	2.22	2.58 *
Stage II pressure ulcer count (#)	0.04	0.05	Eating (0-5)	0.26	0.71 **
Stage III pressure ulcer count (#)	0.00	0.01	Status Prior to SOC/ROC		
Stage IV pressure ulcer count (#)	0.00	0.01	Prior Self Care (0-2)	0.90	0.70
Unstageable pressure ulcer count (#)	0.04	0.02	Prior Ambulation (0-2)	0.72	0.65
Status most problematic PU (0-3)	3.00	2.88	Prior Transfer (0-2)	0.50	0.59
Stage I pressure ulcers count (0-4)	0.02	0.03	IADLs, MEDICATIONS, OTHER		
Stage most problematic PU (1-4)	1.50	2.09	IADLs		
Stasis Ulcers					
Stasis ulcer indicator (%)	4.00%	1.71%	Light meal prep (0-2)	1.10	1.27
Stasis ulcer count (0-4)	0.06	0.03	Phone use (0-5)	0.64	0.92
Status most problematic stasis (0-3)	1.00	2.66 *	Prior Household (0-2)	1.32	1.11
Surgical Wounds					
Surgical wound indicator (%)	40.00%	25.41%	Falls Risk		
Status most problematic surg. (0-3)	1.39	1.71	At risk of falls (%)	91.67%	91.58%
Other					
Skin lesion with intervention (%)	0.00%	24.79% **	Medication Status		
PHYSIOLOGICAL STATUS					
Respiratory					
Dyspnea (0-4)	1.12	1.41	Drug regimen: problem found (%)	89.80%	21.16% **
Oxygen therapy (%)	32.00%	15.47% *	Mgmt. oral medications (0-3)	0.94	1.60 **
Ventilator therapy (%)	0.00%	0.15%	Mgmt. oral medications: NA (%)	2.00%	0.54%
CPAP / BPAP therapy (%)	0.00%	3.02%	Mgmt. injected medications (0-3)	1.00	1.77
Elimination Status					
Urinary Tract Infection (%)	10.20%	10.49%	Mgmt. injected medications: NA (%)	74.00%	77.68%
Urinary incontinence/catheter (%)	60.00%	55.57%	Prior mgmt. oral medications (0-2)	0.56	0.82 *
Urinary incontinence frequency (0-4)	1.87	2.48	Prior mgmt. oral medications: NA (%)	0.00%	2.41%
Bowel incontinence (0-5)	0.24	0.39	Prior mgmt. injected medications (0-2)	0.64	0.95
Bowel ostomy (%)	0.00%	2.05%	Prior mgmt. injected medications: NA (%)	78.00%	77.18%
NEURO / EMOTIONAL / BEHAVIORAL					
Cognition					
Cognitive deficit (0-4)	0.36	0.68 *	THERAPY / PLAN OF CARE		
Confusion frequency (0-4)	0.66	0.87 *	Therapy Visits		
Emotional					
Anxiety level (0-3)	0.76	0.74	# Therapy visits indicated (#)	5.44	7.16
Depression evaluation indicator (%)	2.00%	5.80%	PATIENT DIAGNOSTIC INFORMATION		
PHQ-2: Interest/Pleasure (0-3)	0.08	0.27	Acute Conditions		
PHQ-2: Down/Depressed (0-3)	0.14	0.29	Orthopedic (%)	40.00%	39.58%
Behavioral					
Memory deficit (%)	12.00%	17.12%	Neurologic (%)	8.00%	12.97%
Impaired decision-making (%)	12.00%	22.46%	Open wounds/lesions (%)	4.00%	7.13%
Verbal disruption (%)	2.00%	1.48%	Cardiac/peripheral vascular (%)	22.00%	31.42%
Physical aggression (%)	2.00%	0.74%	Pulmonary (%)	12.00%	18.01%
Disruptive/inappropriate behavior (%)	0.00%	0.87%	Diabetes mellitus (%)	8.00%	10.85%
Delusional, hallucinatory, etc. (%)	4.00%	1.43%	Gastrointestinal disorder (%)	10.00%	11.20%
None demonstrated (%)	82.00%	70.13%	Contagious/communicable (%)	2.00%	3.33%
Frequency of behavioral problems (0-5)	0.44	0.77	Urinary incontinence/catheter (%)	6.00%	14.61%
Psychiatric nursing (%)	0.00%	1.57%	Mental/emotional (%)	0.00%	1.57%
ACTIVITIES OF DAILY LIVING					
SOC / ROC Status					
Grooming (0-3)	0.98	1.34 *	Oxygen therapy (%)	32.00%	15.47% *
Dress upper body (0-3)	1.02	1.47 **	IV/infusion therapy (%)	2.00%	3.30%
Dress lower body (0-3)	1.50	1.80 *	Enteral/parenteral nutrition (%)	2.00%	1.79%
Bathing (0-6)	2.86	3.18	Ventilator (%)	0.00%	0.15%
Toilet transfer (0-4)	0.48	1.14 **	Chronic Conditions		
Toileting hygiene (0-3)	0.68	1.33 **	Dependence in living skills (%)	28.00%	38.84%
			Dependence in personal care (%)	50.00%	50.03%
			Impaired ambulation/mobility (%)	60.00%	54.02%
			Urinary incontinence/catheter (%)	54.00%	40.96%
			Dependence in med. admin. (%)	42.00%	60.14% *
			Chronic pain (%)	18.00%	16.87%
			Cognitive/mental/behavioral (%)	12.00%	21.25%
			Chronic pt. with caregiver (%)	80.00%	69.13%
			Home Care Diagnoses		
			Infections/parasitic diseases (%)	4.00%	4.22%
			Neoplasms (%)	22.00%	8.51% *
			Endocrine/nutrit./metabolic (%)	52.00%	42.67%
			Blood diseases (%)	20.00%	8.33% *
			Mental diseases (%)	22.00%	27.66%
			Nervous system diseases (%)	38.00%	25.86%

Agency Patient-Related Characteristics Report

Agency Name: YELL COUNTY HEALTH UNIT DARDANELLE
Agency ID: HHAR00176
Location: DARDANELLE, AR
CCN: 047864 **Branch:** All
Medicaid Number: 104312514
Date Report Printed: 11/18/2015

Requested Current Period: 09/2014 - 08/2015
Actual Current Period: 09/2014 - 08/2015

Number of Cases in Current Sample: 50
Number of Cases in Reference Sample: 6476558

	Current Mean	Ref. Mean
Home Care Diagnoses		
Circulatory system diseases (%)	82.00%	77.02%
Respiratory system diseases (%)	12.00%	24.52%
Digestive system diseases (%)	28.00%	12.13% *
Genitourinary sys. diseases (%)	12.00%	18.94%
Skin/subcutaneous diseases (%)	10.00%	11.67%
Musculoskeletal sys. diseases (%)	50.00%	48.35%
Ill-defined conditions (%)	32.00%	33.08%
Fractures (%)	2.00%	5.88%
Intracranial injury (%)	0.00%	0.29%
Other injury (%)	6.00%	4.82%
Adverse reactions and complications (%)	2.00%	3.63%

	Current Mean	Ref. Mean
Scheduled visit (%)	25.00%	5.54% *
Other (%)	31.25%	35.71%
No hospitalization (%)	68.00%	73.58%

Asterisks represent significance levels of current and reference data comparisons.

* The probability is 1% or less that this difference is due to chance, and 99% or more that the difference is real.

** The probability is 0.1% or less that this difference is due to chance, and 99.9% or more that the difference is real.

PATIENT DISCHARGE INFORMATION

Length of Stay

LOS until discharge (in days)	95.34	59.14
LOS from 1 to 30 days (%)	40.00%	46.83%
LOS from 31 to 60 days (%)	38.00%	33.63%
LOS from 61 to 120 days (%)	6.00%	11.09%
LOS from 121 to 180 days (%)	4.00%	3.55%
LOS more than 180 days (%)	12.00%	4.90%

Reason for Emergent Care

Improper medications (%)	0.00%	1.06%
Injury from fall (%)	11.11%	7.79%
Respiratory infection (%)	0.00%	8.81%
Other respiratory (%)	44.44%	11.27% *
Heart failure (%)	0.00%	7.42%
Cardiac dysrhythmia (%)	0.00%	2.75%
Myocardial infarction (%)	0.00%	3.53%
Other heart disease (%)	0.00%	1.91%
Stroke (CVA) or TIA (%)	11.11%	2.34%
Hypo/Hyperglycemia (%)	0.00%	1.76%
GI bleeding, obstruction, etc. (%)	11.11%	3.77%
Dehydration, malnutrition (%)	0.00%	4.36%
Urinary tract infection (%)	0.00%	6.86%
IV catheter-related infection (%)	0.00%	0.39%
Wound infection (%)	0.00%	4.13%
Uncontrolled pain (%)	11.11%	5.50%
Acute mental/behav. problem (%)	0.00%	3.42%
Deep vein thrombosis (%)	0.00%	1.17%
Other (%)	33.33%	37.08%
No emergent care (%)	82.00%	77.67%

Reason for Hospitalization

Improper medications (%)	0.00%	0.80%
Injury from fall (%)	6.25%	5.83%
Respiratory infection (%)	12.50%	9.02%
Other respiratory (%)	0.00%	10.88%
Heart failure (%)	12.50%	7.52%
Cardiac dysrhythmia (%)	0.00%	2.63%
Myocardial infarction (%)	0.00%	3.29%
Other heart disease (%)	0.00%	1.94%
Stroke (CVA) or TIA (%)	6.25%	2.33%
Hypo/Hyperglycemia (%)	0.00%	1.63%
GI bleeding, obstruction, etc. (%)	0.00%	3.53%
Dehydration, malnutrition (%)	0.00%	4.13%
Urinary tract infection (%)	0.00%	6.55%
IV catheter-related infection (%)	0.00%	0.25%
Wound infection (%)	6.25%	5.05%
Uncontrolled pain (%)	6.25%	4.07%
Acute mental/behav. Problem (%)	0.00%	3.50%
Deep vein thrombosis (%)	0.00%	1.12%