State of Arkansas OFFICE OF STATE PROCUREMENT 1509 West Seventh Street, 3rd Floor Little Rock, Arkansas 72201 501-324-9316

STATE CONTRACT AWARD

THIS IS A TERM CONTRACT ISSUED BY THE OFFICE OF STATE PROCUREMENT. THIS IS NOT AUTHORITY TO SHIP. A SEPARATE PURCHASE ORDER WILL BE ISSUED. THIS CONTRACT CONSTITUTES ACCEPTANCE OF YOUR BID ALONG WITH ALL TERMS AND CONDITIONS THEREIN AND SIGNIFIES THE OFFERER'S KNOWLEDGE AND ACCEPTANCE OF ALL TERMS AND CONDITIONS SET FORTH WITHIN THE INVITATION FOR BID.

BUYER: JULIA SHACKELFORD, CPPB @ 501-371-6079 CONTRACT NO.: SP-10-0001

LEE COSTLEY, CPPB @ 501-324-9318

DESCRIPTION: VEHICLES, 2010 or Newer

CONTRACT PERIOD: October 8, 2009 through September 30, 2010 or early cut-off dates

DELIVERY REQUIREMENTS: AS SPECIFIED WITHIN

PRICES ARE F.O.B. DESTINATION, INSIDE DELIVERY, UNLESS OTHERWISE SPECIFIED.

INVOICE AND DELIVER TO: AS SPECIFIED ON AGENCIES PURCHASE ORDER

CONTRACT AWARD TO: SEE PAGE 2

AWARD NO: SP-10-0001 PAGE 2

BALE CHEVROLET
ATTN: DAVID BROYLES
13101 CHENAL PARKWAY
LITTLE ROCK, AR 72211
PHONE: 501-221-9191, ext 284

FAX: 501-221-7418 VENDOR #100095671

<u>dbroyles@balechevrolet.com</u> Item(s) Awarded: 5, 18, 31, 38,

40, 43, 45, 52

NORTH POINT FORD ATTN: KELLY PENN 4400 LANDERS ROAD NORTH LITTLE ROCK, AR 72117 PHONE: 501-945-1200 extension 715

FAX: 501-955-7794 VENDOR #100103942 kpenn@northpointcars.com Item(s) Awarded: 20

RED RIVER DODGE ATTN: BUSTER CROWDER 105 SOUTH 7th STREET HEBER SPRINGS, AR 72543 PHONE: 501-362-5831 FAX: 501-362-5522

VENDOR #100158685 buster@redriverdodge.com Item(s) Awarded: 16, 19 LANDERS CHEVROLET ATTN: JACK HALFORD P.O. BOX 1649 BENTON, AR 72018

PHONE: 501-315-2500 FAX: 501-316-5298 VENDOR #100029958

<u>ihalford@penskeautomotive.com</u> Item(s) Awarded: 1, 15, 21, 60, 61

LANDERS FORD
ATTN: MIKE BEARD
P.O. BOX 1649
BENTON, AR 72015
PHONE: 501-326-6004
FAX: 501-326-6015
VENDOR #100069180
mbeard@penskeautomotive.com

Item(s) Awarded: 6, 9, 14, 17, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 33, 34, 35, 36, 37, 39, 41, 42, 50, 51, 53, 56, 58, 59

LANDERS DODGE ATTN: RICK LAYTON P.O. BOX 1649 BENTON, AR 72018 PHONE: 501-316-4400 FAX: 501-316-5298 VENDOR #100032541

ricklayton@penskeautomotive.com Item(s) Awarded: 2, 3, 4, 7, 8, 10, 11, 12,

13, 44, 46, 47, 48, 49

AWARD NO: SP-10-0001 PAGE 3

AUTOMOBILES VANS TRUCKS AND HYBRIDS

- 1. <u>TERM OF CONTRACT</u>: Term of this contract shall be from October 8, 2009 through September 30, 2010 or early cut-off dates for ordering. Availability of individual line items will depend on factory order cut-off dates. Many items will have early cut-off dates starting as early as February through April of 2010. Upon mutual agreement, contract for individual items may be extended up to two (2) additional years, in one year increments, or a portion thereof in accordance with the terms of the original contract.
- 2. PRICE INCREASES: Price must stay firm for the term of contract. Price increases may be allowed in six (6) month increments if the manufacturer has a general price increase on any model on the contract. However, the price increase must be documented by a letter from the manufacturer and only that amount will be allowed. The successful vendor(s) must guarantee that the ordering agency will receive the full general price decrease or rebate amount the manufacturer offers on any vehicle(s) within this contract. Any rebate or other incentive must be divulged to OSP as soon as known.
- 3. <u>SPECIFICATIONS</u>: All vehicles shall be new and shall be the latest model of proven performance and in standard production by manufacturer at time of delivery. Bidder's offering must conform to the State of Arkansas Specifications referenced herein. Specifications for these vehicles are minimum and bidders may bid more than one (1) model for each type, but they must meet or exceed the minimum specifications.
- 4. WARRANTY: The supplier warrants each vehicle to be of good material and workmanship and agree to promptly replace any part or parts, when the vehicle is returned to the suppliers' place of business or a pre-approved location, which by reason of defective material or workmanship shall fail under normal use, free of negligence or accident, for a minimum period of thirty-six (36) months or 36,000 miles, whichever comes first, from the date of delivery. If such failure renders the vehicle incapable of being driven, the supplier will be responsible for having the vehicle transported to their place of business. If such failure takes place outside the suppliers service area, the supplier will be responsible for reimbursing the nearest authorized dealer for services rendered under this warranty. Tires are exempt from this warranty but must be covered by the tire manufacturer's standard warranty and services provided by the local authorized dealer of the tire manufacturer.

NOTE: THIS WARRANTY APPLIES TO POLICE PURSUIT VEHICLES STARTING WITH THE DATE THE VEHICLE IS PUT IN SERVICE, NOT DELIVERED DATE.

5. <u>ACKNOWLEDGEMENTS AND PAYMENTS</u>: Awarded vendors must send to the ordering entity an order acknowledgement within ten (10) days after receipt of order. Upon delivery of the vehicle, the vendor is required to provide original invoice, odometer statement, certificate of origin and any other documentation required to license and pay sales tax on vehicle. To ensure prompt payment, vendor must provide a copy of the invoice and the signature of agency representative on a copy of the purchase order or any other receiving document and date received to the "bill to address".

AWARD NO: SP-10-0001 PAGE 4

6. <u>DELIVERY TO ARKANSAS STATE AGENCIES: F.O.B. DESTINATION</u>

Prices must include delivery of all vehicles to the ordering agency regardless of location within the State of Arkansas. Vendor must state approximate delivery for each vehicle in the space provided. Failure to deliver the vehicle within the stated time may result in cancellation of the order of vehicle(s). If cancellation occurs, the Office of State Procurement may purchase the vehicle(s) from another source and charge the difference (if any) to the defaulting contractor.

7. <u>CONTRACT USAGE REPORT</u>: Awarded Vendor(s) shall provide to the Office of State Procurement a contract usage report. This report will reflect the total sales of each vehicle ordered against the contract. The report will include the item number, quantities sold, manufacturer, and model of vehicle, name of state agency or cooperative purchasing agency. This report must be sent when requested by the State.

Send report to: Office of State Procurement

Attn: Vehicle Buyer

1509 W. 7th Street, 3rd Floor Little Rock, AR 72201-3966

e-mail: julia.shackelford@dfa.arkansas.gov

fax: 501-324-9311 Attn: Vehicle Buyer

AWARD NO: SP-10-0001 PAGE 5

STATE OF ARKANSAS AGENCY GUIDELINES

- ORDERING VEHICLES: All vehicles as defined by Arkansas Code Annotated of 1987 section §22-8-206, will be ordered by the Department of Finance & Administration, Office of Administrative Services, or by Office of State Procurement for agencies classified as Service Bureau Agencies. Vehicles not covered by Arkansas Code Annotated of 1987 section §22-8-206, will be ordered by ordering agency after notifying the Office of State Procurement.
 - 1.1 Ordering A state agency will provide the appropriate documents including asset, if required, and fund information to the Office of Information Services, who will prepare the requisition to order the vehicle(s) and forward to Office of Administrative Services. If the order is for an agency which is classified as a Service Bureau Agency, the Office of State Procurement will handle the ordering once approval from Office of Information Services has been provided.
 - 1.2 Options Purchasers shall select preferred options listed in addendum and include the following information in their procurement request:
 - a. Title, number, and date of this specification.
 - b. Title and number of the addendum.
 - c. Numbers and descriptions of the options selected.
 - 1.3 <u>Exclusivity</u> This specification shall, until revised or rescinded by the Office of State Procurement, apply to each future purchase and/or contract of those commodities described herein.
- 2. <u>ADDITIONAL OPTIONS NOT SPECIFIED</u>: Options cannot be added to vehicle purchases by the agency or vendor unless the option is referenced within the contract award for the specified vehicle.
- 3. <u>ONE TON VEHICLES</u>: Except for agencies that are exempt, it is required when agencies are ordering One (1) Ton vehicles from this contract that the original approved Vehicle Request Form (MV-6) and a copy of the agency purchase order be sent to the Office of State Procurement, Attention: Vehicle Buyer.
- 4. <u>OTHER VEHICLES</u>: Vehicles which do not conform to the State of Arkansas Standard Specifications and have been approved for purchase will be bid on an individual basis.

AWARD NO: SP-10-0001 PAGE 6

COOPERATIVE PURCHASING PROGAM PARTICIPANTS

1. SELLING TO COOPERATIVE PURCHASING PROGRAM PARTICIPANTS

Arkansas Procurement Law provides that local public procurement units (counties, municipalities, school districts, certain not-for-profit corporations, etc.) may participate in State Procurement contracts. The contractor(s) therefore agree(s) to sell to Cooperative Purchasing Program participants. Unless otherwise stated, all standard and special terms and conditions listed within the contract award must be equally applied to such participants.

2. COOPERATIVE PURCHASING PROGRAM PARTICIPANTS NOTE

In order to provide the discounted prices offered in this procurement package to both the State and the Cooperative Purchasing Program participants, the vehicle bidders must receive timely payment, payment for partial shipment on multiple vehicle orders, and have all required approvals obtained prior to order placement. All these conditions are being met by state agencies that are required to have sufficient funds and approvals before orders are placed and to make prompt payment for vehicles as received. It is incumbent upon Cooperative Purchasing Participants to have all approvals obtained and funds available to complete the purchasing transaction in a prompt manner. Most of the dealers have fifteen (15) days from the time a vehicle leaves the factory to pay the manufacturers. In order to continue to receive the fleet pricing, you must ensure prompt payment for each vehicle as it is received.

3. <u>DELIVERY TO ARKANSAS COOPERATIVE PURCHASING PROGRAM PARTICIPANTS: FOB DEALERSHIP</u>

Arkansas Cooperative Purchasing participants will have the option of picking up vehicle(s) at the dealership location or have vehicle(s) delivered to the ordering agency location with a one-way charge per mile added to delivered vehicle(s).

Vendor must state approximate delivery for each vehicle. Failure to deliver the vehicle within the stated time may result in cancellation of the order of vehicle(s). If cancellation occurs, the agency may purchase the vehicle(s) from another source and charge the difference (if any) to the defaulting contractor.

 ADDITIONAL OPTIONS NOT SPECIFIED: Options cannot be added to vehicle purchases by the agency or vendor unless the option is referenced within the contract award for the specified vehicle.

AWARD NO: SP-10-0001 PAGE 7

AUTOMOBILES

ITEM 1: TYPE ACA - Four (4) Door Compact Sedan

AASIS MATERIAL #10011612

ADDENDUM 2 STANDARD SPECIFICATIONS; PAGE 64

VENDOR: LANDERS CHEVROLET

MFG AND MODEL: 2010 CHEVROLET AVEO \$13,090.00

ENGINE AND CYLINDER SIZE: 1.6L/4 cylinder

City & Highway MPG estimates: 25 City /34 Hwy/29 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE NA

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

DL. Daytime Running Lights STANDARD

ITEM 2: TYPE ADA - Four (4) Door Mid-Size Sedan

AASIS MATERIAL #10011613

ADDENDUM 3 STANDARD SPECIFICATIONS; PAGE 65

VENDOR: LANDERS DODGE

MFG AND MODEL: 2010 DODGE AVENGER \$13,476.00

ENGINE AND CYLINDER SIZE: 2.4L/4 cylinder

City & Highway MPG estimates: 21 City/30 Hwy/25 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE
YES

ENGINE AND CYLINDER SIZE: 2.7L/6 cylinder \$14,834.00

City & Highway MPG estimates: 13 City/200 Hwy/17 Combined

Approximate delivery **90** days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

DL. Daytime Running Lights \$40.00

AWARD NO: SP-10-0001 PAGE 8

ITEM 3: TYPE AEA - Four (4) Door Large Sedan

AASIS MATERIAL #10011614

ADDENDUM 4 STANDARD SPECIFICATIONS; PAGE 66

VENDOR: LANDERS DODGE

MFG AND MODEL: 2010 DODGE CHARGER \$16,378.00

ENGINE AND CYLINDER SIZE: 2.7L/V6

City & Highway MPG estimates: 18 City /26 Hwy/22 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE NA

Approximate delivery **90** days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

DL. Daytime Running Lights \$40.00

ITEM 4: TYPE JAA - Four (4) Door Campus Security Mid-Size or Larger Sedan

AASIS MATERIAL #10011616

ADDENDUM 7 STANDARD SPECIFICATIONS; PAGE 67

VENDOR: LANDERS DODGE

MFG AND MODEL: 2010 FFV DODGE AVENGER \$14,934.00

ENGINE AND CYLINDER SIZE: 2.7L/V6

City & Highway MPG estimates: 13 City/20 Hwy/17 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE STANDARD

Approximate delivery **90** days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

DL. Daytime Running Lights \$40.00

AWARD NO: SP-10-0001 PAGE 9

ITEM 5: TYPE KAA - Four (4) Door Mid-Size Police Sedan (Chevy Impala 9C1, No Substitutes) AASIS MATERIAL #10011617

ADDENDUM 8 STANDARD SPECIFICATIONS; PAGES 68-69

VENDOR: BALE CHEVROLET

MFG AND MODEL: FFV CHEVROLET IMPALA 9C1 (1WS19) \$19,026.00

ENGINE AND CYLINDER SIZE: 3.9L/V6/237 CID

City & Highway MPG estimates: 17 City/27 Hwy/21 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE STANDARD

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.585/mile/vehicle

OPTIONS:

DL. Daytime Running Lights STANDARD

MO. Delete Spotlight: Spotlight may be deleted for credit (deduct) <\$242.00>

DM. Delete Body Side Molding (deduct) <\$60.00>

VM. Vinyl Floor Mats, Front & Rear \$210.00

WO. Full size wheel covers, all four wheels \$195.00

WI. Unmarked Police Package: Front and Rear Cloth Seats, full wheel covers, bench seats, carpeted

floor, regular outside trim (also deletes spotlight)

(deduct) <\$150.00>

WL. Full sized spare, tire to match others on vehicle \$225.00

AWARD NO: SP-10-0001 PAGE 10

ITEM 6: TYPE LAA - Four (4) Door Large Police Pursuit Sedan

(Ford Crown Victoria, No Substitutes)

AASIS MATERIAL #10011618

ADDENDUM 9 STANDARD SPECIFICATIONS; PAGES 70-71

VENDOR: LANDERS FORD

MFG AND MODEL: FFV FORD CROWN VIC \$22,243.00

ENGINE AND CYLINDER SIZE: 4.6/V8

City & Highway MPG estimates: 16 City/24 Hwy/20 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE STANDARD

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

AR. 3.55 limited slip axle ratio \$125.00

BD. Ballistic Door Panels for driver side only \$1295.00

BP. Ballistic Door Panels for driver and passenger \$2485.00

DL. Daytime Running Lights \$50.00

IO. Roof reinforcement for light bar installation \$80.00

MO. Delete Spotlight: Spotlight may be deleted for credit (deduct) <\$100.00>

OO. Spotlight, Additional: to be installed front passenger side \$170.00

VI. Delete limited-slip rear axle (deduct) <\$75.00>

VM. Vinyl Floor Mats, Front & Rear \$90.00

WL. Full Size Spare: tire to match others on vehicle. STANDARD

WW. Rear Cloth Seat NO CHARGE

ZI. Street Appearance Package: **Front and Rear Cloth Seats,** Chrome grill, side moldings, full size wheel covers, and change police engine markings. (Also deletes spotlight) **\$150.00**

AWARD NO: SP-10-0001 PAGE 11

ITEM 7: TYPE MAA - Four (4) Door Mid to Large Size Police Pursuit Sedan, 3.5L/V6

(Dodge Charger, No Substitutes)
AASIS MATERIAL # 10125251

ADDENDUM 10 STANDARD SPECIFICATIONS; PAGES 72-73

VENDOR: LANDERS DODGE

MFG & MODEL: 2010 DODGE CHARGER \$19,691.00

ENGINE & CYLINDER SIZE: 3.5L/V6

City & Highway MPG estimates: 16 City/25 Hwy20 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE NA

Approximate delivery **120** days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

DP. Ballistic Door Panels for driver side only \$1900.00

BP. Ballistic Door Panels for driver and passenger \$3700.00

CL. Disconnect dome lamp door courtesy light switches. STANDARD

DL. Daytime Running Lights \$40.00

MO. Delete Spotlight: Spotlight may be deleted for credit (deduct) <\$150.00>

OO. Spotlight, Additional: to be installed front passenger side \$200.00

VM. Vinyl Floor Mats, Front & Rear \$75.00

WL. Full Size Spare Tire to match others on vehicle. \$160.00

WW. Rear Cloth Seat NO CHARGE

ZI. Street Appearance Package: **Front and Rear Cloth Seats,** Chrome grill, side moldings, full-size wheel covers, and change police engine markings. (Also deletes spotlight) **\$615.00**

AWARD NO: SP-10-0001 PAGE 12

ITEM 8: TYPE MAB - Four (4) Door Mid to Large Size Police Pursuit Sedan, 5.7L/V8 Hemi

Engine (Dodge Charger, No Substitutes)

AASIS MATERIAL #10127080

ADDENDUM 11 STANDARD SPECIFICATIONS; PAGES 74-75

VENDOR: LANDERS DODGE

MFG & MODEL: 2010 DODGE CHARGER \$20,409.00

ENGINE & CYLINDER SIZE: 5.7L/V8

City & Highway MPG estimates: 16 City/25 Hwy/20 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE NA

Approximate delivery **120** days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

Options:

DP. Ballistic Door Panels for driver side only \$1900.00

BP. Ballistic Door Panels for driver and passenger \$3700.00

CL. Disconnect dome lamp door courtesy light switches. STANDARD

DL. Daytime Running Lights \$40.00

MO. Delete Spotlight: Spotlight may be deleted for credit (deduct) <\$150.00>

OO. Spotlight, Additional: to be installed front passenger side). \$200.00

VM. Vinyl Floor Mats, Front & Rear \$75.00

WL. Full Size Spare Tire to match others on vehicle. \$160.00

WW. Rear Cloth Seat NO CHARGE

ZI. Street Appearance Package: **Front and Rear Cloth Seats,** Chrome grill, side moldings, full-size wheel covers, and change police engine markings. (Also deletes spotlight) **\$615.00**

AWARD NO: SP-10-0001 PAGE 13

TRUCKS: ONE (1) TON AND LESS

<u>Bidders Note</u>: Engines bid in Standard Specification for pickup trucks must work with any option listed (NO ADDITIONAL COST). If you list any exception for engine, your bid may not be considered.

ITEM 9: TYPE PAA; Compact Pickup Truck, Short Bed

AASIS MATERIAL #10011619

ADDENDUM 1 STANDARD SPECIFICATIONS: PAGE 79

VENDOR: LANDERS FORD

MFG AND MODEL: FORD RANGER XLT(6ft bed) \$12,937.00

HORSEPOWER & TORQUE: 143/154 ENGINE & CYLINDER SIZE: 2.3L/4 cylinder

City & Highway MPG estimates: 19 City/24 Hwy/21 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE NA

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

AO. Four Wheel Drive (4x4) to include Oil Pressure Gauge, Automatic Locking Hubs, and Suspension type recommended by manufacturer for vehicle as equipped and with standard equipment.

NA

DL. Daytime Running Lights \$45.00

LS. Differential: limited slip, ratio as recommended by manufacturer.

PO. Automatic Speed Control (may be dealer installed but of same manufacturer as vehicle) and tilt steering wheel.

STANDARD ON XLT

QH. Long Wide Pickup Bed (7ft bed) (deletes power windows & locks) \$350.00

TO. Without Air Conditioning NA

ZO. Transmission: manual with a minimum of three (3) forward speeds and one (1) reverse.

(deduct) <\$400.00>

AWARD NO: SP-10-0001 PAGE 14

ITEM 10: TYPE PAB-Compact Pickup Truck, Extended Cab, Short Bed

AASIS MATERIAL #10011620

ADDENDUM 2 STANDARD SPECIFICATIONS; PAGE 80

VENDOR: LANDERS DODGE

MFG AND MODEL: 2010 DODGE DAKOTA \$13,863.00

HORSEPOWER & TORQUE: 210/235 ENGINE & CYLINDER SIZE: 3.7L/V6

City & Highway MPG estimates: 15 City/20 Hwy/17 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE NA

Approximate delivery **90** days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

DL. Daytime Running Lights \$40.00

LS. Differential: limited slip, ratio as recommended by manufacturer. \$295.00

PO. Automatic Speed Control (may be dealer installed but of same manufacturer as vehicle) and tilt steering wheel.

STANDARD

QH. Long Wide Pickup Bed NA

TO. Without Air Conditioning NA

AWARD NO: SP-10-0001 PAGE 15

ITEM 11: TYPE PAD: Compact Pickup Truck, 4x4, Extended Cab, Four (4) Doors, Short Bed

AASIS MATERIAL #10011621

ADDENDUM 2A STANDARD SPECIFICATIONS: PAGE 81

VENDOR: LANDERS DODGE

MFG AND MODEL: 2010 DODGE DAKOTA \$17,560.00

HORSEPOWER & TORQUE:210/235 ENGINE & CYLINDER SIZE: 3.7L/V6

City & Highway MPG estimates: 14 City/18 Hwy16 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE NA

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

CB. Gasoline Engine: 8 cylinder, a minimum of 280 cid \$1395.00

DL. Daytime Running Lights \$40.00

KO. Skid Plate \$170.00

LS. Differential: limited slip, ratio as recommended by manufacturer. \$295.00

PO. Automatic Speed Control (may be dealer installed of same manufacturer as vehicle) and tilt

steering wheel. STANDARD

QH. Long Wide Pickup Bed NA

TO. Without Air Conditioning NA

XO. Hitch, Class III, frame attached, type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. **Includes Transmission Oil Coolers**. Insert bar and ball not

included. 290.00

AWARD NO: SP-10-0001 PAGE 16

ITEM 12: TYPE PBA; Full-Size One-Half (1/2) Ton Pickup Truck, 6-Cylinder, Short Bed (larger engine size not acceptable)

AASIS MATERIAL #10011622

ADDENDUM 3 STANDARD SPECIFICATIONS; PAGE 82

VENDOR: LANDERS DODGE

MFG AND MODEL: 2010 DODGE RAM 1500 \$16,259.00

ENGINE AND CYLINDER SIZE: 3.7L/V6

City & Highway MPG estimates: 14 City/20 Hwy/17 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE NA

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

DL. Daytime Running Lights \$40.00

LS. Differential: limited slip, ratio as recommended by manufacturer. \$375.00

PO. Automatic Speed Control (may be dealer installed of same manufacturer as vehicle) and tilt

steering wheel.

QH. Long Wide Pickup Bed \$300.00

TO. Without Air Conditioning NA

XO. Hitch, Class III, frame attached, type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. **Includes Transmission Oil Coolers**. Insert bar and ball not

included. \$335.00

AWARD NO: SP-10-0001 PAGE 17

ITEM 13: TYPE PBB-Full Size One-Half (1/2) Ton Pickup Truck, 6-cylinder Extended Cab, Short Bed, Rear Seat, Four (4) Doors (larger engine size not acceptable)

AASIS MATERIAL #10011623

ADDENDUM 4 STANDARD SPECIFICATIONS; PAGE 83

VENDOR: LANDERS DODGE

MFG AND MODEL: 2010 DODGE RAM 1500 \$17,882.00

ENGINE AND CYLINDER SIZE: 3.7L/V6

City & Highway MPG estimates: 14 City/20 Hwy/17 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE NA

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

DL. Daytime Running Lights \$40.00

DS. Without Rear Seat

LS. Differential: limited slip, ratio as recommended by manufacturer. \$375.00

PO. Automatic Speed Control (may be dealer installed of same manufacturer as vehicle) and tilt

steering wheel.

QH. Long Wide Pickup Bed NA

TO. Without Air Conditioning

XO. Hitch, Class III, frame attached, type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. **Includes Transmission Oil Coolers**. Insert bar and ball not

included. \$335.00

AWARD NO: SP-10-0001 PAGE 18

ITEM 14: TYPE PCA - Full Size 4 x 4 One-Half (1/2) Ton Pickup Truck, 6-cylinder

AASIS MATERIAL #10011631

ADDENDUM 6 STANDARD SPECIFICATIONS; PAGE 84

VENDOR: LANDERS FORD

MFG AND MODEL: FORD F150 \$17,773.00

ENGINE AND CYLINDER SIZE: 4.6L/V8

City & Highway MPG estimates: 14 City/19 Hwy/16 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE YES

ENGINE/CYLINDER SIZE: 5.4L/V8 **\$19,298.00**

FFV City & Highway MPG estimates: 14 City/20 Hwy/17 Combined

Approximate delivery **90** days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

CB. Gasoline engine: 8 cylinder, min. 280 CID STANDARD

DL. Daytime Running Lights \$45.00

KO. Skid Plate \$160.00

LS. Differential: limited slip, ratio as recommended by manufacturer. \$300.00

PO. Automatic Speed Control (may be dealer installed but of same manufacturer as vehicle) and tilt

steering wheel. \$225.00

QI. Short Wide Pickup Bed (deduct) <\$200.00>

TO. Without Air Conditioning

XO. Hitch, Class III, frame attached, type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. **Includes Transmission Oil Coolers**. Insert bar and ball not

included. \$350.00

AWARD NO: SP-10-0001 PAGE 19

ITEM 15: TYPE PCB - Full Size 4x4 One-Half (1/2) Ton Pickup Truck, 8-cylinder Extended Cab,

Long Bed, Rear Seat, Four (4) Doors

AASIS MATERIAL #10011632

ADDENDUM 7 STANDARD SPECIFICATIONS; PAGE 85

VENDOR: LANDERS CHEVROLET

MFG AND MODEL: FFV 2010 CHEVROLET SILVERADO \$22,589.18

ENGINE AND CYLINDER SIZE: 5.3L/V8

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE STANDARD

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

DL. Daytime Running Lights STANDARD

DS. Without Rear Seat

KO. Skid Plate \$150.00

LS. Differential: limited slip, ratio as recommended by manufacturer. \$325.00

Included with Option XO

PO. Automatic Speed Control (may be dealer installed but of same manufacturer as vehicle) and tilt steering wheel. \$250.00

QI. Short Wide Pickup Bed (4.8L/V8) (deduct) <\$600.00>

TO. Without Air Conditioning

XO. Hitch, Class III, frame attached, type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. **Includes Transmission Oil Coolers**. Insert bar and ball not included. **\$825.00**

AWARD NO: SP-10-0001 PAGE 20

ITEM 16: TYPE PCC - Full Size 4x4 One-Half (1/2) Ton Pickup Truck, 8-cylinder Crew/Quad Cab,

Long Bed, Rear Seat, Four (4) Doors

ADDENDUM 8 STANDARD SPECIFICATIONS; PAGE 86

VENDOR: RED RIVER DODGE

MFG AND MODEL: FFV DODGE 1500 QUAD \$21,824.00

ENGINE AND CYLINDER SIZE: 4.7L/V8

City & Highway MPG estimates: 9 City/13 Hwy/11 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE STANDARD

ENGINE/CYLINDER SIZE:5.4L/V8 **\$24,202.00**

FFV City & Highway MPG estimates: 14 City/18 Hwy/16 Combined

Approximate delivery **120** days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.45/mile/vehicle

OPTIONS:

DL. Daytime Running Lights \$40.00

DS. Without Rear Seat

KO. Skid Plate \$150.00

LS. Differential: limited slip, ratio as recommended by manufacturer. \$375.00

PO. Automatic Speed Control (may be dealer installed but of same manufacturer as vehicle) and tilt

steering wheel. \$250.00

QI. Short Wide Pickup Bed

TO. Without Air Conditioning

XO. Hitch, Class III, frame attached, type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. **Includes Transmission Oil Coolers**. Insert bar and ball not

included. \$335.00

AWARD NO: SP-10-0001 PAGE 21

ITEM 17: TYPE PGA-Full Size One-Half (1/2) Ton Pickup Truck, 8-Cylinder, Long Bed, minimum of 248 horsepower

AASIS MATERIAL #10011625

ADDENDUM 9 STANDARD SPECIFICATIONS; PAGE 87

VENDOR: LANDERS FORD

MFG AND MODEL: FORD F150 \$15,446.00

ENGINE AND CYLINDER SIZE: 4.6L/V8

City & Highway MPG estimates: 14 City/19 Hwy/16 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE YES

ENGINE/CYLINDER SIZE: 5.4L/V8 \$16,971.00

FFV City & Highway MPG estimates: 14 City/20 Hwy/17 Combined

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

DL. Daytime Running Lights \$45.00

KO. Skid Plate

LS. Differential: limited slip, ratio as recommended by manufacturer. \$300.00

PO. Automatic Speed Control (may be dealer installed but of same mfg. as vehicle) and tilt steering wheel. \$225.00

QI. Short Wide Pickup Bed (deduct) <\$200.00>

TO. Without Air Conditioning

XO. Hitch, Class III, frame attached, type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. **Includes Transmission Oil Coolers**. Insert bar and ball not included. \$350.00

AWARD NO: SP-10-0001 PAGE 22

ITEM 18: TYPE PGB-Full Size One-Half (1/2) Ton Pickup Truck, 8-cylinder Extended Cab, Long Bed, Rear Seat, Four (4) Door, minimum of 248 horsepower

AASIS MATERIAL #10011626

ADDENDUM 10 STANDARD SPECIFICATIONS; PAGE 88

VENDOR: BALE CHEVROLET

MFG AND MODEL: FFV CHEVROLET SILVERADO (CC10953) \$20,404.00

ENGINE AND CYLINDER SIZE: 5.3L/V8 323 CID

City & Highway MPG estimates: 14 City/20 Hwy/17 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE STANDARD

Approximate delivery 90 days after start of production; 1st quarter 2010

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.585/mile/vehicle

OPTIONS:

DL. Daytime Running Lights STANDARD

DS. Without Rear Seat

KO. Skid Plate NA

LS. Differential: limited slip, ratio as recommended by manufacturer. \$325.00

PO. Automatic Speed Control (may be dealer installed but of same mfg. as vehicle) and tilt steering wheel. \$250.00

QI. Short Wide Pickup Bed (deduct) <\$250.00>

TO. Without Air Conditioning

XO. Hitch, Class III, frame attached, type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. **Includes Transmission Oil Coolers**. Insert bar and ball not included. **\$770.00**

AWARD NO: SP-10-0001 PAGE 23

ITEM 19: TYPE PGC - Full Size One-Half (1/2) Ton Pickup Truck, 8-cylinder Crew/Quad Cab, Long Bed, Rear Seat, Four (4) Door, minimum of 248 horsepower

ADDENDUM 11 STANDARD SPECIFICATIONS: PAGE 89

VENDOR: RED RIVER DODGE

MFG AND MODEL: FFV DODGE QUAD \$19,179.00

ENGINE AND CYLINDER SIZE: 4.7L/V8

City & Highway MPG estimates: 9 City/13 Hwy/10 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE
YES

ENGINE/CYLINDER SIZE: 5.4L/V8 **\$21,469.00**

FFV City & Highway MPG estimates: 14 City/20 Hwy/17 Combined

Approximate delivery 120 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.45/mile/vehicle

OPTIONS:

DL. Daytime Running Lights \$40.00

DS. Without Rear Seat

KO. Skid Plate

LS. Differential: limited slip, ratio as recommended by manufacturer. \$375.00

PO. Automatic Speed Control (may be dealer installed but of same mfg. as vehicle) and tilt steering

wheel. \$250.00

QI. Short Wide Pickup Bed

TO. Without Air Conditioning

XO. Hitch, Class III, frame attached, type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. **Includes Transmission Oil Coolers**. Insert bar and ball not

included. \$335.00

AWARD NO: SP-10-0001 PAGE 24

ITEM 20: TYPE PGD - One-Half (1/2) Ton Heavy Duty Pickup Truck, 8-cylinder, Long Bed,

minimum of 302 horsepower AASIS MATERIAL #10011628

ADDENDUM 12 STANDARD SPECIFICATIONS; PAGE 90

VENDOR: NORTH POINT FORD

MFG AND MODEL: FFV FORD F150 \$16,779.00

ENGINE AND CYLINDER SIZE: 5.4L/V8

City & Highway MPG estimates: 14 City/20 Hwy/17 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE STANDARD

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

DL. Daytime Running Lights \$45.00

LS. Differential: limited slip, ratio as recommended by manufacturer. \$300.00

PO. Automatic Speed Control (may be dealer installed but of same mfg. as vehicle) and tilt steering wheel. \$225.00

QI. Short Wide Pickup Bed (deduct) <\$100.00>

TO. Without Air Conditioning

XO. Hitch, Class III, frame attached, type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. **Includes Transmission Oil Coolers**. Insert bar and ball not included.

350.00

AWARD NO: SP-10-0001 PAGE 25

ITEM 21: TYPE PGE: One Half (1/2) Ton Heavy Duty Pickup Truck, 8-cylinder, Extended Cab,

Long Bed, Rear Seat, Four (4) Doors, minimum of 310 horsepower

AASIS MATERIAL #10011629

ADDENDUM 13 STANDARD SPECIFICATIONS; PAGE 91

VENDOR: LANDERS CHEVROLET

MFG AND MODEL: 2010 CHEVROLET SILVERADO \$20,509.00

ENGINE AND CYLINDER SIZE: 6.0L/V8

City & Highway MPG estimates: 13 City/17 Hwy/15 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE NA

Approximate delivery **90** days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25mile/vehicle

OPTIONS:

DL. Daytime Running Lights STANDARD

DS. Without Rear Seat (deduct) <\$200.00>

LS. Differential: limited slip, ratio as recommended by manufacturer. \$325.00

(Included in Option XO)

PO. Automatic Speed Control (may be dealer installed but of same mfg. as vehicle) and tilt steering

wheel. \$250.00

QI. Short Wide Pickup Bed (deduct) <\$20>

TO. Without Air Conditioning

XO. Hitch, Class III, frame attached, type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. **Includes Transmission Oil Coolers**. Insert bar and ball not

included. \$780.00

AWARD NO: SP-10-0001 PAGE 26

ITEM 22: TYPE PGF: One Half (1/2) Ton Heavy-Duty Pickup Truck, 8-cylinder Crew/Quad Cab, Long Bed, Rear Seat, Four (4) Doors, minimum of 310 horsepower

ADDENDUM 14 STANDARD SPECIFICATIONS; PAGE 92

VENDOR: LANDERS FORD

MFG AND MODEL: FFV FORD F150 **\$21,164.00**

ENGINE AND CYLINDER SIZE: 5.4L/V8

City & Highway MPG estimates: 14 City/20 Hwy/17 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE STANDARD

Approximate delivery **90** days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25 mile/vehicle

OPTIONS:

DL. Daytime Running Lights \$45.00

DS. Without Rear Seat

LS. Differential: limited slip, ratio as recommended by manufacturer. \$300.00

PO. Automatic Speed Control (may be dealer installed but of same mfg. as vehicle) and tilt steering

wheel. \$225.00

QI. Short Wide Pickup Bed NA

TO. Without Air Conditioning

XO. Hitch, Class III, frame attached, type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. **Includes Transmission Oil Coolers**. Insert bar and ball not

included. \$350.00

AWARD NO: SP-10-0001 PAGE 27

ITEM 23: Type PJA - Three Quarter (3/4) Ton Heavy Duty Pickup Truck, 8-cylinder, Long Bed AASIS MATERIAL #10011634
ADDENDUM 15 STANDARD SPECIFICATIONS: PAGE 93

VENDOR LANDERS FORD

MFG. AND MODEL: FORD F250 \$18,546.00

ENGINE AND CYLINDER SIZE: 5.4L/V8

City & Highway MPG estimates: NA

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE NA

Approximate delivery **90** days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

BD. Up to 20% Bio Diesel under OEM Warranty Included in Post Emissions (option CA)/20%

BO. Differential with gear ratio designed for extra towing capability. \$350.00

CA. 2010 Pre-Emissions Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities.

\$7835.00

CA. 2010 Post-Emissions Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicle's highway performance and towing capabilities. \$8745.00

DL. Daytime Running Lights \$45.00

LS. Differential: limited slip, ratio as recommended by manufacturer. \$350.00

PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel. \$385.00

QI. Short Wide Pickup Bed

XO. Hitch, Class III, frame attached, type recommended by manufacturer for vehicle as equipped.

Must be dealer or manufacturer installed. **Includes Transmission Oil Coolers**. Insert bar and ball not included.

STANDARD

AWARD NO: SP-10-0001 PAGE 28

ITEM 24: TYPE PJB - Three Quarter (3/4) Ton Heavy Duty Pickup Truck, 8-cylinder Extended Cab,

Long Bed, Rear Seat, Four (4) Doors AASIS MATERIAL #10011635

ADDENDUM 16 STANDARD SPECIFICATIONS: PAGE 94

VENDOR LANDERS FORD

MFG. AND MODEL: FORD F250 \$19,664.00

ENGINE AND CYLINDER SIZE: 5.4L/V8

City & Highway MPG estimates: NA

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE NA

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

BD. Up to 20% Bio Diesel under OEM Warranty Included in Post Emissions (option CA)/20%

BO. Differential with gear ratio designed for extra towing capability. \$350.00

CA. 2010 Pre-Emissions Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities.

\$7835.00

CA. 2010 Post-Emissions Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicle's highway performance and towing capabilities.

\$8745.00

DL. Daytime Running Lights \$45.00

DS. Without Rear Seat

LS. Differential: limited slip, ratio as recommended by manufacturer. \$350.00

PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel. \$385.00

QI. Short Wide Pickup Bed (deduct) <\$100.00>

XO. Hitch, Class III, frame attached, type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. **Includes Transmission Oil Coolers**. Insert bar and ball not included.

STANDARD

AWARD NO: SP-10-0001 PAGE 29

ITEM 25: Type PJD - Three Quarter (3/4) Ton Heavy Duty Pickup Truck, 8-cylinder Crew Cab, Long Bed, Full Size Rear Bench Seats, Four (4) Full Doors **AASIS MATERIAL #10119109**

ADDENDUM 18 STANDARD SPECIFICATIONS: PAGE 95

VENDOR LANDERS FORD

MFG. AND MODEL: FORD F250 \$21,015.00

ENGINE AND CYLINDER SIZE: 5.4L/V8

City & Highway MPG estimates: NA

NA ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE

Approximate delivery **90** days A.R.O.

\$1.25/mile/vehicle Delivery Charge for AR Cooperative Purchasing Program Participants:

OPTIONS:

BD. Up to 20% Bio Diesel under OEM Warranty Included in Post Emissions (option CA)/20%

BO. Differential with gear ratio designed for extra towing capability. \$350.00

CA. 2010 Pre-Emissions Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities.

\$7835.00

CA. 2010 Post-Emissions Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicle's highway performance and towing capabilities

\$8745.00

DL. Daytime Running Lights \$45.00

GO. Carrier: spare wheel, side mount \$100.00

LS. Differential: limited slip, ratio as recommended by manufacturer. \$350.00

PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel. \$385.00

QI. Short Wide Pickup Bed

(deduct) <\$100.00>

XO. Hitch, Class III, frame attached, type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. Includes Transmission Oil Coolers. Insert bar and ball not included. **STANDARD**

AWARD NO: SP-10-0001 PAGE 30

ITEM 26: TYPE PEA; 4x4 Three-Quarter (3/4) Ton Heavy Duty Pickup Truck, 8-cylinder, Long Bed AASIS MATERIAL # 10011637

ADDENDUM 19 STANDARD SPECIFICATIONS; PAGE 96

VENDOR LANDERS FORD

MFG AND MODEL: FORD F250 **\$20,082.00**

ENGINE AND CYLINDER SIZE: 5.4L/V8

City & Highway MPG estimates: NA

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE NA

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25 mile/vehicle

OPTIONS:

BD. Up to 20% Bio Diesel under OEM Warranty Included in Post Emissions (option CA)/20%

CA. 2010 Pre-Emissions Diesel Engine: a minimum of 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities. **\$7835.00**

CA. 2010 Post-Emissions Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicle's highway performance and towing capabilities. **\$8745.00**

DL. Daytime Running Lights \$45.00

KO. Skid Plate \$100.00

LS. Differential: limited slip, ratio as recommended by manufacturer. \$350.00

PO. Automatic Speed Control (may be dealer installed but of same mfg. as vehicle) and tilt steering

wheel. \$385.00

QI. Short Wide Pickup Bed NA

TO. Without Air Conditioning

XO. Hitch, Class III, frame attached, type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. **Includes Transmission Oil Coolers**. Insert bar and ball not included.

STANDARD

ZO. Transmission: manual with a minimum of three (3) forward speeds and one (1) reverse.

deduct) <\$1137.00>

AWARD NO: SP-10-0001 PAGE 31

ITEM 27: TYPE PEB - 4 x 4 Three-Quarter (3/4) Ton Heavy Duty Pickup Truck, 8-cylinder Extended Cab, Long Bed, Rear Seat, Four (4) Doors

AASIS MATERIAL #10011638

ADDENDUM 20 STANDARD SPECIFICATIONS; PAGE 97

VENDOR LANDERS FORD

MFG AND MODEL: FORD F250 \$22,501.00

ENGINE AND CYLINDER SIZE: 5.4L/V8

City & Highway MPG estimates: NA

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE NA

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

BD. Up to 20% Bio Diesel under OEM Warranty Included in Post Emissions (option CA)/20%

CA. 2010 Pre-Emissions Diesel Engine: a minimum of 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities. **\$7835.00**

CA. 2010 Post-Emissions: Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicle's highway performance and towing capabilities. **\$8745.00**

DL. Daytime Running Lights \$45.00

DS. Without Rear Seat

KO. Skid Plate \$100.00

LS. Differential: limited slip, ratio as recommended by manufacturer. \$350.00

PO. Automatic Speed Control (may be dealer installed but of same mfg. as vehicle) and tilt steering wheel. \$385.00

QI. Short Wide Pickup Bed (deduct) <\$100.00>

TO. Without Air Conditioning

XO. Hitch, Class III, frame attached, type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. **Includes Transmission Oil Coolers**. Insert bar and ball not included.

STANDARD

ZO. Transmission: manual with a minimum of three (3) forward speeds and one (1) reverse.

(deduct) <\$1137.00>

AWARD NO: SP-10-0001 PAGE 32

ITEM 28: Type PED - 4 x 4 Three-Quarter (3/4) Ton Heavy Duty Pickup Truck, 8-cylinder Crew Cab, Rear Bench Seat, Four (4) full doors

AASIS MATERIAL #10111950

ADDENDUM 22 STANDARD SPECIFICATIONS; PAGE 98

VENDOR LANDERS FORD

MFG AND MODEL: FORD F250 \$22,252.00

ENGINE AND CYLINDER SIZE: 5.4L/V8

City & Highway MPG estimates: NA

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE NA

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

BD. Up to 20% Bio Diesel under OEM Warranty Included in Post Emissions (option CA)/20%

CA. 2010 Pre-Emissions Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities. **\$7835.00**

CA. 2010 Post-Emissions Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicle's highway performance and towing capabilities. **\$8745.00**

DL. Daytime Running Lights \$45.00

KO. Skid Plate \$100.00

LS. Differential: limited slip, ratio as recommended by manufacturer. \$350.00

PO. Automatic Speed Control (may be dealer installed but of same mfg. as vehicle) and tilt steering wheel. \$385.00

QI. Short Wide Pickup Bed (deduct) <\$100.00>

TO. Without Air Conditioning

XO. Hitch, Class III, frame attached, type recommended by manufacturer for vehicle as equipped.

Must be dealer or manufacturer installed. **Includes Transmission Oil Coolers**. Insert bar and ball not included.

STANDARD

ZO. Transmission: manual with a minimum of three (3) forward speeds and one (1) reverse.

(deduct) <\$1137.00>

AWARD NO: SP-10-0001 PAGE 33

ITEM 29: TYPE PKA – Full Size One (1) Ton Pickup Truck, Dually AASIS MATERIAL #10011640 ADDENDUM 23 STANDARD SPECIFICATIONS; PAGE 99 VENDOR LANDERS FORD

MFG AND MODEL: FORD F350 \$19,699.00

ENGINE AND CYLINDER SIZE:

City & Highway MPG estimates: NA

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE NA

Approximate delivery **90** days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

AO. Four Wheel Drive (4x4) to include Oil Pressure Gauge, Automatic Locking Hubs, and Suspension type recommended by manufacturer for vehicle as equipped and with standard equipment. **\$3100.00**

BD. Up to 20% Bio Diesel under OEM Warranty Included in Post Emissions (option CA)/20%

CA. 2010 Pre-Emissions Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicle's highway performance and towing capabilities. **\$7835.00**

CA. 2010 Post-Emissions Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicle's highway performance and towing capabilities. **\$8745.00**

CD. Engine: minimum of a 414 CID/V8 with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities. \$695.00

DL. Daytime Running Lights \$45.00

LS. Differential: limited slip, ratio as recommended by manufacturer. \$300.00

PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel. \$385.00

TO. Without air conditioning (deduct) <\$800.00>

XO. Hitch, Class III, frame attached, type recommended by manufacturer for vehicle as equipped.

Must be dealer or manufacturer installed. **Includes Transmission Oil Coolers**. Insert bar and ball not included.

STANDARD

AWARD NO: SP-10-0001 PAGE 34

ITEM 30 Type PKB - Full Size One (1) Ton Pickup Truck, Dually, Extended Cab AASIS MATERIAL #10011641
ADDENDUM 24 STANDARD SPECIFICATIONS; PAGE 100
VENDOR LANDERS FORD

MFG AND MODEL: FORD F350 **\$21,795.00**

ENGINE AND CYLINDER SIZE: 5.4L/V8

City & Highway MPG estimates: NA

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE NA

Approximate delivery **90** days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

AO. Four Wheel Drive (4x4) to include Oil Pressure Gauge, Automatic Locking Hubs, and Suspension type recommended by manufacturer for vehicle as equipped and with standard equipment. **\$3305.00**

BD. Up to 20% Bio Diesel under OEM Warranty Included in Post Emissions (option CA)/20%

CA. 2010 Pre-Emissions Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicle's highway performance and towing capabilities. \$7835.00

CA. 2010 Post-Emissions Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicle's highway performance and towing capabilities. **\$8745.00**

CD. Engine: minimum of a 414 CID/V8 with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities . \$695.00

DL. Daytime Running Lights \$45.00

LS. Differential: limited slip, ratio as recommended by manufacturer. \$300.00

PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel. \$385.00

TO. Without air conditioning (deduct) <\$800.00>

XO. Hitch, Class III, frame attached, type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. **Includes Transmission Oil Coolers**. Insert bar and ball not included.

STANDARD

AWARD NO: SP-10-0001 PAGE 35

ITEM 31: TYPE PKC; Full Size One (1) Ton Pickup Truck, Dually, Crew Cab

AASIS MATERIAL #10127030

ADDENDUM 25 STANDARD SPECIFICATIONS; PAGE 101

VENDOR: BALE CHEVROLET

MFG AND MODEL: CHEVROLET SILVERADO (CC30943) \$22,600.00

ENGINE AND CYLINDER SIZE: 6.0L/V8/366 CID/6 speed auto transmission

City & Highway MPG estimates: NA

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE NA

Approximate delivery **90** days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.585/mile/vehicle

OPTIONS:

AO. Four Wheel Drive (4x4) to include Oil Pressure Gauge, Automatic Locking Hubs, and Suspension type recommended by manufacturer for vehicle as equipped and with standard equipment. **\$3295.00**

BD. Up to 20% Bio Diesel under OEM Warranty

\$200.00/20%

CA. 2010 Pre-Emissions Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicle's highway performance and towing capabilities. **NA**

CA. 2010 Post-Emissions Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicle's highway performance and towing capabilities. **No Bid**

CD. Engine: minimum of a 414 CID/V8 with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities.

DL. Daytime Running Lights

STANDARD

LS. Differential: limited slip, ratio as recommended by manufacturer.

\$325.00

PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel. \$250.00

TO. Without air conditioning

NA

XO. Hitch, Class III, frame attached, type recommended by manufacturer for vehicle as equipped.

Must be dealer or manufacturer installed. **Includes Transmission Oil Coolers**. Insert bar and ball not included.

\$780.00

AWARD NO: SP-10-0001 PAGE 36

ITEM 32: Type PQA; One (1) Ton Truck Standard Chassis Single Rear Wheel Type,

Chassis/Cab w/out bed. Minimum of 60" Cab to Axle

AASIS MATERIAL #10011642

ADDENDUM 26 STANDARD SPECIFICATIONS; PAGE 102

VENDOR: LANDERS FORD

MFG AND MODEL: FORD F350 \$19,156.00

ENGINE AND CYLINDER SIZE: 5.4L/V8

City & Highway MPG estimates: NA

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE NA

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

AO. Four Wheel Drive (4x4) to include Oil Pressure Gauge, Automatic Locking Hubs, and Suspension type recommended by manufacturer for vehicle as equipped and with standard equipment. **\$3170.00**

BD. Up to 20% Bio Diesel under OEM Warranty Included in Post Emissions (option CA)/20%

CA. 2010 Pre-Emissions Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicle's highway performance and towing capabilities. **\$7835.00**

CA. 2010 Post-Emissions Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicle's highway performance and towing capabilities. **\$8745.00**

CD. Engine: minimum of a 414 CID/V8 with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities. \$695.00

DL. Daytime Running Lights \$45.00

LS. Differential: limited slip, ratio as recommended by manufacturer for maximum use of cargo carrier selected. \$350.00

PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel. \$385.00

TO. Without air conditioning (deduct) <\$800.00>

AWARD NO: SP-10-0001 PAGE 37

ITEM 33: Type PQB - One (1) Ton Truck Standard Chassis Single Rear Wheel Type, Crew/Quad Cab, Chassis/Cab w/out bed. Minimum of 60" Cab to Axle

AASIS MATERIAL #10011643

ADDENDUM 27 STANDARD SPECIFICATIONS: PAGE 103

VENDOR: LANDERS FORD

MFG AND MODEL: FORD F350 **\$22,061.00**

ENGINE & CYLINDER SIZE: 5.4L/V8

City & Highway MPG estimates: NA

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE NA

Approximate delivery **90** days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

AO. Four Wheel Drive (4x4) to include Oil Pressure Gauge, Automatic Locking Hubs, and Suspension type recommended by manufacturer for vehicle as equipped and with standard equipment. **\$3155.00**

BD. Up to 20% Bio Diesel under OEM Warranty Included in Post Emissions (option CA)/20%

CA. 2010 Pre-Emissions Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicle's highway performance and towing capabilities. **\$7835.00**

CA. 2010 Post-Emissions Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicle's highway performance and towing capabilities. **\$8745.00**

CD. Engine: minimum of a 414 CID/V8 with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities. \$695.00

DL. Daytime Running Lights

\$45.00

LS. Differential: limited slip, ratio as recommended by manufacturer for maximum use of cargo carrier selected. \$350.00

PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel. \$385.00

TO. Without air conditioning

(deduct) <\$800.00>

AWARD NO: SP-10-0001 PAGE 38

ITEM 34: Type PRA- One (1) Ton Truck Long Chassis Dual Rear Wheels Chassis/Cab w/out bed.

Minimum of 59" Cab to Axle AASIS MATERIAL #10011644

ADDENDUM 28 STANDARD SPECIFICATIONS; PAGE 104

VENDOR: LANDERS FORD

MFG AND MODEL: FORD F350 \$18,155.00

ENGINE & CYLINDER SIZE: 5.4L/V8

City & Highway MPG estimates: NA

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE NA

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

AO. Four Wheel Drive (4x4) to include Oil Pressure Gauge, Automatic Locking Hubs, and Suspension type recommended by manufacturer for vehicle as equipped and with standard equipment. **\$3100.00**

BD. Up to 20% Bio Diesel under OEM Warranty Included in Post Emissions (option CA)/20%

CA. 2010 Pre-Emissions Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicle's highway performance and towing capabilities. **\$7485.00**

CA. 2010 Post-Emissions Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicle's highway performance and towing capabilities. **\$9650.00**

CD. Engine: minimum of a 414 CID/V8 with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities \$350.00

DL. Daytime Running Lights \$45.00

LS. Differential: limited slip, ratio as recommended by manufacturer for maximum use of cargo carrier selected. \$350.00

PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel. \$385.00

TO. Without Air Conditioning (deduct) <\$800.00>

ZP. Transmission: Four (4) Speed Automatic \$1490.00

AWARD NO: SP-10-0001 PAGE 39

ITEM 35: Type PRB- One (1) Ton Truck (Long Chassis) Dual Rear Wheels, Crew/Quad Cab Chassis/Cab w/out bed. Minimum of 60" Cab to Axle

AASIS MATERIAL #10011645

ADDENDUM 29 STANDARD SPECIFICATIONS: PAGE 105

VENDOR: LANDERS FORD

MFG AND MODEL: FORD F350 \$22,207.00

ENGINE & CYLINDER SIZE: 5.4L/V8

City & Highway MPG estimates: NA

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE?

Approximate delivery **90** days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

AO. Four Wheel Drive (4x4) to include Oil Pressure Gauge, Automatic Locking Hubs, and Suspension type recommended by manufacturer for vehicle as equipped and with standard equipment. **\$3330.00**

BD. Up to 20% Bio Diesel under OEM Warranty Included in Post Emissions (option CA)/20%

CA. 2010 Pre-Emissions Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicle's highway performance and towing capabilities. **\$7485.00**

CA. 2010 Post-Emissions Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicle's highway performance and towing capabilities. **\$8395.00**

CD. Engine: minimum of a 414 CID/V8 with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities. \$350.00

DL. Daytime Running Lights

\$45.00

LS. Differential: limited slip, ratio as recommended by manufacturer for maximum use of cargo carrier selected. \$350.00

PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel. \$385.00

TO. Without air conditioning

(deduct) <\$800.00>

AWARD NO: SP-10-0001 PAGE 40

VANS, CARRYALLS, COMPACT UTILITY AND CROSSOVERS

ITEM 36: Type VAA - Full Size One-Half (1/2) Ton Utility Van, 8-cylinder

AASIS MATERIAL #10011646

ADDENDUM 1 STANDARD SPECIFICATIONS; PAGE 108

VENDOR: LANDERS FORD

MFG AND MODEL: FORD E150 \$16,422.00

ENGINE AND CYLINDER SIZE: 4.6L/V8

City & Highway MPG estimates: 14 City/19 Hwy/16 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE YES

ENGINE/CYLINDER SIZE: 5.4L/V8 \$17,397.00

FFV City & Highway MPG estimates: 14 City/20 Hwy17 Combined

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

DO. Glass: side and rear cargo door(s); delete for credit (deduct) <\$75.00>

FI. Insulation: top, including full length headliner; sides, including trim panels, trim items may be dealer

installed if equivalent in quality to standard type offered by manufacturer. \$185.00

DL. Daytime Running Lights \$45.00

LS. Differential: limited slip, ratio as recommended by manufacturer. \$270.00

PO. Automatic Speed Control (may be dealer installed but of same mfg. as vehicle) \$240.00

RA. Auxiliary rear air unit, rear heating, factory installed \$825.00

TO. Without Air Conditioning (deduct) <\$100.00>

AWARD NO: SP-10-0001 PAGE 41

ITEM 37: TYPE VAB - Full Size Three-Quarter (3/4) Ton Utility Van, 8-cylinder

AASIS MATERIAL #10125671

ADDENDUM 2 STANDARD SPECIFICATIONS; PAGE 109

VENDOR: LANDERS FORD

MFG AND MODEL: FORD E250 \$15,592.00

ENGINE AND CYLINDER SIZE: 4.6L/V8

City & Highway MPG estimates: NA

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE YES

ENGINE/CYLINDER SIZE: 5.4L/V8 \$16,567.00

FFV City & Highway MPG estimates: NA

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

DO. Glass: side and rear cargo door(s); delete for credit (deduct) <\$75.00>

DL. Daytime Running Lights 45.00

FI. Insulation: top, including full length headliner; sides, including trim panels, trim items may be dealer

installed if equivalent in quality to standard type offered by manufacturer. 185.00

LS. Differential: limited slip, ratio as recommended by manufacturer. \$270.00

PO. Automatic Speed Control (may be dealer installed but of same mfg. as vehicle) \$240.00

RA. Auxiliary Rear Air Unit, Rear Heating: factory installed \$825.00

TO. Without Air Conditioning (deduct) <\$100.00>

AWARD NO: SP-10-0001 PAGE 42

ITEM 38: TYPE VAC – Full Size One (1) Ton Utility Van, 8-cylinder

AASIS MATERIAL #10125670

ADDENDUM 3 STANDARD SPECIFICATIONS; PAGE 110

VENDOR: BALE CHEVROLET

MFG AND MODEL: FFV CHEVROLET EXPRESS (CG33405) \$18,562.00

ENGINE AND CYLINDER SIZE: 4.8L/V8/294 CID

City & Highway MPG estimates: NA

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE STANDARD

Approximate delivery **90** days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.585/mile/vehicle

OPTIONS:

DO. Glass: side and rear cargo door(s); delete for credit (deduct) <\$85.00>

DL. Daytime Running Lights STANDARD

FI. Insulation: top, including full length headliner; sides, including trim panels, trim items may be dealer installed if equivalent in quality to standard type offered by manufacturer. \$1250.00

LS. Differential: limited slip, ratio as recommended by manufacturer. \$325.00

PO. Automatic Speed Control (may be dealer installed but of same mfg. as vehicle) \$395.00

RA. Auxiliary rear air unit, rear heating, factory installed \$860.00

TO. Without Air Conditioning (deduct) <\$158.00>

AWARD NO: SP-10-0001 PAGE 43

ITEM 39: Type VBA - Full Size One-Half (1/2) Ton Eight (8) Passenger Van

AASIS MATERIAL #10011647

ADDENDUM 4 STANDARD SPECIFICATIONS; PAGE 111

VENDOR: LANDERS FORD

MFG AND MODEL:FFV FORD ECONOLINE E150 \$18.537.00

ENGINE AND CYLINDER SIZE: 4.6L/V8

City & Highway MPG estimates: 14 City/19Hwy/16 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE STANDARD

Approximate delivery **90** days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

CB. Gasoline engine: Min. 329 CID/V8 STANDARD

DL. Daytime Running Lights \$45.00

HC. Head-Curtain side impact air bags

LS. Differential: limited slip, ratio as recommended by manufacturer.

UO. Auxiliary, transmission oil cooler.

AWARD NO: SP-10-0001 PAGE 44

ITEM 40: Type VGA – Full-Size Three Quarter (3/4) Ton Eight (8) Passenger Van, 8-cylinder Minimum 127 inch wheel base. One Ton will not be accepted.

AASIS MATERIAL #10011648

ADDENDUM 5 STANDARD SPECIFICATIONS; PAGE 112

VENDOR: BALE CHEVROLET

MFG AND MODEL: FFV CHEVROLET EXPRESS (CG23406) \$20,646.00

ENGINE AND CYLINDER SIZE: 6.0L/V8/366 CID

City & Highway MPG estimates: NA

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE STANDARD

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.585/mile/vehicle

OPTIONS:

CC. Gasoline Engine: minimum of a 325 CID V8 STANDARD

DL. Daytime Running Lights STANDARD

ET. Enhanced Technology Glass (ETG) STANDARD

HC. Head-Curtain side impact air bags STANDARD

HO. Seat (add one additional bench seat in rear of van) \$475.00

LS. Differential: limited slip, ratio as recommended by manufacturer. STABILITRAK

UO. Auxiliary transmission oil cooler STANDARD

AWARD NO: SP-10-0001 PAGE 45

ITEM 41: Type VCA - One (1) Ton Twelve (12) Passenger Van, 8-cylinder

AASIS MATERIAL #10011649

ADDENDUM 6 STANDARD SPECIFICATIONS; PAGE 113

VENDOR: LANDERS FORD

MFG AND MODEL: FORD FFV E350 **\$20,890.00**

ENGINE AND CYLINDER SIZE: 5.4L/V8

City & Highway MPG estimates: NA

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE STANDARD

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

CC. Gasoline Engine: minimum of a 325 CID V8 STANDARD

DL. Daytime Running Lights \$45.00

ET. Enhanced Technology Glass (ETG)

HC. Head-Curtain side impact air bags

LS. Differential: limited slip, ratio as recommended by manufacturer.

UO. Auxiliary transmission and engine oil cooler INCLUDED

AWARD NO: SP-10-0001 PAGE 46

ITEM 42: Type VDA - One (1) Ton Fifteen (15) Passenger Van, 8-cylinder

AASIS MATERIAL #10011650

ADDENDUM 7 STANDARD SPECIFICATIONS; PAGE 114

VENDOR: LANDERS FORD

MFG. AND MODEL: FFV FORD ECONOLINE E350 \$22,535.00

ENGINE AND CYLINDER SIZE: 5.4L/V8

City & Highway MPG estimates: NA

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE STANDARD

Approximate delivery **90** days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

CB. Gasoline Engine: 8-cylinder, a minimum of a 329 CID STANDARD

DL. Daytime Running Lights \$45.00

ET. Enhanced Technology Glass (ETG)

HC. Head-Curtain side impact air bags

LS. Differential: limited slip, ratio as recommended by manufacturer.

UO. Auxiliary Transmission and Engine Oil Cooler STANDARD

WW. Cloth Bench Seats and Carpet \$1140.00

AWARD NO: SP-10-0001 PAGE 47

ITEM 43: Type VEA-Compact Utility Mini-Van, 4-cylinder (Larger van will not be accepted).

AASIS MATERIAL #10011651

ADDENDUM 8 STANDARD SPECIFICATIONS; PAGE 115

VENDOR: BALE CHEVROLET

MFG AND MODEL: FFV CHEVROLET HHR (1AT26) \$15,885.00

ENGINE AND CYLINDER SIZE: 2.2L/4 cylinder

City & Highway MPG estimates: 22 City/30 Hwy/25 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE STANDARD

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.585/mile/vehicle

OPTIONS:

DL. Daytime Running Lights STANDARD

JO. Glass: sides and rear cargo doors with manufacturer standard tinted glass in all windows.

NA

TO. Without air conditioning **NA**

ITEM 44: Type VFA; Seven (7) Passenger Compact Mini-Van, 6-cylinder (larger van will not be accepted).

AASIS MATERIAL #10011652

ADDENDUM 9 STANDARD SPECIFICATIONS; PAGE 116

VENDOR: LANDERS DODGE

MFG AND MODEL: 2010 FFV DODGE CARAVAN \$18,040.00

ENGINE AND CYLINDER SIZE: 3.3L/V6

City & Highway MPG estimates: 17 City/24 Hwy/26 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE STANDARD

Approximate delivery **90** days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

DL. Daytime Running Lights \$40.00

AWARD NO: SP-10-0001 PAGE 48

ITEM 45: Type PHA - Compact Two (2) WD Utility Vehicle, 4-cylinder

AASIS MATERIAL #10011653

ADDENDUM 10 STANDARD SPECIFICATIONS; PAGE 117

VENDOR: BALE CHEVROLET

MFG AND MODEL: FFV CHEVROLET HHR (1AT46) \$15,705.00

ENGINE AND CYLINDER SIZE: 2.2L/4 cylinder

City & Highway MPG estimates: 22 City/30 Hwy/25 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE STANDARD

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.585/mile/vehicle

OPTIONS:

DL. Daytime Running Lights STANDARD

LR. Low Range Transfer Case (for off-road use)

XO. Hitch, Class III, frame attached. Must be dealer or manufacturer installed. Insert bar and ball not included.

AWARD NO: SP-10-0001 PAGE 49

ITEM 46: Type PHB; Compact Four (4) WD Utility Vehicle, 6-cylinder

AASIS MATERIAL #10011654

ADDENDUM 11 STANDARD SPECIFICATIONS; PAGE 118

LANDERS DODGE

MFG AND MODEL: 2010 DODGE NITRO \$18,311.00

ENGINE AND CYLINDER SIZE: 3.7L/V6

City & Highway MPG estimates: 16 City/22 Hwy/19 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE NA

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

DL. Daytime Running Lights \$40.00

KO. Skid Plate \$325.00

LO. Special Purpose/Preferred Equipment Package. Package must also include steel wheels, rear window wiper and rear defroster. **STANDARD**

LR. Low Range Transfer Case (for off-road use)

XO. Hitch, Class III, frame attached. Must be dealer or manufacturer installed. Insert bar and ball not included. **\$575.00**

AWARD NO: SP-10-0001 PAGE 50

ITEM 47: TYPE PHC: Compact AWD Utility Vehicle, 6-cylinder

AASIS MATERIAL #10127092

ADDENDUM 12 STANDARD SPECIFICATIONS; PAGE 119

VENDOR: LANDERS DODGE

MFG AND MODEL: 2010 JEEP LIBERTY \$19,079.00

ENGINE AND CYLINDER SIZE: 3.7L/V6

City & Highway MPG estimates: 15 City/21 Hwy/18 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE NA

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

Options

DL. Daytime Running Lights \$40.00

KO. Skid Plate \$225.00

LO. Special Equipment Package to include steel wheels, rear window wiper and defroster (not a police package).

STANDARD

LR. Low Range Transfer Case (for off-road use) STANDARD

XO. Hitch, Class III, frame attached. Must be dealer or manufacturer installed. Insert bar and ball not included. **\$545.00**

AWARD NO: SP-10-0001 PAGE 51

ITEM 48: TYPE PIA; MIDSIZE 2WD UTILITY VEHICLE, 6-cylinder

AASIS MATERIAL #10127090

ADDENDUM 13 STANDARD SPECIFICATIONS; PAGE 120

VENDOR: LANDERS DODGE

MFG AND MODEL: 2010 DODGE NITRO \$16,834.00

ENGINE AND CYLINDER SIZE: 3.7L/V6

City & Highway MPG estimates: 16 City/22 Hwy/19 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE NA

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

Options:

DL. Daytime Running Lights \$40.00

KO, Skid Plate \$325.00

LO. Special Equipment Package to include steel wheels, rear window wiper and defroster (not a police package).

STANDARD

LR. Low Range Transfer Case (for off-road use)

XO. Hitch, Class III, frame attached, must be dealer or manufacturer installed. Insert bar and ball not included \$575.00

AWARD NO: SP-10-0001 PAGE 52

ITEM 49: TYPE PIB: Midsize 4WD Utility Vehicle, 6-cylinder

AASIS MATERIAL #10127091

ADDENDUM 14 STANDARD SPECIFICATIONS; PAGE 121

VENDOR: LANDERS DODGE

MFG AND MODEL: 2010 DODGE NITRO \$18,311.00

ENGINE AND CYLINDER SIZE: 3.7L/V6

City & Highway MPG estimates: 15 City/21 Hwy/18 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE NA

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

Options:

DL. Daytime Running Lights \$40.00

KO, Skid Plate \$325.00

LO. Special Equipment Package to include steel wheels, rear window wiper and defroster (not a police package).

STANDARD

LR. Low Range Transfer Case (for off-road use)

XO. Hitch, Class III, frame attached, must be dealer or manufacturer installed. Insert bar and ball not included \$575.00

AWARD NO: SP-10-0001 PAGE 53

ITEM 50: TYPE PSA – Full Size (2) Wheel Drive Utility Vehicle, 8-cylinder

AASIS MATERIAL #10011655

ADDENDUM 15 STANDARD SPECIFICATIONS; PAGE 122

VENDOR: LANDERS FORD

MFG AND MODEL: FFV FORD EXPEDITION SSV \$23,905.00

ENGINE AND CYLINDER SIZE: 5.4L/V8

City & Highway MPG estimates: 14 City/20 Hwy/17 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE STANDARD

Approximate delivery **90** days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

DL. Daytime Running Lights \$45.00

HS. Heavy Service package, including heavy duty alternator, battery, suspension, and maximum engine/transmission cooling.

KO. Skid Plate STANDARD

LO. Special Purpose/Preferred Equipment Package: Package must also include steel wheels, rear window wiper and rear defroster.

LR. Low Range Transfer Case (for off-road use)

LS. Limited Slip Rear End NA

XO. Hitch, Class III, frame attached, must be dealer or manufacturer installed. Insert bar and ball not included \$395.00

AWARD NO: SP-10-0001 PAGE 54

ITEM 51: Type PSB; Full Size (4) Wheel Drive Utility Vehicle, 8-cylinder

AASIS MATERIAL #10011656

ADDENDUM 16 STANDARD SPECIFICATIONS; PAGE 123

VENDOR: LANDERS FORD

MFG AND MODEL: FFV FORD EXPEDITION SSV \$28,257.00

ENGINE AND CYLINDER SIZE: 5.4L/V8

City & Highway MPG estimates: 14 City/20 Hwy/17 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE STANDARD

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

DL. Daytime Running Lights \$45.00

HS. Heavy Service package, including heavy duty alternator, battery, suspension, and maximum engine/transmission cooling.

KO. Skid Plate INCLUDED

LO. Special Purpose/Preferred Equipment Package: Package must also include steel wheels, rear window wiper and rear defroster.

LR. Low Range Transfer Case (for off-road use) INCLUDED

LS. Limited Slip Rear End

XO. Hitch, Class III, frame attached, must be dealer or manufacturer installed. Insert bar and ball not included \$395.00

AWARD NO: SP-10-0001 PAGE 55

ITEM 52: TYPE PPV – Two Wheel Drive Special Purpose Utility Vehicle with Police Package

AASIS MATERIAL #10127601

ADDENDUM 17 STANDARD SPECIFICATIONS; PAGE 124-125

VENDOR: BALE CHEVROLET

MFG AND MODEL: FFV CHEVROLET TAHOE PPV (CC10706) \$24.013.00

ENGINE AND CYLINDER SIZE: 5.3L/V8/323 CID

City & Highway MPG estimates: 14 City/20 Hwy/16 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE STANDARD

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.585/mile/vehicle

OPTIONS:

AR. 3.55 limited slip axle ratio

BD. Ballistic Door Panels for driver side only \$1200.00

BP. Ballistic Door Panels for driver and passenger \$2400.00

DL. Daytime Running Lights STANDARD

KO. Skid Plate: Designed to protect front underbody and oil pan. **STANDARD**

IO. Roof reinforcement for light bar installation STD ROOF

MO. Delete Spotlight: Spotlight may be deleted for Credit (deduct)<\$391.00>

OO. Spotlight (additional, to be installed front passenger side). \$391.00

VI. Delete limited-slip rear axle (deduct) <\$250.00>

DV. Delete Vinyl Floor Mats, Front & Rear (deduct) <\$70.00>

WL. Full size spare; tire to match others on vehicle. **STANDARD**

WW. Rear Cloth Seat STANDARD

ZI. Street Appearance Package: Carpeted flooring and carpeted floor mats, side moldings, and deletes spotlight \$290.00

AWARD NO: SP-10-0001 PAGE 56

ITEM 53: Type PMA - Eight (8) Passenger Carryall

AASIS MATERIAL #10011657

ADDENDUM 18 STANDARD SPECIFICATIONS: PAGE 126

VENDOR: LANDERS FORD

MFG AND MODEL: FFV FORD EXPEDITION SSV \$29,135.00

ENGINE AND CYLINDER SIZE: 5.4L/V8

City & Highway MPG estimates: 14 City/20 Hwy/17 Combined

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) AVAILABLE STANDARD

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

AO. Four Wheel Drive (4x4) to include Oil Pressure Gauge, Automatic Locking Hubs, and suspension type recommended by manufacturer for vehicle as equipped and with standard equipment. \$2900.00

DL. Daytime Running Lights \$45.00

LS. Differential: limited slip, ratio as recommended by manufacturer.

NO. Bucket or captain seats with center console. Includes option WW \$2110.00

WO. Factory installed rear air conditioning system. \$1000.00

XO. Hitch, Class III, frame attached, must be dealer or manufacturer installed. Insert bar and ball

not included. A minimum rear axle ratio of 3.31 is required for this option. \$395.00

WW. Cloth 2nd and 3rd row seats, includes carpet. Includes option NO \$2110.00

AWARD NO: SP-10-0001 PAGE 57

HYBRID ELECTRIC/GAS VEHICLES

ITEM 54: TYPE HCS: Four (4) Door, Compact Sedan, 4-cylinders

NO AWARD

ITEM 55: TYPE HMH: Four (4) door, mid-size hatchback sedan, 4-cylinders NO AWARD

ITEM 56: TYPE HMS: Four (4) door, mid-size sedan, 4-cylinders (Hatchback Sedan will not be

accepted)

AASIS MATERIAL #10011657

ADDENDUM 3 STANDARD SPECIFICATIONS; PAGE 129

VENDOR: LANDERS FORD

MFG AND MODEL: FORD FUSION \$25,289.00

ENGINE AND CYLINDER SIZE: 2.5L/I-4

City & Highway MPG estimates: 41 City/36 Hwy/38 Combined

PRODUCTION DATE: IN PRODUCTION

Approximate Delivery after production date: 90 days ARO

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

Warranty, Battery: 8 years/100,000 miles

OPTIONAL EQUIPMENT - Purchaser may choose from the following:

AM. Add Body Side Molding \$60.00

ITEM 57: TYPE HMF: Four (4) door, mid-size sedan, 6-cylinders NO AWARD

AWARD NO: SP-10-0001 PAGE 58

ITEM 58 TYPE HTU: Four (4) door, 5-Passenger SUV, 2WD, 4-cylinders

AASIS MATERIAL #10011657

ADDENDUM 5 STANDARD SPECIFICATIONS; PAGE 130

VENDOR: LANDERS FORD

MFG AND MODEL: FORD ESCAPE \$26,997.00

ENGINE AND CYLINDER SIZE: 2.5L/I-4

City & Highway MPG estimates: 34 City/31 Hwy/32 Combined

PRODUCTION DATE: IN PRODUCTION

Approximate Delivery after production date: 90 days ARO

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

Warranty, Battery: 8 years/100,000 miles

OPTIONAL EQUIPMENT - Purchaser may choose from the following:

AM. Add Body Side Molding \$60.00

DL. Daytime running lamps \$45.00

HB. Engine Block Heater \$35.00

PO. 110-volt power outlet STANDARD

RC. Retractable cargo area cover

AWARD NO: SP-10-0001 PAGE 59

ITEM 59: TYPE HFU: Four (4) door, 5-Passenger SUV, 4WD or AWD, 4-cylinders

AASIS MATERIAL #10011657

ADDENDUM 6 STANDARD SPECIFICATIONS; PAGE 131

VENDOR: LANDERS FORD

MFG AND MODEL: FORD ESCAPE \$28,537.00

ENGINE AND CYLINDER SIZE: 2.5L/I-4

City & Highway MPG estimates: 29 City/27 Hwy/28 Combined

PRODUCTION DATE: IN PRODUCTION

Approximate Delivery after production date: 90 days ARO

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

Warranty, Battery: 8 years/100,000 miles

OPTIONAL EQUIPMENT - Purchaser may choose from the following:

AM. Add Body Side Molding \$60.00

DL. Daytime Running Lamps \$45.00

HB. Engine Block Heater \$35.00

RC. Retractable Cargo Area Cover

AWARD NO: SP-10-0001 PAGE 60

ITEM 60: TYPE HST: Four (4) door, 7-Passenger SUV, 2WD, 6-cylinders

AASIS MATERIAL #10011657

ADDENDUM 7 STANDARD SPECIFICATIONS; PAGE 132

VENDOR: LANDERS CHEVROLET

MFG AND MODEL: 2010 CHEVROLET TAHOE \$43,493.00

ENGINE AND CYLINDER SIZE: 6.0L/V8

City & Highway MPG estimates: 21 City/22 Hwy/21 Combined

PRODUCTION DATE: October 1, 2009

Approximate Delivery after production date: 120 days ARO

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

Warranty, Battery: 8 years/80,000 miles

OPTIONAL EQUIPMENT - Purchaser may choose from the following:

AM. Add Body Side Molding STANDARD

DL. Daytime Running Lamps STANDARD

HB. Engine Block Heater NA

RC. Retractable Cargo Area Cover

AWARD NO: SP-10-0001 PAGE 61

ITEM 61: TYPE HSF: Four (4) door, 7-Passenger SUV, 4WD OR AWD, 6-cylinders

AASIS MATERIAL #10011657

ADDENDUM 8 STANDARD SPECIFICATIONS; PAGE 133

VENDOR: LANDERS CHEVROLET

MFG AND MODEL: 2010 CHEVROLET TAHOE \$46,046.00

ENGINE AND CYLINDER SIZE: 6.0L/V8

City & Highway MPG estimates: 20 City/20 Hwy/20 Combined

PRODUCTION DATE: October 1, 2009

Approximate Delivery after production date: 120 days ARO

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

Warranty, Battery: 8 years/80,000 miles

OPTIONAL EQUIPMENT - Purchaser may choose from the following:

AM. Add Body Side Molding STANDARD

DL. Daytime Running Lamps STANDARD

HB. Engine Block Heater NA

RC. Retractable Cargo Area Cover

AWARD NO: SP-10-0001 PAGE 62

STATE OF ARKANSAS DEPARTMENT OF FINANCE AND ADMINISTRATION OFFICE OF STATE PROCUREMENT

STANDARD SPECIFICATIONS FOR AUTOMOBILES

1. SCOPE AND CLASSIFICATION:

Scope - To set forth the minimum acceptable standards in obtaining automobiles in conjunction with this specification and the requirements of this state.

Classification - Vehicles covered herein shall be of the following types and options as specified in the Contract Award.

TYPE ABA - Four (4) Door Sub-Compact Sedan (not on contract)

TYPE ACA - Four (4) Door Compact Sedan, see addendum 2, page 64

TYPE ADA - Four (4) Door Mid-Size Sedan, see addendum 3, page 65

TYPE AEA - Four (4) Door Large Sedan, see addendum 4, page 66

TYPE SAA - Four (4) Door Compact Hatchback Sedan (not on contract)

TYPE SBA - Four (4) Door Mid-Size Hatchback Sedan (not on contract)

TYPE JAA - Four (4) Door Campus Security Mid-Size or Larger Sedan, see addendum 7, page 67

TYPE KAA - Four (4) Door Mid-Size Police Sedan, see addendum 8, page 68-69

TYPE LAA - Four (4) Door Large Police Sedan, see addendum 9, page 70-71

TYPE MAA - Four (4) Door Mid to Large Size Police Sedan, 6-cylinder, see addendum 10, page 72-73

TYPE MAB – Four (4) Door Mid to Large Size Police Sedan, 8-cylinder, see addendum 11, page 74-75

2. APPLICABLE DOCUMENTS:

Reference to any standard(s), specification(s), amendment(s) and/or test method(s) shall be to the current issue(s) in effect on the date of the Contract Award.

Interior volumes, vehicle size classification, and gasoline mileage shall conform to minimums shown in the latest edition of the Fuel Economy Guide published by the Environmental Protection Agency.

3. REQUIREMENTS:

All vehicles furnished to the State of Arkansas shall be new and delivered as specified in the Contract Award. Vehicles shall be furnished with all interior, exterior trim and appointments listed by the manufacturer in printed specifications and literature as standard equipment. Vehicles shall also be equipped with any and all safety equipment required by the State of Arkansas and/or applicable Federal Regulations. Any upgrades and/or additional equipment necessitated by selection of any listed option by the ordering entity shall be included in the prices bid, and no additional charge shall be made by the vendor.

AWARD NO: SP-10-0001 PAGE 63

<u>Warranty</u> - From date of delivery, each vehicle shall be accompanied by a warranty for a minimum of thirty six (36) months or thirty six thousand (36,000) miles, whichever comes first. Warranty shall certify that the vehicle is of good material and workmanship and that the replacement of any part or parts that fail under normal use within the designated period, free of negligence or accident, will be promptly repaired or replaced at NO cost to the agency, institution, or other public body that purchased the vehicle.

<u>Specific Requirements</u> - See addenda 1 through 11 for specific requirements appropriate to each type of vehicle listed herein.

4. SAMPLING, INSPECTION AND TEST PROCEDURES:

- 4.1 Responsibility for Inspection Unless otherwise specified, the successful contractor will be responsible for performing all inspections required herein. The Office of State Procurement reserves the right to make any and all inspections deemed necessary to insure compliance with this specification.
- 4.2 Samples After bid results are tabulated, the Office of State Procurement reserves the right to require samples of selected vehicles be made available for inspection and evaluation as required in the IFB.

5. PREPARATION FOR DELIVERY:

Each vehicle shall be completely serviced, cleaned, and thoroughly inspected by the successful contractor just prior to delivery to the purchasing entity. No dealer advertisement shall be on any vehicle purchased by the State of Arkansas.

PREDELIVERY REQUIREMENTS:

- a. Complete lubrication.
- b. Fill crankcase with oil.
- c. Adjustment of engine to proper operating conditions.
- d. Inflate tires to proper pressure.
- e. Careful check to assure perfect operation of all mechanical features.
- f. Front end alignment and wheels balanced.
- g. Cleaning of vehicle, if necessary, and removal of all unnecessary tags, stickers, papers, etc. Window price sticker shall not be removed.
- h. No dealer's insignia shall be affixed to vehicle.
- i. A minimum five gallons of fuel in each vehicle.
- j. Delivery shall be during normal working hours, 8 A.M. to 4 P.M., Monday through Friday.
- k. License plate holders installed, front and rear.

AWARD NO: SP-10-0001 PAGE 64

ADDENDUM 2: TYPE ACA- Four (4) Door Compact Sedan

A. SIZE CLASSIFICATION: Vehicle shall be classified in the latest edition of the U.S. Environmental Protection Agency's Fuel Economy Guide as either a compact or larger sedan.

- B. STANDARD EQUIPMENT: Each vehicle shall be equipped with the following:
 - a. Air Conditioning: factory installed and manufacturer standard tinted glass in all windows.
 - b. Alternator: type recommended by manufacturer for vehicle as equipped.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Automatic Speed Control with tilt steering wheel (may be dealer installed but of same manufacturer as vehicle).
 - e. Automatic Transmission: minimum of three (3) forward Speeds and one (1) reverse.
 - f. Battery: maintenance free, and type recommended by manufacturer for vehicle as equipped.
 - g. Cooling System: Heavy duty, including heavy duty radiator, heavy duty fan, and factory installed coolant recovery system.
 - h. Doors: minimum of four (4) side doors. Body side molding shall be included.
 - i. Engine: a gasoline fueled engine of the type recommended by manufacturer for vehicle as equipped.
 - j. Floor Mats: individual front and rear, color to coincide with interior.
 - k. Inside Hood Latch Control.
 - I. License Plate Brackets: front and rear.
 - m. Operator's Manual.
 - n. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - o. Power Windows and Door Locks: factory installed.
 - p. Power Brakes: factory installed.
 - q. Power Steering: factory installed.
 - r. Radio: factory installed in dash AM/FM.
 - s. Rear Seat: manufacturer's standard type for vehicle.
 - t. Suspension: Type recommended by manufacturer for vehicle as equipped.
 - u. Tires: four (4) radial, tubeless, tires of the size and load range recommend by vehicle manufacturer for automobile as equipped and one (1) mounted spare tire with wheel, either "space saver" or full size.
 - v. Upholstery: manufacturer's standard materials and colors to coincide with exterior color chosen.
- C. OPTIONAL EQUIPMENT: Purchaser may choose from the following:
 - DL. Daytime Running Lights

AWARD NO: SP-10-0001 PAGE 65

ADDENDUM 3: TYPE ADA- Four (4) Door Mid-Size Sedan

A. SIZE CLASSIFICATION: Vehicle shall be classified in the latest edition of the U.S. Environmental Protection Agency's Fuel Economy Guide as either a mid-size or larger sedan.

- B. STANDARD EQUIPMENT: Each vehicle shall be equipped with the following:
 - a. Air Conditioning: factory installed and manufacturer standard tinted glass in all windows.
 - b. Alternator: type recommended by manufacturer for vehicle as equipped.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Automatic Speed Control (may be dealer installed but of same manufacturer as vehicle) and tilt steering wheel.
 - e. Automatic Transmission: minimum of three (3) forward Speeds and one (1) reverse.
 - f. Battery: maintenance free, and type recommended by manufacturer for vehicle as equipped.
 - g. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - h. Doors: minimum of four (4) side doors. Body side molding shall be included.
 - i. Engine: a gasoline fueled engine of the type recommended by manufacturer for vehicle as equipped.
 - j. Floor Mats: individual front and rear, color to coincide with interior.
 - k. Inside Hood Latch Control.
 - I. License Plate Brackets: front and rear.
 - m. Operator's Manual.
 - n. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - o. Power Windows and Door Locks: factory installed.
 - p. Power Brakes: factory installed.
 - q. Power Steering: factory installed.
 - r. Radio: factory installed in dash AM/FM.
 - s. Rear Seat: manufacturer's standard type for vehicle.
 - t. Suspension: Type recommended by manufacturer for vehicle as equipped.
 - u. Tires: four (4) radial, tubeless, tires of the size and load range recommended by vehicle manufacturer for automobile as equipped and one (1) mounted spare tire with wheel, either "space saver" or full size.
 - v. Upholstery: manufacturer's standard materials and colors to coincide with exterior color chosen.
- C. OPTIONAL EQUIPMENT: Purchaser may choose from the following:
 - DL. Daytime Running Lights

AWARD NO: SP-10-0001 PAGE 66

ADDENDUM 4: TYPE AEA: Four (4) Door Large Sedan

A. SIZE CLASSIFICATION: Vehicle shall be classified in the latest edition of the U.S. Environmental Protection Agency's Fuel Economy Guide as a large sedan.

- B. STANDARD EQUIPMENT: Each vehicle shall be equipped with the following:
 - a. Air Conditioning: factory installed and manufacturer standard tinted glass in all windows.
 - b. Alternator: type recommended by manufacturer for vehicle as equipped.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Automatic Speed Control (may be dealer installed but of same manufacturer as vehicle) and tilt steering wheel.
 - e. Automatic Transmission: minimum of three (3) forward Speeds and one (1) reverse.
 - f. Battery: maintenance free, and type recommended by manufacturer for vehicle as equipped.
 - g. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - h. Doors: minimum of four (4) side doors. Body side molding shall be included.
 - i. Engine: a gasoline fueled engine of the type recommended by manufacturer for vehicle as equipped.
 - j. Floor Mats: individual front and rear, color to coincide with interior.
 - k. Inside Hood Latch Control.
 - I. License Plate Brackets: front and rear.
 - m. Operator's Manual.
 - n. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - o. Power Windows and Door Locks: factory installed.
 - p. Power Brakes: factory installed.
 - q. Power Steering, factory installed.
 - r. Radio: factory installed in dash AM/FM.
 - s. Rear Seat: manufacturer's standard type for vehicle.
 - t. Suspension: Type recommended by manufacturer for vehicle as equipped.
 - u. Tires: four (4) radial, tubeless, tires of the size and load range recommended by vehicle manufacturer for automobile as equipped and one (1) spare tire with wheel, either "space saver" or full size.
 - v. Upholstery: manufacturer's standard materials and colors to coincide with exterior color chosen.
- C. OPTIONAL EQUIPMENT: Purchaser may choose from the following:
 - DL. Daytime Running Lights

AWARD NO: SP-10-0001 PAGE 67

ADDENDUM 7: TYPE JAA: Four (4) Door Campus Security Mid-Size or Larger Sedan

A. SIZE CLASSIFICATION: Vehicle shall be classified in the latest edition of the U.S. Environmental Protection Agency's Fuel Economy Guide as a midsize or larger car. Vehicle shall have no less than 95 or no more than 105 cubic feet of interior volume.

- B. STANDARD EQUIPMENT: Each vehicle shall be equipped with the following:
 - a. Air Conditioning: factory installed and manufacturer standard tinted glass in all windows.
 - b. Alternator: heavy duty minimum of 100 amperes.
 - c. Anti-Freeze: serviced to -29°1/2C (-20°F) or lower.
 - d. Automatic Speed Control (may be dealer installed, but of same manufacturer as vehicle) and tilt steering wheel.
 - e. Automatic Transmission: minimum of three (3) forward Speeds and one (1) reverse.
 - f. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - g. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery.
 - h. Defroster (rear window).
 - i. Disconnect Door Courtesy Light Switches.
 - j. Engine: a gasoline fueled 6-cylinder engine of the type recommended by the manufacturer for the vehicle as equipped.
 - k. Floor Mats: individual front and rear, color to coincide with interior.
 - I. Inside Hood Latch Control.
 - m. License Plate Brackets: front and rear.
 - n. Operator's Manual.
 - o. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by the ordering entity.
 - p. Power Windows and Door Locks: factory installed.
 - q. Power Brakes: factory installed and compatible with vehicle as equipped.
 - r. Power Steering: factory installed.
 - s. Protective Body Side Molding: factory installed.
 - t. Radio: factory installed in dash AM/FM.
 - u. Radio Suppression: radio frequency interference suppression measures and devices shall be incorporated into the vehicle so that interference generated does not exceed the limits established in SAE standard J-55, entitled "Measurement of Vehicle Radio Interference" (30 to 40 megacycles).
 - v. Seats: bench and/or bucket types as recommended by manufacturer.
 - w. Suspension: type recommended by manufacturer for vehicle as equipped.
 - x. Tires: four (4) radial, tubeless, tires of the size and load range recommended by vehicle manufacturer for automobile as equipped and one (1) spare tire with wheel, either "space saver" or full size.
 - y. Upholstery: manufacturer's standard materials and colors to coincide with exterior color chosen.
 - z. Wheels: type recommended by manufacturer for vehicle as equipped.
- C. OPTIONAL EQUIPMENT: Purchaser may choose from the following:
 - DL. Daytime Running Lights

AWARD NO: SP-10-0001 PAGE 68

ADDENDUM 8: TYPE KAA: Four (4) Door Mid-Size Police Sedan, (Chevrolet Impala 9C1 no substitutes)

- A. SIZE CLASSIFICATION: Vehicle shall have no more than 105 cubic feet of passenger interior space volume and a minimum of eleven (11) cubic feet of trunk/cargo volume. Interior volumes are the ones shown as mid-size sedans in the latest Fuel Economy Guide published by the Environmental Protection Agency.
- B. STANDARD EQUIPMENT: Each vehicle shall be equipped with the following:
 - a. Air Conditioning: factory installed and manufacturer standard tinted glass in all windows; tint may be dealer installed but of same manufacturer as vehicle.
 - b. Alternator: heavy-duty, minimum of 100 amperes.
 - c. Anti-Freeze: serviced to -29°C (-20°F) or lower.
 - d. Automatic Speed Control (may be dealer installed, but of same manufacturer as vehicle) and tilt steering wheel.
 - e. Automatic Transmission: minimum of three (3) forward Speeds and one (1) reverse.
 - f. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - g. Brakes: ABS type brake system.
 - h. Cooling System: heavy-duty, including heavy-duty extra capacity radiator, heavy-duty temperature controlled fan, and factory installed coolant recovery system.
 - i. Defroster (rear window).
 - j. Disconnect Door Courtesy Light Switches.
 - k. Drive Axle: manufacturer to select axle ratio which will provide the best overall performance and the heaviest duty available.
 - I. Electric Controlled Door Locks.
 - m. Engine: suitable for police pursuit work and capable of accelerating from 0 to 60 mph in a maximum of 14.5 seconds with a minimum top Speed of 105 mph as shown in the latest Michigan Police Vehicle Test. Engine shall be equipped with dual exhaust (or single if large enough for proper elimination of pressure) and external engine oil cooler.
 - n. Engine Compartment Light.
 - o. Floor Mats: cloth, individual front and rear, color to coincide with interior.
 - p. Glove Box Light.
 - g. Heater: integral fresh air heater and defroster.
 - r. Horns: dual.
 - s. Inside Hood Latch Control.
 - t. License Plate Brackets: front and rear.
 - u. Lights, Interior: standard dome light with map or reading lights, extra dome and reading light in center of windshield header.
 - v. Locks, Door: single key locking system for each car. Three (3) keys per vehicle.
 - w. Mirrors, Rear View: remote control both sides. Non-glare day-night inside.
 - x. Operator's Manual.
 - y. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by the ordering entity.
 - z. Police Package: including all features listed in the manufacturer's printed specifications and literature part of their police equipment package.

AWARD NO: SP-10-0001 PAGE 69

continue

ADDENDUM 8: TYPE KAA: Four (4) Door Mid-Size Police Sedan, (Chevrolet Impala 9C1 no substitutes)

- aa. Power Windows and Door Locks: factory installed.
- bb. Power Steering: firm feel power assisted steering gear and linkage.
- cc. Protective Body Side Molding; factory installed
- dd. Quiet sound group (special noise deadening insulation).
- ee. Radio: factory installed in dash AM/FM.
- ff. Radio Suppression: radio frequency interference suppression measures and devices shall be incorporated into the vehicle so that interference generated does not exceed the limits established in SAE standard J55, entitled "Measurement of Vehicle Radio Interference (30 to 40 megacycles)".
- gg. Remote deck lid release, control on driver's side.
- hh. Seats: Front; Bucket or Bench type recommended by manufacturer for vehicle as equipped, **Rear; Bench.**
- ii. Speedometer: 0 to 120 mph, certified calibrated within two (2) MPH. Allowable instrument error to be <u>+</u> one (1) mph at all Speeds between 10 and 100 mph.
- jj. Spotlight: factory installed, left side. not less than 5 inches with aircraft or halogen bulb. kk. Suspension: maximum handling package designed to limit body roll, allow flat cornering, limit drive on severe braking, limit squat on fast acceleration, and to provide optimum handling. Package should include, at a minimum, extra control front and rear shock absorbers, extra heavy duty frame or frame member reinforcement on unit frame, and front and rear stabilizer bars.
- II. Tires: Pursuit Radial, tubeless type, fabric body and belts. Tires of the size and load range recommended by vehicle manufacturer for automobile as equipped. Tires must be certified by both the tire and auto manufacturer for police use to 120 mph sustained.
- mm. Wheels: heavy duty, 15 inch diameter.
- nn. Windshield wipers: intermittent type.
- oo. Upholstery: cloth front and vinyl rear, police duty, color to coordinate with exterior color. Dark colors and black unacceptable due to heat build-up. Includes carpet.
- C. OPTIONAL EQUIPMENT: Purchaser may select the following:
 - DL. Daytime Running Lights
 - MO. Delete Spotlight: spotlight may be deleted for credit.
 - SM. Delete Body Side Molding
 - VM. Vinyl Floor Mats, Front & Rear
 - WO. Full size wheel covers, all four wheels.
 - WI. Unmarked Police Package: **Front and Rear Cloth Seats,** full wheel covers, bench seats, carpeted floor, regular outside trim (also deletes spotlight)
 - WL. Full sized spare with tire to match others on vehicle.

AWARD NO: SP-10-0001 PAGE 70

ADDENDUM 9: TYPE LAA: Four (4) Door Large Police Pursuit Sedan, (Ford Crown Victoria no substitutes)

A. SIZE CLASSIFICATION: Vehicle shall have a minimum of 110 cubic feet of passenger interior space volume and a minimum of 20 cubic feet of trunk/cargo volume. Interior volumes are the ones shown as large sedans in the latest Fuel Economy Guide published by the Environmental Protection Agency.

- B. STANDARD EQUIPMENT: Each vehicle shall be equipped with the following:
 - a. Air Conditioning: factory installed and manufacturer standard tinted glass in all windows; tint may be dealer installed but of same manufacturer as vehicle.
 - b. Alternator: heavy duty, minimum of 100 amperes.
 - c. Anti-Freeze: serviced to -29°C (-20°F) or lower.
 - d. Automatic Speed Control (may be dealer installed, but of same manufacturer as vehicle) and tilt steering wheel.
 - e. Automatic Transmission: minimum of three (3) forward Speeds and one (1) reverse.
 - f. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - g. Brakes: ABS type brake system and **limited slip** rear axle.
 - h. Cooling System: heavy-duty, including heavy-duty extra capacity radiator, heavy-duty temperature controlled fan, and factory installed coolant recovery system.
 - i. Disconnect Door Courtesy Light Switches.
 - j. Drive Axle: 3.27 axle ratio to provide the best overall performance and the heaviest duty available.
 - k. Electric Controlled Door Locks: Operable from the front only; inoperable from the rear.
 - I. Engine: suitable for police pursuit work and capable of accelerating from 0 to 60 mph in a maximum of 14.5 seconds with a minimum top Speed of 105 mph as shown in the latest Michigan Police Vehicle Test. Engine shall be 210 h.p. or larger equipped with dual exhaust (or single if large enough for proper elimination of pressure) and factory installed engine oil cooler.
 - m. Floor Mats: cloth, individual front and rear, color to coincide with interior
 - n. Glove Box Light.
 - o. Heater: integral fresh air heater and defroster.
 - p. Horns, dual.
 - q. Inside Hood Latch Control.
 - r. License Plate Brackets: front and rear.
 - s. Lights, Warning: oil pressure and coolant temperature.
 - t. Locks, Door: single key locking system for each car with three keys per vehicle.
 - u. Mirrors: rear-view with remote control, both sides. Non-glare, day-night inside.
 - v. Operator's Manual.
 - w. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by the ordering entity.
 - x. Police Package: including all features listed in manufacturer's printed specifications and literature part of police equipment package.
 - y. Power Windows and Door Locks: factory installed. **Operable from the front only; inoperable from the rear.**
 - z. Power Steering: firm feel power assisted steering gear with linkage & external oil cooler.

AWARD NO: SP-10-0001 PAGE 71

continue

ADDENDUM 9: TYPE LAA: Four (4) Door Large Police Pursuit Sedan, (Ford Crown Victoria no substitutes)

- aa. Protective Body Side Molding: factory installed
- bb. Quiet sound group (special noise deadening insulation).
- cc. Radio: factory installed in dash AM/FM.
- dd. Radio Suppression: radio frequency interference suppression measures and devices should be incorporated into the vehicle so that generated interference does not exceed the limits established in SAE standard J55, entitled "Measurement of Vehicle Radio Interference" (30 to 40 megacycles).
- ee. Rear Window Defrost.
- ff. Remote deck lid release, control on driver's side.
- gg. Seats: Front; cloth bucket, Rear; vinyl bench. Police-duty.
- hh. Speedometer: 0 to 120 mph, certified calibrated within two (2) mph. Allowable instrument error to be \pm one (1) mph at all Speeds between 10 and 100 mph.
- ii. Spotlight: factory installed, left side, not less than 5 inches with aircraft or halogen bulb.
- jj. Suspension: maximum handling package designed to limit body roll, allow flat cornering, limit drive on severe braking, limit squat on fast acceleration, and to provide optimum handling. Package should include, at a minimum, extra control front and rear shock absorbers, extra heavy duty frame or frame member reinforcement on unit frame, with front and rear stabilizer bars.
- kk. Tires: P225 60 V/R x 17 tubeless, fabric body and belts. Pursuit radial tires must be certified by both the tire and auto manufacturer for police use to 120 mph sustained.
- II. Wheels: heavy duty, 16 inch diameter with metal, full wheel covers.
- mm. Windshield Wipers: intermittent type.
- nn. Upholstery: color to coordinate with exterior color. Dark colors and black unacceptable due to heat build-up.
- C. OPTIONAL EQUIPMENT: Purchaser may select the following:
 - AR. 3.55 limited slip axle ratio
 - BD. Ballistic Door Panels for driver
 - BP Ballistic Door Panels for driver and passenger
 - DL. Daytime Running Lights
 - IO. Roof reinforcement for light bar installation.
 - MO. Delete spotlight: spotlight may be deleted for credit.
 - OO. Spotlight (additional, to be installed front passenger side).
 - VI. Delete **limited-slip** rear axle.
 - VM. Vinyl Floor Mats, Front & Rear
 - WL. Full sized spare with tire to match others on vehicle.
 - WW. Rear Cloth Seat
 - ZI. Street Appearance Package: **Front and Rear Cloth Seats**, Chrome grill, side moldings, change police engine markings

AWARD NO: SP-10-0001 PAGE 72

ADDENDUM 10: TYPE MAA: Four (4) Door Mid to Large Police Pursuit Sedan, 3.5L/V6 (Dodge Charger no substitutes)

- A. SIZE CLASSIFICATION: Vehicle shall have no more than 103 cubic feet of passenger interior space volume and a minimum of 15 cubic feet of trunk/cargo volume. Interior volumes are the ones shown as mid-size sedans in the latest Fuel Economy Guide published by the Environmental Protection Agency.
- B. STANDARD EQUIPMENT: Each vehicle shall be equipped with the following:
 - a. Air Conditioning: Manual, factory installed and manufacturer standard tinted glass in all windows, tint may be dealer installed but of same manufacturer as vehicle.
 - b. Alternator: high-output, minimum of 160 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Automatic Speed Control with tilt steering wheel (may be dealer installed, but of same manufacturer as vehicle).
 - e. Automatic Transmission: Five-Speed with overdrive.
 - f. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - g. Brakes: ABS type brake system and anti-slip rear axle.
 - h. Cooling System: Severe-duty including heavy duty extra capacity radiator, heavy duty temperature controlled fan, and factory installed coolant recovery system.
 - i. **Dome Lamp**: 12V LED/Incandescent.
 - j. Drive Axle: manufacturer to select axle ratio which will provide the best overall performance and the heaviest duty available.
 - k Electric Controlled Door Locks: Operable from the front only; inoperable from the rear.
 - I. Engine: 3.5-liter V 6 engine with 250 hp @ 6,400 rpm and 250 lb-ft of torque @ 3,800 rpm. Suitable for police pursuit work and capable of accelerating from 0 to 60 mph in a maximum of 14.5 seconds with a minimum top Speed of 105 mph as shown in the latest Michigan Police Vehicle Test. Engine shall be 250 horsepower or larger equipped with dual exhaust (or single if larger enough for proper elimination of pressure) and factory installed engine oil cooler.
 - m. Engine Compartment Light
 - n. External Oil Coolers: engine oil, transmission fluid, power steering fluid.
 - o. Floor Mats: cloth, individual front and rear, color to coincide with interior.
 - p. Gauge Package: Warning lamps for low oil pressure, charging system, low fuel and coolant temperature
 - q. Glove Box Light.
 - r. Heater and Defroster
 - s. Horns: Dual
 - t. Inside Hood Latch Control
 - u. License Plate Brackets: front and rear
 - v. Locks, Door: single key locking system for each car with three keys per vehicle. Separate key and key fob.
 - w. Mirrors, Rearview: with remote control both sides. None-glare, day-night inside.
 - x. Operator's Manual
 - y. Under Hood Lamp
 - z. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by the ordering entity.

AWARD NO: SP-10-0001 PAGE 73

continue

ADDENDUM 10: TYPE MAA: Four (4) Door Mid to Large Police Pursuit Sedan, 3.5L/V6 (Dodge Charger no substitutes)

aa. Police Package: including all features listed in manufacturer's printed specifications and literature part of police equipment package.

bb. Power Window and Door Lock: factory installed, Operable from the front only;

inoperable from the rear. DEACTIVATE REAR DOORS/WINDOWS

- cc. Power Steering: factory installed
- dd. Protective Body Side Molding: factory installed
- ee. Quit sound group (special noise deadening insulation).
- ff. Radio: factory installed in dash AM/FM
- gg. Radio Suppression: radio frequency interference suppression measures and devices should be incorporated into the vehicle so that generated interference does not exceed the limits established in SAE standard J55, entitled "Measurement of Vehicle Radio Interference" (30 to 40 megacycles). hh. Rear Window Defrost.
- ii. Remote deck lid release, control on driver's side.

jj. Roof Reinforcement for light bar installation.

- kk. Seats: bucket front and rear bench
- II. Speedometer: 160-mph or 260-km/h (certified) calibrated Speedometer. Allowable instrument error to be + one (1) mph at all Speeds between 10 and 100 mph.
- mm. Spotlight: factory installed, left side, not less than five (5) inches with aircraft or halogen bulb. nn. Suspension: Four-wheel independent performance suspension. Maximum handling package designed to limit body roll, allow flat cornering, limit dive on severe braking, limit squat on fast acceleration, and to provide optimum handling. Package should include, at a minimum, extra control front and rear shock absorbers, extra heavy duty frame or frame member reinforcement on unit frame, with front and rear stabilizer bars.
- oo. Tires: P225/60R18 BSW V-rated performance tires, pursuit radial. Tires must be certified by both the tire and auto manufacturer for police use to 120 mph sustained.
- pp. Wheels: heavy-duty, 18x7.5-inch steel wheels, full-size wheel covers for all wheels.
- qq. Windshield Wipers: intermittent type.
- rr. Upholstery: Heavy-duty, police duty, cloth front bucket seats and rear fixed vinyl bench seat. Color to coordinate with exterior color. Dark colors and black unacceptable due to heat build-up.

C. OPTIONAL EQUIPMENT: Purchaser may select the following:

- BD. Ballistic Door Panels for driver
- BP Ballistic Door Panels for driver and passenger
- CL. Disconnect dome lamp door courtesy light switches.
- DL. Daytime Running Lights
- MO. Delete Spotlight: Spotlight may be deleted for Credit
- OO. Spotlight (additional, to be installed front passenger side).
- VM. Vinyl Floor Mats, Front & Rear
- WL. Full sized spare with tire to match others on vehicle.
- WW. Rear Cloth Seat
- ZI. Street Appearance Package: **Front and Rear Cloth Seats**, Chrome grill, side moldings, full-size wheel covers, change police engine markings. (Also deletes spotlight)

AWARD NO: SP-10-0001 PAGE 74

ADDENDUM 11 TYPE MAB: Four (4) Door, Mid to Large Police Pursuit Sedan, 5.7L/V8 Hemi (Dodge Charger no substitutes)

- A. SIZE CLASSIFICATION: Vehicle shall have no more than 103 cubic feet of passenger interior space volume and a minimum of 15 cubic feet of trunk/cargo volume. Interior volumes are the ones shown as mid-size sedans in the latest Fuel Economy Guide published by the Environmental Protection Agency.
- B. STANDARD EQUIPMENT: Each vehicle shall be equipped with the following:
 - a. Air Conditioning: Manual, factory installed and manufacturer standard tinted glass in all windows. Tint may be dealer installed but of same manufacturer as vehicle.
 - b. Alternator: high-output, minimum of 160 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Automatic Speed Control with tilt steering wheel (may be dealer installed, but of same manufacturer as vehicle).
 - e. Automatic Transmission: Five-Speed with overdrive.
 - f. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - g. Brakes: ABS type brake system and anti-slip rear axle.
 - h. Cooling System: Severe-duty including heavy duty extra capacity radiator, heavy duty temperature controlled fan, and factory installed coolant recovery system.
 - i. Dome Lamp: 12V LED/Incandescent.
 - j. Drive Axle: manufacturer to select axle ratio which will provide the best overall performance and the heaviest duty available.
 - k. Electric Controlled Door Locks: Operable from the front only; inoperable from the rear.
 - I. Engine: 5.7 liter V8 Hemi Engine with 355 hp @ 5000 rpm and 395 lb-ft of torque @ 4000 rpm. Suitable for police pursuit work and capable of accelerating from 0 to 60 mph in a maximum of 14.5 seconds with a minimum top Speed of 105 mph as shown in the latest Michigan Police Vehicle Test. Engine shall be 355 horsepower or larger equipped with dual exhaust (or single if larger enough for proper elimination of pressure) and factory installed engine oil cooler.
 - m. Engine Compartment Light
 - n. External Oil Coolers: engine oil, transmission fluid, power steering fluid.
 - o. Floor Mats: cloth, individual front and rear, color to coincide with interior.
 - p. Gauge Package: Warning lamps for low oil pressure, charging system, low fuel and coolant temperature
 - q. Glove Box Light.
 - r. Heater and Defroster
 - s. Horns: Dual
 - t. Inside hood latch control
 - u. License plate brackets: front and rear
 - v. Locks, Door: single key locking system for each car with three keys per vehicle. Separate key and key fob.
 - w. Mirrors, Rearview: with remote control both sides. None-glare, day-night inside.
 - x. Operator's Manual
 - y. Under hood lamp
 - z. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by the ordering entity.

AWARD NO: SP-10-0001 PAGE 75

Continue

ADDENDUM 11 TYPE MAB: Four (4) Door Mid to Large Police Pursuit Sedan, 5.7L/V8 Hemi (Dodge Charger no substitutes)

aa. Police Package: including all features listed in manufacturer's printed specifications and literature part of police equipment package.

bb. Power Window and Door Lock: factory installed, Operable from the front only;

inoperable from the rear. DEACTIVATE REAR DOORS/WINDOWS

- cc. Power Steering: factory installed
- dd. Protective Body Side Molding: factory installed
- ee. Quit sound group (special noise deadening insulation).
- ff. Radio: factory installed in dash AM/FM
- gg. Radio Suppression: radio frequency interference suppression measures and devices should be incorporated into the vehicle so that generated interference does not exceed the limits established in SAE standard J55, entitled "Measurement of Vehicle Radio Interference" (30 to 40 megacycles). hh. Rear Window Defrost.
- ii. Remote deck lid release, control on driver's side.

jj. Roof Reinforcement for light bar installation.

- kk. Seats: bucket front and rear bench
- II. Speedometer: 160-mph or 260-km/h (certified) calibrated Speedometer. Allowable instrument error to be + one (1) mph at all Speeds between 10 and 100 mph.
- mm. Spotlight: factory installed, left side, not less than five (5) inches with aircraft or halogen bulb. nn. Suspension: Four-wheel independent performance suspension. Maximum handling package designed to limit body roll, allow flat cornering, limit dive on severe braking, limit squat on fast acceleration, and to provide optimum handling. Package should include, at a minimum, extra control front and rear shock absorbers, extra heavy duty frame or frame member reinforcement on unit frame, with front and rear stabilizer bars.
- oo. Tires: P225/60R18 BSW V-rated performance tires, pursuit radial. Tires must be certified by both the tire and auto manufacturer for police use to 120 mph sustained.
- pp. Wheels: heavy-duty, 18x7.5-inch steel wheels, full-size wheel covers for all wheels.
- qq. Windshield Wipers: intermittent type.
- rr. Upholstery: Heavy-duty, police duty, cloth front bucket seats and rear fixed vinyl bench seat. Color to coordinate with exterior color. Dark colors and black unacceptable due to heat build-up.

C. OPTIONAL EQUIPMENT: Purchaser may select the following:

- BD. Ballistic Door Panels for driver
- BP Ballistic Door Panels for driver and passenger
- CL. Disconnect dome lamp door courtesy light switches.
- DL. Daytime Running Lights
- MO. Delete Spotlight: Spotlight may be deleted for Credit
- OO. Spotlight (additional, to be installed front passenger side).
- VM. Vinyl Floor Mats, Front & Rear
- WL. Full sized spare with tire to match others on vehicle.
- WW. Rear Cloth Seat
- ZI. Street Appearance Package: **Front and Rear Cloth Seats**, Chrome grill, side moldings, full size wheel covers, change police engine markings. (Also deletes spotlight)

AWARD NO: SP-10-0001 PAGE 76

STATE OF ARKANSAS DEPARTMENT OF FINANCE AND ADMINISTRATION OFFICE OF STATE PROCUREMENT

STANDARD SPECIFICATIONS FOR TRUCKS, ONE (1) TON AND LESS

1. SCOPE AND CLASSIFICATION:

- 1.1 Scope To set forth the minimum acceptable standards in obtaining trucks of (1) one ton or less capacity in conjunction with this specification and the states requirements.
- 1.2 Classification Vehicles covered herein shall be of the following types and options as specified in the Contract Award :

TYPE PAA - Compact Pickup Truck, Short Bed; see addendum 1, page 79

TYPE PAB - Compact Pickup Truck, Extended Cab, Short Bed; see addendum 2, page 80

TYPE PAD – Compact Pickup Truck, 4x4, Extended Cab, Four (4) Doors, Short Bed see addendum 2A, page 81

TYPE PBA - Full Size 1/2 Ton Pickup Truck, 6-Cylinder, Short Bed; see addendum 3, page 82

TYPE PBB - Full Size 1/2 Ton Pickup Truck, 6-Cylinder, Extended Cab, 4 doors see addendum 4, page 83

TYPE PBC - Full Size 1/2 Ton Pickup Truck, 6-Cylinder, Crew or Quad Cab, 4 doors; not on contract

TYPE PCA – Full Size 4x4 1/2 Ton Pickup Truck, 6-Cylinder, Long Bed; see addendum 6, page 84

TYPE PCB – Full Size 4x4 1/2 Ton Pickup Truck, 8-Cylinder, Extended Cab, Long Bed; see addendum 7, page 85

TYPE PCC – Full Size 4x4 1/2 Ton Pickup Truck, 8-Cylinder, **Crew or Quad Cab**, Long Bed; addendum 8, page 86

TYPE PGA - Full Size 1/2 Ton Pickup Truck, 8-Cylinder; see addendum 9, page 87

TYPE PGB - Full Size 1/2 Ton Pickup Truck, 8-Cylinder, Extended Cab, Long Bed; see addendum 10, page 88

TYPE PGC - Full Size 1/2 Ton Pickup Truck, 8-Cylinder, **Crew or Quad Cab**, Long Bed; see addendum 11, page 89

TYPE PGD – Heavy-Duty 1/2 Ton Pickup Truck, 8-Cylinder, Long Bed;

see addendum 12, page 90

TYPE PGE – Heavy-Duty 1/2 Ton Pickup Truck, 8-Cylinder, Extended Cab, Long Bed; see addendum 13, page 91

TYPE PGF - Heavy-Duty 1/2 Ton Pickup Truck, 8-Cylinder, **Crew or Quad Cab**, Long Bed; see addendum 14, page 92

TYPE PJA – Heavy-Duty 3/4 Ton Pickup Truck; see addendum 15, page 93

TYPE PJB – Heavy-Duty 3/4 Ton Pickup Truck, Extended Cab, Long Bed; see addendum 16, page 94

TYPE PJC - (not on contract, same as Type PJB)

TYPE PJD – Heavy-Duty 3/4 Ton Pickup Truck, Crew Cab, Long Bed; see addendum 18, page 95

TYPE PEA - Heavy-Duty 4x4, 3/4 Ton Pickup Truck; see addendum 19, page 96

AWARD NO: SP-10-0001 PAGE 77

TYPE PEB – Heavy- Duty 4x4, 3/4 Ton Pickup Truck, Extended Cab, Long Bed; see addendum 20, page 97

TYPE PEC - (not on contract, same as Type PEB)

TYPE PED – Heavy-Duty 4x4, 3/4 Ton Pickup Truck, Crew Cab, Long Bed; see addendum 22, page 98

TYPE PKA - Full Size One Ton Pickup Truck, Dually; see addendum 23, page 99

TYPE PKB - Full Size One Ton Pickup Truck, Dually, Extended Cab; see addendum 24, page 100

TYPE PKC - Full Size One Ton Pickup Truck, Dually, Crew Cab; see addendum 25, page 101

TYPE PQA - One-Ton Truck Standard Chassis Cab/Chassis Single Rear Wheels; see addendum 26, page 102

TYPE PQB - One-Ton Truck Standard Chassis Cab/Chassis, Single Rear Wheels,

Crew or Quad Cab; see addendum 27, page 103

TYPE PRA - One-Ton Truck Long Chassis Cab/Chassis, Dual Rear Wheels see addendum 28, page 104

TYPE PRB - One-Ton Truck Long Chassis Cab/Chassis, Dual Rear Wheels, **Crew or Quad Cab**; see addendum 29, page 105

NOTE: Obtaining a cargo carrier other than those listed for a Type PQ or PR one-ton truck shall be the responsibility of the purchasing entity as an aftermarket option.

2. APPLICABLE DOCUMENTS:

- 2.1 Reference to any standard(s), specification(s), amendment(s), and/or test method(s) shall be to the current issue(s) in effect on the date of the Contract Award.
- 2.2 Gasoline mileage shall conform to minimums shown in the latest edition of the Fuel Economy Guide published by the Environmental Protection Agency.

3. REQUIREMENTS:

3.1 All vehicles furnished to the State of Arkansas shall be new and delivered as specified within the Contract Award. Vehicles shall be furnished with all interior, exterior trim and appointments listed by the manufacturer in printed specifications and literature as standard equipment. Vehicles shall also be equipped with any and all safety equipment required by the State of Arkansas and/or applicable Federal Regulations. Any upgrades and/or additional equipment necessitated by selection of any listed option by the ordering entity shall be included in the prices bid, and no additional charge shall be made by the vendor.

AWARD NO: SP-10-0001 PAGE 78

- 3.2 <u>Warranty</u> From date of delivery, each vehicle shall be accompanied by a warranty for a minimum of thirty six (36) months or thirty six thousand (36,000) miles, whichever comes first. Warranty shall certify that the vehicle is of good material and workmanship and that the replacement of any part or parts that fail under normal use within the designated period, free of negligence or accident, will be promptly repaired or replaced at NO cost to the agency, institution, or other public body that purchased the vehicle.
- 3.3 <u>Specific Requirements</u> See addenda 1 through 29 for specific requirements appropriate to each type of vehicle listed herein.

4. <u>SAMPLING</u>, <u>INSPECTION</u>, <u>AND TEST PROCEDURES</u>:

- 4.1 Responsibility for inspection Unless otherwise specified, the successful contractor will be responsible for performing all inspections required herein. The Office of State Procurement reserves the right to make any and all inspections deemed necessary to insure compliance with this specification.
- 4.2 Samples after bid results are tabulated, the Office of State Procurement reserves the right to require samples of selected vehicles be made available for inspection and evaluation as required in the IFB.

5. PREPARATION FOR DELIVERY:

Each vehicle shall be completely serviced, cleaned and thoroughly inspected by the successful contractor just prior to delivery to the purchasing entity. No dealer advertisement shall be on any vehicle purchased by the State of Arkansas.

PREDELIVERY REQUIREMENTS:

- a. Complete lubrication.
- b. Fill crankcase with oil.
- c. Adjustment of engine to proper operating conditions.
- d. Inflate tires to proper pressure.
- e. Careful check to assure perfect operation of all mechanical features.
- f. Front end alignment and wheels balanced.
- g. Cleaning of vehicle, if necessary, and removal of all unnecessary tags, stickers, papers, etc. Window price sticker shall not be removed
- h. No dealer's insignia shall be affixed to automobile.
- i. A minimum five gallons of fuel in each vehicle.
- j. Delivery shall be during normal working hours, 8 A.M. 4 P.M. Monday Friday.
- k. License plate holders installed, front and rear.

AWARD NO: SP-10-0001 PAGE 79

<u>Bidders Note</u>: Engines bid in Standard Specification for pickup trucks must work with any option (NO ADDITIONAL COST) listed and if you list any exception for engine, your bid may not be considered.

ADDENDUM 1: TYPE PAA: Compact Pickup Truck, Short Bed

- A. STANDARD EQUIPMENT: Each Short Wide Bed Pickup Truck shall be equipped as follows:
 - a. Air Conditioning: factory installed, and manufacturer standard tinted glass in all windows.
 - b. Alternator: type recommended by manufacturer for truck as equipped.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: Maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy duty step type rear.
 - f. Engine: gasoline engine of manufacturer's standard size for truck as equipped.
 - g. Horsepower/Torque: minimum of 143 hp rating and 154 lb torque
 - h. License Plate Brackets: front and rear.
 - i. Short Wide Pickup Bed.
 - j. Mirrors: two (2) outside, low mount, right and left.
 - k. Operator's Manual.
 - I. Paint: One (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - m. Power Brakes: Factory installed.
 - n. Power Steering.
 - o. Power Windows and Door Locks: factory installed.
 - p. Radio: factory installed in dash AM/FM.
 - g. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - r. Transmission: automatic, with a minimum of three (3) forward Speeds and one (1) reverse.
 - s. Upholstery: manufacturer's standard materials and colors to coincide with exterior color.
- B. OPTIONAL EQUIPMENT: Purchaser may select from the following:
 - AO. Four Wheel Drive (4x4) to include Oil Pressure Gauge, Automatic Locking Hubs, and Suspension type recommended by manufacturer for vehicle as equipped and with standard equipment.
 - DL. Daytime Running Lights
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control with tilt steering wheel (may be dealer installed but shall be from same manufacturer as vehicle).
 - QH. Long Wide Pickup Bed.
 - TO. Without air conditioning.
 - ZO. Transmission: manual, with a minimum of three (3) forward Speeds and one (1) reverse.

AWARD NO: SP-10-0001 PAGE 80

ADDENDUM 2: TYPE PAB: Compact Pickup Truck, Extended Cab, Short Bed

A. STANDARD EQUIPMENT: Each Short Wide Bed Pickup Truck shall be equipped as follows:

- a. Air Conditioning: factory installed, and manufacturer standard tinted glass in all windows.
- b. Alternator: type recommended by manufacturer for truck as equipped.
- c. Antifreeze: serviced to -29°C (-20°F) or lower.
- d. Battery: Maintenance free, type recommended by manufacturer for vehicle as equipped.
- e. Bumpers: standard front, heavy-duty step type rear.
- f. Engine: gasoline engine of manufacturer's standard size for truck as equipped.
- g. Horsepower/Torque: minimum of 143 hp rating and 180 lb torque
- h. License Plate Brackets: front and rear.
- i. Short Wide Pickup Bed.
- j. Mirrors: two (2) outside, low mount, right and left.
- k. Operator's Manual.
- I. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
- m. Power Brakes: Factory installed.
- n. Power Steering.
- o. Power Windows and Door Locks: factory installed.
- p. Radio: factory installed in dash AM/FM.
- q. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
- r. Transmission: automatic, with a minimum of three (3) forward Speeds and one (1) reverse.
- s. Upholstery: manufacturer's standard materials and colors to coincide with exterior color.
- t. Extended Cab
- B. OPTIONAL EQUIPMENT: Purchaser may select from the following:
 - DL. Daytime Running Lights
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel.
 - QH. Long Wide Pickup Bed.
 - TO. Without air conditioning.
 - ZO. Transmission: manual, with a minimum of three (3) forward Speeds and one (1) reverse.

AWARD NO: SP-10-0001 PAGE 81

ADDENDUM 2A: TYPE PAD: Compact Pickup Truck, 4 x 4, Extended Cab, Four (4) Doors, Short Bed

- A. STANDARD EQUIPMENT: Each Short Wide Bed pickup Truck shall be equipped as follows:
 - a. Air Conditioning: factory installed and manufacturer standard tinted glass in all windows.
 - b. Alternator: heavy-duty, minimum of 40 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: gasoline engine of the type recommended by manufacturer for vehicle as equipped.
 - h. Horsepower/Torque: minimum of 200 hp rating and 230 lb torque
 - i. Gauge: oil pressure.
 - j. Hubs: automatic locking.
 - k. Inside Hood Latch Control.
 - I. License Plate Brackets: front and rear.
 - m. Short Wide Pickup Bed.
 - n. Mirrors: two (2) outside, low mount, right and left.
 - o. Operator's Manual.
 - p. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - q. Power Brakes: factory installed.
 - r. Power Steering: factory installed.
 - s. Power Windows and Door Locks: factory installed.
 - t. Radio: factory installed in dash AM/FM.
 - u. Suspension: Type recommended by manufacturer for vehicle as equipped.
 - v. Tires: five (5) radial tubeless, type recommended by manufacturer for vehicle as equipped.
 - w. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - x. Upholstery: manufacturer's standard materials and colors to coincide with exterior color.
- B. OPTIONAL EQUIPMENT: Purchaser may select from the following:
 - CB. Gasoline engine: 8-cylinder- a minimum of 280 cid.
 - DL. Daytime Running Lights
 - KO. Skid plate.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control with tilt steering wheel (may be dealer installed but shall be from same manufacturer as vehicle).
 - QH. Long Wide Pickup Bed
 - TO. Without air conditioning.
 - XO. Hitch, Class III, frame attached, includes Transmission Oil Coolers. Type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: manual, with a minimum of three (3) forward Speeds and one (1) reverse.

AWARD NO: SP-10-0001 PAGE 82

ADDENDUM 3: TYPE PBA: Full Size One-Half (1/2) Ton Pickup Truck, 6-Cylinder, Short Bed (Larger engine size not acceptable)

- A. STANDARD EQUIPMENT: Each Short Wide Bed Pickup Truck shall be equipped as follows:
 - a. Air Conditioning: factory installed and manufacturer standard tinted glass in all windows.
 - b. Alternator: heavy-duty, minimum 40 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free; type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy duty step type rear.
 - f. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: 6-cylinder gasoline engine of the type recommended by manufacturer for vehicle as equipped. Larger engine size not acceptable
 - h. Inside Hood Latch Control.
 - i. License Plate Brackets: front and rear.
 - j. Short Wide Pickup Bed.
 - k. Mirrors: two (2) outside, low mount, right and left.
 - I. Operator's Manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - n. Power Brakes: factor' installed.
 - o. Power Steering.
 - p. Power Windows and Door Locks: factory installed.
 - q. Radio: factory installed in dash AM/FM.
 - r. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - s. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - t. Upholstery: manufacturer's standard materials and colors to coincide with exterior color.
- B. OPTIONAL EQUIPMENT: Purchaser may select from the following:
 - DL. Daytime Running Lights
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control with tilt steering wheel (may be dealer installed but shall be from same manufacturer as vehicle).
 - QH. Long Wide Pickup Bed.
 - TO. Without air conditioning.
 - XO. Hitch, Class III, frame attached, includes Transmission Oil Coolers. Type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: manual, with a minimum of three (3) forward Speeds and one (1) reverse.

AWARD NO: SP-10-0001 PAGE 83

ADDENDUM 4: TYPE PBB: Full Size One-Half (1/2) Ton Pickup Truck, Short Bed, 6-Cylinder, Extended Cab, Rear Seat, Four (4) Doors (Larger engine size not acceptable)

- A. STANDARD EQUIPMENT: Each Short Wide Bed Pickup Truck shall be equipped as follows:
 - a. Air Conditioning: factory installed and manufacturer standard tinted glass in all windows.
 - b. Alternator: heavy-duty, minimum 40 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free; type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: 6-cylinder gasoline fueled engine of the type recommended by manufacturer for vehicle as equipped. Larger engine size not acceptable
 - h. Inside Hood Latch Control.
 - i. License Plate Brackets: front and rear.
 - j. Short Wide Pickup Bed.
 - k. Mirrors: two (2) outside, low mount, right and left.
 - I. Operator's Manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - n. Power Brakes: factory installed.
 - o. Power Steering.
 - p. Power Windows and Door Locks: factory installed.
 - q. Radio: factory installed in dash AM/FM.
 - r. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - s. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - t. Upholstery: manufacturer's standard materials and colors to coincide with exterior color.
 - u. Extended Cab w/rear seat, four doors.
- B. OPTIONAL EQUIPMENT: Purchaser may select from the following:
 - DL. Daytime Running Lights
 - DS. Without Rear Seat
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control with tilt steering wheel (may be dealer installed but shall be from same manufacturer as vehicle)
 - QH. Long Wide Pickup Bed
 - TO. Without air conditioning.
 - XO. Hitch, Class III, frame attached, includes Transmission Oil Coolers. Type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: manual, with a minimum of three (3) forward Speeds and one (1) reverse.

AWARD NO: SP-10-0001 PAGE 84

ADDENDUM 6: TYPE PCA: Full Size 4x4 One-Half (1/2) Ton Pickup Truck, 6-cylinder, Long Bed

- A. STANDARD EQUIPMENT: Each Long Wide Bed Pickup Truck shall be equipped as follows:
 - a. Air Conditioning: factory installed and manufacturer standard tinted glass in all windows.
 - b. Alternator: heavy-duty, minimum of 40 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: 6-cylinder gasoline fueled engine of the type recommended by manufacturer for vehicle as equipped.
 - h. Gauge: oil pressure.
 - i. Hubs: automatic locking.
 - j. Inside Hood Latch Control.
 - k. License Plate Brackets: front and rear.
 - I. Long Wide Pickup Bed.
 - m. Mirrors: two (2) outside, low mount, right and left.
 - n. Operator's Manual.
 - o. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - p. Power Brakes: factory installed.
 - g. Power Steering: factory installed.
 - r. Power Windows and Door Locks: factory installed.
 - s. Radio: factory installed in dash AM/FM.
 - t. Suspension: Type recommended by manufacturer for vehicle as equipped.
 - u. Tires: five (5) radial tubeless, type recommended by manufacturer or vehicle as equipped.
 - v. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - w. Upholstery: manufacturer's standard materials and colors to coincide with exterior color.
- B. OPTIONAL EQUIPMENT: Purchaser may select from the following:
 - CB. Gasoline Engine: 8-cylinder, a minimum of 280 cid.
 - DL. Daytime Running Lights
 - KO. Skid plate.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control with tilt steering wheel (may be dealer installed but shall be from same manufacturer as vehicle).
 - QI. Short Wide Pickup Bed.
 - TO. Without air conditioning.
 - XO. Hitch, Class III, frame attached, includes Transmission Oil Coolers. Type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: manual, with a minimum of three (3) forward Speeds and one (1) reverse.

AWARD NO: SP-10-0001 PAGE 85

ADDENDUM 7: TYPE PCB: Full Size 4x4 One-Half (1/2) Ton Pickup Truck, 8-cylinder Extended Cab, Long Bed, Rear Seat, Four (4) Doors

- A. STANDARD EQUIPMENT: Each Long Wide Bed Pickup Truck shall be equipped as follows:
 - a. Air Conditioning: factory installed and manufacturer standard tinted glass in all windows.
 - b. Alternator: heavy-duty, minimum of 40 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: 8-cylinder, minimum of 280 CID gasoline engine of the type recommended by manufacturer for vehicle as equipped.
 - h. Gauge: oil pressure.
 - i. Hubs: automatic locking.
 - j. Inside Hood Latch Control.
 - k. License Plate Brackets: front and rear.
 - I. Long Wide Pickup Bed.
 - m. Mirrors: two (2) outside, low mount, right and left.
 - n. Operator's Manual.
 - o. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - p. Power Brakes: factory installed.
 - q. Power Steering: factory installed.
 - r. Power Windows and Door Locks: factory installed.
 - s. Radio: factory installed in dash AM/FM.
 - t. Suspension: Type recommended by manufacturer for vehicle as equipped.
 - u. Tires: five (5) radial tubeless, type recommended by manufacturer or vehicle as equipped.
 - v. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - w. Upholstery: manufacturer's standard materials and colors to coincide with exterior color.
 - x. Extended Cab w/rear seat, four (4) doors.
- B. OPTIONAL EQUIPMENT: Purchaser may select from the following:
 - DL. Daytime Running Lights
 - DS. Without Rear Seat.
 - KO. Skid plate.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control with tilt steering wheel (may be dealer installed but shall be from same manufacturer as vehicle).
 - QI. Short Wide Pickup Bed.
 - TO. Without air conditioning.
 - XO. Hitch, Class III, frame attached, includes Transmission Oil Coolers. Type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: manual, with a minimum of three (3) forward Speeds and one (1) reverse.

AWARD NO: SP-10-0001 PAGE 86

ADDENDUM 8: TYPE PCC: Full Size 4x4 One-Half (1/2) Ton Pickup Truck, 8-cylinder Crew/Quad Cab, Long Bed, Rear Seat, Four (4) Doors

- STANDARD EQUIPMENT: Each Long Wide Bed Pickup Truck shall be equipped as follows: A.
 - a. Air Conditioning: factory installed and manufacturer standard tinted glass in all windows.
 - b. Alternator: heavy-duty, minimum of 40 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: 8-cylinder minimum of 280 CID gasoline engine of the type recommended by manufacturer for vehicle as equipped.
 - h. Gauge: oil pressure.
 - i. Hubs: automatic locking.
 - j. Inside Hood Latch Control.
 - k. License Plate Brackets: front and rear.
 - I. Long Wide Pickup Bed.
 - m. Mirrors: two (2) outside, low mount, right and left.
 - n. Operator's Manual.
 - o. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - p. Power Brakes: factory installed.
 - q. Power Steering: factory installed.
 - r. Power Windows and Door Locks: factory installed.
 - s. Radio: factory installed in dash AM/FM.
 - t. Suspension: Type recommended by manufacturer for vehicle as equipped.
 - u. Tires: five (5) radial tubeless, type recommended by manufacturer or vehicle as equipped.
 - v. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - w. Upholstery: manufacturer's standard materials and colors to coincide with exterior color.
 - x. Crew/Quad Cab w/rear seat, four (4) Doors
- B. OPTIONAL EQUIPMENT: Purchaser may select from the following:
 - DL. Daytime Running Lights
 - DS. Without Rear Seat
 - KO. Skid plate.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control with tilt steering wheel (may be dealer installed but shall be from same manufacturer as vehicle).
 - QI. Short Wide Pickup Bed.
 - TO. Without air conditioning.
 - XO. Hitch, Class III, frame attached, includes Transmission Oil Coolers. Type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: manual, with a minimum of three (3) forward Speeds and one (1) reverse.

AWARD NO: SP-10-0001 PAGE 87

ADDENDUM 9: TYPE PGA: Full Size One-Half (1/2) Ton Pickup Truck, 8-Cylinder, Long Bed, minimum of 248 horsepower

A. STANDARD EQUIPMENT: Each Long Wide Bed Pickup Truck shall be equipped as follows:

- a. Air Conditioning: factory installed and manufacturer standard tinted glass in all windows.
- b. Alternator: heavy duty, minimum 40 amperes.
- c. Antifreeze: serviced to -29°C (-20°F) or lower.
- d. Battery: maintenance free, type recommend by manufacturer for vehicle as equipped.
- e. Bumpers: standard front, heavy-duty step type rear.
- f. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
- g. Engine: 8-cylinder gasoline fueled engine, a minimum of 248 horsepower.
- h. Inside Hood Latch Control.
- i. License Plate Brackets: front and rear.
- j. Long Wide Pickup Bed.
- k. Mirrors: two (2) outside, low mount, right and left.
- I. Operator's Manual.
- m. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
- n. Power Brakes: factory installed.
- o. Power Steering: factory installed.

p. Power Windows and Door Locks: factory installed

- q. Radio: factory installed in dash AM/FM.
- r. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
- s. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
- t. Upholstery: manufacturer's standard materials and colors to coincide with exterior color chosen.

B. OPTIONAL EQUIPMENT: Purchaser may select from the following:

- DL. Daytime Running Lights
- LS. Differential: limited slip, ratio as recommended by manufacturer.
- PO. Automatic Speed Control with tilt steering wheel (may be dealer installed but shall be from same manufacturer as vehicle).
- QI. Short Wide Pickup Bed.
- TO. Without air conditioning.
- XO. Hitch, Class III, frame attached, includes Transmission Oil Coolers. Type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. Insert bar and ball not included.
- ZO. Transmission: manual, with a minimum of three (3) forward Speeds and one (1) reverse.

AWARD NO: SP-10-0001 PAGE 88

ADDENDUM 10: TYPE PGB: Full Size One-Half (1/2) Ton Pickup Truck, 8-Cylinder, Long Bed, Extended Cab, Rear Seat, Four (4) Doors, **minimum of 248 horsepower**

- A. STANDARD EQUIPMENT: Each Long Wide Bed Pickup Truck shall be equipped as follows:
 - a. Air Conditioning: factory installed and manufacturer standard tinted glass in all windows.
 - b. Alternator: heavy-duty, minimum 40 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommend by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: 8-cylinder gasoline engine, a minimum of 248 horsepower.
 - h. Inside Hood Latch Control.
 - i. License Plate Brackets: front and rear.
 - j. Long Wide Pickup Bed.
 - k. Mirrors: two (2) outside, low mount, right and left.
 - I. Operator's Manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - n. Power Brakes: factory installed.
 - o. Power Steering: factory installed.
 - p. Power Windows and Door Locks: factory installed.
 - q. Radio: factory installed in dash AM/FM.
 - r. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - s. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - t. Upholstery: manufacturer's standard materials and colors to coincide with exterior color chosen.
 - u. Extended Cab w/rear seat, four (4) doors.
- B. OPTIONAL EQUIPMENT: Purchaser may select from the following:
 - DL. Daytime Running Lights
 - DS. Without Rear Seat
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control with tilt steering wheel (may be dealer installed but shall be from same manufacturer as vehicle).
 - QI. Short Wide Pickup Bed.
 - TO. Without air conditioning.
 - XO. Hitch, Class III, frame attached, includes Transmission Oil Coolers. Type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: manual, with a minimum of three (3) forward Speeds and one (1) reverse.

AWARD NO: SP-10-0001 PAGE 89

ADDENDUM 11: TYPE PGC: Full Size One-Half (1/2) Ton Pickup Truck, 8-Cylinder, Long Bed, Crew/Quad Cab, Rear Seat, Four (4) Doors, minimum of 248 horsepower

- A. STANDARD EQUIPMENT: Each Long Wide Bed Pickup Truck shall be equipped as follows:
 - a. Air Conditioning: factory installed and manufacturer standard tinted glass in all windows.
 - b. Alternator: heavy-duty, minimum 40 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommend by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: 8-cylinder gasoline fueled engine, a minimum of 248 horsepower.
 - h. Inside Hood Latch Control.
 - i. License Plate Brackets: front and rear.
 - j. Long Wide Pickup Bed.
 - k. Mirrors: two (2) outside, low mount, right and left.
 - I. Operator's Manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - n. Power Brakes: factory installed.
 - o. Power Steering: factory installed.
 - p. Power Windows and Door Locks: factory installed.
 - q. Radio: factory installed in dash AM/FM.
 - r. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - s. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - t. Upholstery: manufacturer's standard materials and colors to coincide with exterior color chosen.
 - u. Crew/Quad Cab, Rear Seat, Four (4) Doors.
- B. OPTIONAL EQUIPMENT: Purchaser may select from the following:
 - DL. Daytime Running Lights
 - DS. Without Rear Seat
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control with tilt steering wheel, may be dealer installed but shall be from same manufacturer as vehicle.
 - QI. Short Wide Pickup Bed.
 - TO. Without air conditioning.
 - XO. Hitch, Class III, frame attached, includes Transmission Oil Coolers. Type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: manual, with a minimum of three (3) forward Speeds and one (1) reverse.

AWARD NO: SP-10-0001 PAGE 90

ADDENDUM 12: TYPE PGD: One Half (1/2) Ton Heavy Duty Pickup Truck, 8-cylinder, Long Bed minimum of 302 horsepower

- A. STANDARD EQUIPMENT: Each Long Wide Bed Pickup Truck shall be equipped as follows:
 - a. Air Conditioning: factory installed and manufacturer standard tinted glass in all windows.
 - b. Alternator: heavy-duty, type recommended by manufacturer for vehicle as equipped.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: 8-cylinder gasoline fueled engine, minimum of 302 horsepower
 - h. Inside Hood Latch Control.
 - i. License Plate Brackets: front and rear.
 - j. Long Wide Pickup Bed.
 - k. Mirrors: two (2) outside, low mount, right and left.
 - I. Operator's Manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - n. Power Brakes: factory installed.
 - o. Power Steering: factory installed.
 - p. Power Windows and Door Locks: factory installed.
 - q. Radio: factory installed in dash AM/FM.
 - r. Suspension: Type recommended by manufacturer for vehicle as equipped.
 - s. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - t. Transmission: **heavy-duty**, automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - u. Upholstery: manufacturer's standard materials and color to coincide with exterior color.
- B. OPTIONAL EQUIPMENT: Purchaser may select from the following:
 - DL. Daytime Running Lights
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control with tilt steering wheel, may be dealer installed but shall be from same manufacturer as vehicle.
 - QI. Short Wide Pickup Bed.
 - TO. Without air conditioning.
 - XO. Hitch, Class III, frame attached, includes Transmission Oil Coolers. Type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: manual, with a minimum of three (3) forward Speeds and one (1) reverse.

AWARD NO: SP-10-0001 PAGE 91

ADDENDUM 13: TYPE PGE: One Half (1/2) Ton Heavy-Duty Pickup Truck, 8-cylinder, Extended Cab, Long Bed, Rear Seat, Four (4) Doors, **minimum of 310 horsepower**

- A. STANDARD EQUIPMENT: Each Long Wide Bed Pickup Truck shall be equipped as follows:
 - a. Air Conditioning: factory installed and manufacturer standard tinted glass in all windows.
 - b. Alternator: heavy-duty, type recommended by manufacturer for vehicle as equipped.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: 8-cylinder gasoline fueled engine, minimum of 310 horsepower
 - h. Inside Hood Latch Control.
 - i. License Plate Brackets: front and rear.
 - j. Long Wide Pickup bed.
 - k. Mirrors: two (2) outside, low mount, right and left.
 - I. Operator's Manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - n. Power Brakes: factory installed.
 - o. Power Steering: factory installed.
 - p. Power Windows and Door Locks: factory installed.
 - q. Radio: factory installed in dash AM/FM.
 - r. Suspension: Type recommended by manufacturer for vehicle as equipped.
 - s. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - t. Transmission: **heavy-duty**, automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - u. Upholstery: manufacturer's standard materials and color to coincide with exterior color.
 - v. Extended Cab with rear seat, four (4) doors.
- B. OPTIONAL EQUIPMENT: Purchaser may select from the following:
 - DL. Daytime Running Lights
 - DS. Without Rear Seat.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control with tilt steering wheel (may be dealer installed but shall be from same manufacturer as vehicle).
 - QI. Short Wide Pickup Bed.
 - TO. Without air conditioning.
 - XO. Hitch, Class III, frame attached, includes Transmission Oil Coolers. Type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: manual, with a minimum of three (3) forward Speeds and one (1) reverse.

AWARD NO: SP-10-0001 PAGE 92

ADDENDUM 14: TYPE PGF: One Half (1/2) Ton Heavy-Duty Pickup Truck, **8-cylinder Crew/Quad Cab**, Long Bed, Rear Seat, Four (4) Doors, **minimum of 310 horsepower**

- A. STANDARD EQUIPMENT: Each Long Wide Bed Pickup Truck shall be equipped as follows:
 - a. Air Conditioning: factory installed and manufacturer standard tinted glass in all windows.
 - b. Alternator: heavy-duty, type recommended by manufacturer for vehicle as equipped.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: 8-cylinder gasoline fueled engine, minimum of 310 horsepower.
 - h. Inside Hood Latch Control.
 - i. License Plate Brackets: front and rear.
 - j. Long Wide Pickup Bed.
 - k. Mirrors: two (2) outside, low mount, right and left.
 - I. Operator's Manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - n. Power Brakes: factory installed.
 - o. Power Steering: factory installed.
 - p. Power Windows and Door Locks: factory installed.
 - q. Radio: factory installed in dash AM/FM.
 - r. Suspension: Type recommended by manufacturer for vehicle as equipped.
 - s. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - t. Transmission: **heavy-duty**, automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - u. Upholstery: manufacturer's standard materials and color to coincide with exterior color.
 - v. Crew/Quad Cab with rear seat, four (4) doors
- B. OPTIONAL EQUIPMENT: Purchaser may select from the following:
 - DL. Daytime Running Lights
 - DS. Without Rear Seat.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control with tilt steering wheel (may be dealer installed but shall be from same manufacturer as vehicle).
 - QI. Short Wide Pickup Bed.
 - TO. Without air conditioning.
 - XO. Hitch, Class III, frame attached, includes Transmission Oil Coolers. Type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: manual, with a minimum of three (3) forward Speeds and one (1) reverse.

AWARD NO: SP-10-0001 PAGE 93

ADDENDUM 15: TYPE PJA: Three-Quarter (3/4) Ton Heavy Duty Pickup Truck, 8-cylinder, Long Bed

- A. STANDARD EQUIPMENT: Each Long Wide Bed Pickup Truck shall be equipped as follows:
 - a. Air Conditioning: factory installed and manufacturer standard tinted glass in all windows.
 - b. Alternator: heavy-duty, type recommended by manufacturer for vehicle as equipped.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Engine: 8-cylinder gasoline engine, a minimum of 325 CID.
 - g. GVWR: shall be 8600 or better.
 - h. Inside hood latch control.
 - i. License plate brackets: front and rear.
 - j. Long Wide Pickup Bed.
 - k. Mirrors: two (2) outside, low mount, right and left.
 - I. Operator's Manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - n. Power Brakes: factory installed.
 - o. Power Steering: factory installed.
 - p. Power Windows and Door Locks: factory installed.
 - q. Radio: factory installed in dash AM/FM.
 - r. Suspension: type recommended by manufacturer for vehicle as equipped.
 - s. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - t. Transmission: heavy duty, automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - u. Upholstery: manufacturer's standard materials and color to coincide with exterior color.
- B. OPTIONAL EQUIPMENT: Purchaser may select from the following:

BD. Up to 20% Bio Diesel under OEM Warranty

- BO. Differential with gear ratio designed for extra towing capability.
- **CA. Diesel Engine**: a minimum of 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities.
- DL. Daytime Running Lights
- LS. Differential: limited slip, ratio as recommended by manufacturer.
- PO. Automatic Speed Control with tilt steering wheel (may be dealer installed but shall be from same manufacturer as vehicle).
- QI. Short Wide Pickup Bed
- XO. Hitch, Class III, frame attached, includes Transmission Oil Coolers. Type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. Insert bar and ball not included.

AWARD NO: SP-10-0001 PAGE 94

ADDENDUM 16: TYPE PJB - Three-Quarter (3/4) Ton Heavy Duty Pickup Truck, 8-cylinder Extended Cab Long Bed, Rear Seat, Four (4) Doors

- A. STANDARD EQUIPMENT: Each Long Wide Bed Pickup Truck shall be equipped as follows:
 - a. Air Conditioning: factory installed and manufacturer standard tinted glass in all windows.
 - b. Alternator: heavy-duty, type recommended by manufacturer for vehicle as equipped.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Engine: 8-cylinder gasoline engine, a minimum of 325 CID.
 - g. GVWR: shall be 8600 or better.
 - h. Inside Hood Latch Control.
 - i. License Plate Brackets: front and rear.
 - j. Long Wide Pickup Bed.
 - k. Mirrors: two (2) outside, low mount, right and left.
 - I. Operator's Manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - n. Power Brakes: factory installed.
 - o. Power Steering: factory installed.
 - p. Power Windows and Door Locks: factory installed.
 - q. Radio: factory installed in dash AM/FM.
 - r. Suspension: type recommended by manufacturer for vehicle as equipped.
 - s. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - t. Transmission: heavy duty, automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - u. Upholstery: manufacturer's standard materials and color to coincide with exterior color.
 - v. Extended Cab with rear seat, four (4) doors.
- B. OPTIONAL EQUIPMENT: Purchaser may select from the following:
 - BO. Differential with gear ratio designed for extra towing capability.
 - BD. Up to 20% Bio Diesel under OEM Warranty
 - CA. Diesel Engine: a minimum of 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - DL. Daytime Running Lights
 - DS. Without Rear Seat
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control with tilt steering wheel (may be dealer installed but shall be from same manufacturer as vehicle).
 - QI. Short Wide Pickup Bed.
 - XO. Hitch, Class III, frame attached, includes Transmission Oil Coolers. Type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. Insert bar and ball not included.

AWARD NO: SP-10-0001 PAGE 95

ADDENDUM 18: TYPE PJD – Three-Quarter (3/4) Ton Heavy Duty Pickup Truck 8-cylinder Crew Cab, Long Bed, Full Size Rear Bench Seat, Four (4) Full Doors

- A. STANDARD EQUIPMENT: Each Long Wide Bed Pickup Truck shall be equipped as follows:
 - a. Air Conditioning: factory installed and manufacturer standard tinted glass in all windows.
 - b. Alternator: heavy-duty, type recommended by manufacturer for vehicle as equipped.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Engine: 8-cylinder gasoline engine, a minimum of 325 CID.
 - g. GVWR: shall be 8600 or better.
 - h. Inside Hood Latch Control.
 - i. License Plate Brackets: front and rear.
 - j. Long Wide Pickup Bed.
 - k. Mirrors: two (2) outside, low mount, right and left.
 - I. Operator's Manual'
 - m. Paint: one (1) standard exterior color selected from manufacturer's standa'd list and specified by ordering entity.
 - n. Power Brakes: factory installed.
 - o. Power Steering: factory installed.
 - p. Power Windows and Door Locks: factory installed.
 - q. Radio: factory installed in dash AM/FM.
 - r. Suspension: type recommended by manufacturer for vehicle as equipped.
 - s. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - t. Transmission: heavy duty, automatic, with a minimum of three (3) forward Speeds and one (1) reverse.
 - u. Upholstery: manufacturer's standard materials and color to coincide with exterior color.
 - v. Crew Cab w/full size rear bench seat, four (4) full doors.
- B. OPTIONAL EQUIPMENT: Purchaser may select from the following:
 - BO. Differential with gear ratio designed for extra towing capability.
 - BD. Up to 20% Bio Diesel under OEM Warranty
 - CA. Diesel Engine: a minimum of 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - DL. Daytime Running Lights
 - GO. Carrier: spare wheel, side mount.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control with tilt steering wheel (may be dealer installed but shall be from same manufacturer as vehicle).
 - QI. Short Wide Pickup Bed.
 - XO. Hitch, Class III, frame attached, includes Transmission Oil Coolers. Type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. Insert bar and ball not included.

AWARD NO: SP-10-0001 PAGE 96

ADDENDUM 19: TYPE PEA - 4x4, Three-Quarter (3/4) Ton Heavy Duty Pickup Truck, 8-cylinder, Long Bed

- A. STANDARD EQUIPMENT: Each Long Wide Bed Pickup Truck shall be equipped as follows:
 - a. Air Conditioning: factory installed and manufacturer standard tinted glass in all windows.
 - b. Alternator: heavy-duty, minimum 60 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy duty step type rear.
 - f. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: 8-cylinder gasoline engine, a minimum of 325 CID.
 - h. Gauge: oil pressure.
 - i. GVWR: shall be 8600 or better.
 - j. Hubs: automatic locking.
 - k. Inside Hood Latch Control.
 - I. License Plate Brackets: front and rear.
 - m. Long Wide Pickup Bed.
 - n. Mirrors: two (2) outside, low mount, right and left.
 - o. Operator's Manual.
 - p. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - q. Power Brakes: factory installed.
 - r. Power Steering: factory installed.
 - s. Power Windows and Door Locks: factory installed.
 - t. Radio: factory installed in dash AM/FM.
 - u. Suspension: Type recommended by manufacturer for vehicle as equipped.
 - v. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - w. Transmission: automatic, with a minimum of three (3) forward Speeds and one (1) reverse.
 - x. Upholstery: manufacturer's standard materials and colors to coincide with exterior color.
- B. OPTIONAL EQUIPMENT: Purchaser may select from the following:
 - BD. Up to 20% Bio Diesel under OEM Warranty
 - CA. Diesel Engine: a minimum of 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - DL. Daytime Running Lights
 - KO. Skid plate.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control with tilt steering wheel (may be dealer installed but shall be from same manufacturer as vehicle).
 - QI. Short Wide Pickup Bed
 - TO. Without air conditioning.
 - XO. Hitch, Class III, frame attached, includes Transmission Oil Coolers. Type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: manual, with a minimum of three (3) forward Speeds and one (1) reverse.

AWARD NO: SP-10-0001 PAGE 97

ADDENDUM 20: TYPE PEB - 4x4 Three-Quarter (3/4) Ton Heavy Duty Pickup Truck, 8-cylinder Extended Cab, Long Bed, Rear Seat, Four (4) Doors

- A. STANDARD EQUIPMENT: Each Long Wide Bed Pickup Truck shall be equipped as follows:
 - a. Air Conditioning: factory installed and manufacturer standard tinted glass in all windows.
 - b. Alternator: heavy-duty, minimum 60 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: 8-cylinder gasoline fueled engine, a minimum of 325 CID.
 - h. Gauge: oil pressure.
 - i. GVWR: shall be 8600 lbs or better.
 - j. Hubs: automatic locking.
 - k. Inside Hood Latch Control.
 - I. License Plate Brackets: front and rear.
 - m. Long Wide Pickup Bed.
 - n. Mirrors: two (2) outside, low mount, right and left.
 - o. Operator's Manual.
 - p. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - q. Power Brakes: factory installed.
 - r. Power Steering: factory installed.
 - s. Power Windows and Door Locks: factory installed.
 - t. Radio: factory installed in dash AM/FM.
 - u. Suspension: Type recommended by manufacturer for vehicle as equipped.
 - v. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - w. Transmission: heavy-duty, automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - x. Upholstery: manufacturer's standard materials and colors to coincide with exterior color.
 - y. Extended Cab w/rear seat, four (4) doors.
- B. OPTIONAL EQUIPMENT: Purchaser may select from the following:
 - BD. Up to 20% Bio Diesel under OEM Warranty
 - CA. Diesel Engine: a minimum of 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - DL. Daytime Running Lights
 - DS. Without Rear Seat.
 - KO. Skid Plate.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control with tilt steering wheel (may be dealer installed but shall be from same manufacturer as vehicle).
 - QI. Short Wide Pickup Bed
 - TO. Without Air Conditioning.
 - XO. Hitch, Class III, Frame attached, includes Transmission Oil Coolers. Type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: manual, with a minimum of three (3) forward Speeds and one (1) reverse.

AWARD NO: SP-10-0001 PAGE 98

ADDENDUM 22: TYPE PED - 4x4, Three-Quarter (3/4) Ton Heavy Duty Pickup Truck, 8-cylinder, Long Bed Crew Cab, Rear Bench Seat, Four (4) Full Doors

- A. STANDARD EQUIPMENT: Each Long Wide Bed Pickup Truck shall be equipped as follows:
 - a. Air Conditioning: factory installed and manufacturer standard tinted glass in all windows.
 - b. Alternator: heavy-duty, minimum 60 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: 8-cylinder gasoline engine, a minimum of 325 CID.
 - h. Gauge: oil pressure.
 - i. GVWR: shall be 8600 lbs or better.
 - j. Hubs: automatic locking.
 - k. Inside hood latch control.
 - I. License plate brackets: front and rear.
 - m. Long Wide Pickup Bed.
 - n. Mirrors: two (2) outside, low mount, right and left.
 - o. Operator's Manual.
 - p. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - q. Power Brakes: factory installed.
 - r. Power Steering: factory installed.

s. Power Windows and Door Locks: factory installed

- t. Radio: factory installed in dash AM/FM.
- u. Suspension: Type recommended by manufacturer for vehicle as equipped.
- v. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
- w. Transmission: heavy-duty, automatic, with a minimum of three (3) forward Speeds and one (1) reverse.
- x. Upholstery: manufacturer's standard materials and colors to coincide with exterior color.
- y. Crew Cab w/rear bench seat, four (4) full doors.
- B. OPTIONAL EQUIPMENT: Purchaser may select from the following:
 - BD. Up to 20% Bio Diesel under OEM Warranty
 - CA. Diesel Engine: a minimum of 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - DL. Daytime Running Lights
 - KO. Skid plate.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control with tilt steering wheel (may be dealer installed but shall be from same manufacturer as vehicle).
 - QI. Short Wide Pickup Bed.
 - TO. Without air conditioning.
 - XO. Hitch, Class III, frame attached, includes Transmission Oil Coolers. Type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: manual, with a minimum of three (3) forward Speeds and one (1) reverse.

AWARD NO: SP-10-0001 PAGE 99

ADDENDUM 23: TYPE PKA - Full Size One (1) Ton Pickup Truck, Dually, Long Bed

- A. STANDARD EQUIPMENT: Each Long Wide Bed Pickup Truck shall be equipped as follows:
 - a. Air Conditioning: factory installed and manufacturer standard tinted glass in all windows.
 - b. Alternator: heavy-duty, minimum 95 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: minimum of a 325 CID with rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - h. Inside Hood Latch Control.
 - i. License Plate Brackets: front and rear.
 - j. Long Wide Pickup Bed.
 - k. Mirrors: two (2) outside, low mount, right and left.
 - I. Operator's Manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - n. Power Brakes: factory installed.
 - o. Power Steering: factory installed.
 - p. Power Windows and Door Locks: factory installed.
 - q. Radio: factory installed AM/FM.
 - r. Tires and Rims: seven (7) steel wheels with all season, steel belted radial tubeless black-wall as recommended by manufacturer for size and load range of vehicle as equipped.
 - s. Transmission: heavy duty four (4) speed automatic
 - t. Upholstery: manufacturer's standard materials and colors to coincide with exterior color chosen.
- B. OPTIONAL EQUIPMENT: Purchaser may select from the following:
 - AO. Four Wheel Drive (4x4) to include Oil Pressure Gauge, Automatic Locking Hubs, and Suspension type recommended by manufacturer for vehicle as equipped and with standard equipment.
 - BD. Up to 20% Bio Diesel under OEM Warranty
 - CA. Diesel Engine: a minimum of 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities
 - CD. Gasoline Engine: Min. 8-cylinder, a minimum of 414 CID with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - DL. Daytime Running Lights
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control with tilt steering wheel (may be dealer installed but shall be from same manufacturer as vehicle).
 - TO. Without air conditioning.
 - XO. Hitch, Class III, frame attached, includes Transmission Oil Coolers. Type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. Insert bar and ball not included.

AWARD NO: SP-10-0001 PAGE 100

ADDENDUM 24: TYPE PKB - Full Size One (1) Ton Pickup Truck, Dually, Extended Cab, Long Bed

- A. STANDARD EQUIPMENT: Each Long Wide Bed Pickup Truck shall be equipped as follows:
 - a. Air Conditioning: factory installed and manufacturer standard tinted glass in all windows.
 - b. Alternator: heavy-duty, minimum 95 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling System: heavy-duty, including heavy-duty radiator, heavy duty fan, and factory installed coolant recovery system.
 - g. Engine: minimum of a 325 CID with rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - h. Inside Hood Latch Control.
 - i. License Plate Brackets: front and rear.
 - j. Long Wide Pickup Bed.
 - k. Mirrors: two (2) outside, low mount, right and left.
 - I. Operator's Manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - n. Power Brakes: factory installed.
 - o. Power Steering: factory installed.
 - p. Power Windows and Door Locks: factory installed.
 - q. Radio: factory installed AM/FM.
 - r. Tires and Rims: seven (7) steel wheels with all season, steel belted radial tubeless black-walls as recommended by manufacturer for size and load range of vehicle as equipped.
 - s. Transmission: heavy duty four (4) speed automatic
 - t. Upholstery: manufacturer's standard materials and colors to coincide with exterior color chosen.
 - u. Extended Cab
- B. OPTIONAL EQUIPMENT: Purchaser may select from the following:
 - AO. Four Wheel Drive (4x4) to include Oil Pressure Gauge, Automatic Locking Hubs, and Suspension type recommended by manufacturer for vehicle as equipped and with standard equipment.
 - BD. Up to 20% Bio Diesel under OEM Warranty
 - CA. Diesel Engine: a minimum of 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities
 - CD. Gasoline Engine: Min. 8 cylinder, a minimum of 414 CID with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - DL. Daytime Running Lights
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control with tilt steering wheel (may be dealer installed but shall be from same manufacturer as vehicle).
 - TO. Without air conditioning.
 - XO. Hitch, Class III, frame attached, includes Transmission Oil Coolers. Type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. Insert bar and ball not included.

AWARD NO: SP-10-0001 PAGE 101

ADDENDUM 25 TYPE PKC – Full Size One (1) Ton Pickup Truck, Dually, Crew Cab, Long Bed

- A. STANDARD EQUIPMENT: Each Long Wide Bed Pickup Truck shall be equipped as follows:
 - a. Air Conditioning: factory installed and manufacturer standard tinted glass in all windows.
 - b. Alternator: heavy-duty, minimum 95 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling System: heavy-duty, including heavy-duty radiator, heavy duty fan, and factory installed coolant recovery system.
 - g. Engine: minimum of a 325 CID with rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - h. Inside Hood Latch Control.
 - i. License Plate Brackets: front and rear.
 - j. Long Wide Pickup Bed.
 - k. Mirrors: two (2) outside, low mount, right and left.
 - I. Operator's Manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - n. Power Brakes: factory installed.
 - o. Power Steering: factory installed.
 - p. Power Windows and Door Locks: factory installed.
 - q. Radio: factory installed AM/FM.
 - r. Tires and Rims: seven (7) steel wheels with all season, steel belted radial tubeless black-walls as recommended by manufacturer for size and load range of vehicle as equipped.
 - s. Transmission: heavy duty four (4) speed automatic
 - t. Upholstery: manufacturer's standard materials and colors to coincide with exterior color chosen.
 - u. Crew Cab
- B. OPTIONAL EQUIPMENT: Purchaser may select from the following:
 - AO. Four Wheel Drive (4x4) to include Oil Pressure Gauge, Automatic Locking Hubs, and Suspension type recommended by manufacturer for vehicle as equipped and with standard equipment.
 - BD. Up to 20% Bio Diesel under OEM Warranty
 - CA. Diesel Engine: a minimum of 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities
 - CD. Gasoline Engine: Min. 8 cylinder, a minimum of 414 CID with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - DL. Daytime Running Lights
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control with tilt steering wheel (may be dealer installed but shall be from same manufacturer as vehicle).
 - TO. Without air conditioning.
 - XO. Hitch, Class III, frame attached, includes Transmission Oil Coolers. Type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. Insert bar and ball not included.

AWARD NO: SP-10-0001 PAGE 102

ADDENDUM 26: TYPE PQA - One (1) Ton Truck Standard Chassis Single Rear Wheel Type Chassis/Cab (w/out bed). **Minimum of 60" Cab to Axle**

- A. STANDARD EQUIPMENT: Each Chassis/Cab should be equipped as follows:
 - a. Air Conditioning: factory installed.
 - b. Alternator: heavy-duty, a minimum of 95 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front.
 - f. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: minimum of a 325 CID with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - h. Gauges: a minimum of engine temperature, fuel, oil pressure, Speedometer, and voltmeter.
 - i. Inside Hood Latch Control.
 - j. License Plate Brackets: front and rear.
 - k. Mirrors: two (2) outside, camper type extended view.
 - I. Operator's Manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - n. Power Brakes: factory installed.
 - o. Power Steering: factory installed.
 - p. Power Windows and Door Locks: factory installed.
 - q. Radio: factory installed AM/FM.
 - r. Tires and Rims: five (5) steel wheels (2 front, 2 rear plus matching spare) with all season steel belted radial tubeless black-walls as recommended by manufacturer for size and load range of vehicle as equipped.
 - s. Transmission: heavy duty four (4) speed automatic
 - t. Upholstery: manufacturer's standard materials and colors to coincide with exterior color chosen.
- B. OPTIONAL EQUIPMENT: Purchaser's may select from the following:
 - AO. Four Wheel Drive (4x4) to include Oil Pressure Gauge, Automatic Locking Hubs, and Suspension type recommended by manufacturer for vehicle as equipped and with standard equipment.
 - BD. Up to 20% Bio Diesel under OEM Warranty
 - CA. Diesel Engine: a minimum of 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities
 - CD. Gasoline Engine: 8-cylinder, minimum of 414 CID with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - DL. Daytime Running Lights
 - LS. Differential: limited slip, ratio as recommended by manufacturer for maximum use of cargo carrier selected.
 - PO. Automatic Speed Control with tilt steering wheel (may be dealer installed but shall be from same manufacturer as vehicle).
 - TO. Without air conditioning.

AWARD NO: SP-10-0001 PAGE 103

ADDENDUM 27: TYPE PQB - One (1) Ton Truck Standard Chassis Single Rear Wheel Type, **Crew/Quad Cab**, Chassis/Cab (w/out bed). **Minimum of 60" Cab to Axle**

- A. STANDARD EQUIPMENT: Each Chassis/cab should be equipped as follows:
 - a. Air Conditioning: factory installed.
 - b. Alternator: heavy-duty, a minimum of 95 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front.
 - f. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: minimum of a 325 CID with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - h. Gauges: a minimum of engine temperature, fuel, oil pressure, speedometer, and voltmeter.
 - i. Inside Hood Latch Control.
 - j. License Plate Brackets: front and rear.
 - k. Mirrors: two (2) outside, camper type extended view.
 - I. Operator's Manual.
 - m. Paint: One (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - n. Power Brakes: factory installed.
 - o. Power Steering: factory installed.
 - p. Power Windows and Door Locks: factory installed.
 - q. Radio: factory installed AM/FM.
 - r. Tires and Rims: five (5) steel wheels (2 front, 2 rear plus spare) with all season steel belted radial tubeless black-walls as recommended by manufacturer for size and load range of vehicle as equipped.
 - s. Transmission: heavy duty four (4) speed automatic
 - t. Upholstery: manufacturers' standard materials and colors to coincide with exterior color chosen.
 - u. Crew/Quad Cab, with rear seat, four (4) full doors.
- B. OPTIONAL EQUIPMENT: Purchaser may select from the following:
 - AO. Four Wheel Drive (4x4) to include Oil Pressure Gauge, Automatic Locking Hubs, and Suspension type recommended by manufacturer for vehicle as equipped and with standard equipment.
 - BD. Up to 20% Bio Diesel under OEM Warranty
 - CA. Diesel Engine: minimum of 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities
 - CD. Gasoline Engine: 8-cylinder, minimum of 414 CID with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - DL. Daytime Running Lights
 - LS. Differential: limited slip, ratio as recommended by manufacturer for maximum use of cargo carrier selected.
 - PO. Automatic Speed Control with tilt steering wheel (may be dealer installed but shall be from same manufacturer as vehicle).
 - TO. Without air conditioning.

AWARD NO: SP-10-0001 PAGE 104

ADDENDUM 28: TYPE PRA - One (1) Ton Truck Long Chassis, Dual Rear Wheels Chassis/Cab (w/out bed). Minimum of 59" Cab to Axle

- A. STANDARD EQUIPMENT: Each Chassis/Cab should be equipped as follows:
 - a. Air Conditioning: factory installed.
 - b. Alternator: heavy-duty, a minimum of 95 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front.
 - f. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: minimum of a 325 CID with an axle ratio suggested by manufacturer to maximize vehicles highway performance and towing capabilities.
 - h. Gauges: a minimum of engine temperature, fuel, oil pressure, speedometer, and voltmeter.
 - i. Inside Hood Latch Control.
 - i. License Plate Brackets: front and rear.
 - k. Mirrors: two (2) outside, camper type extended view.
 - I. Operator's Manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - n. Power Brakes: factory installed.
 - o. Power Steering: factory installed
 - p. Power Windows and Door Locks: factory installed.
 - q. Radio: factory installed AM/FM.
 - r. Tires and Rims: seven (7) steel wheels (2 front, 4 rear plus spare) with all season steel belted radial tubeless black-walls as recommended by manufacturer for size and load range of vehicle as equipped.
 - s. Transmission: heavy duty four (4) speed automatic
 - t. Upholstery: manufacturer standard materials and colors to coincide with exterior color chosen.
- B. OPTIONAL EQUIPMENT: Purchaser may select from the following:
 - AO. Four Wheel Drive (4x4) to include Oil Pressure Gauge, Automatic Locking Hubs, and Suspension type recommended by manufacturer for vehicle as equipped and with standard equipment.
 - BD. Up to 20% Bio Diesel under OEM Warranty
 - CA. Diesel Engine: a minimum of 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities
 - CD. Gasoline Engine: Min. 8-cylinder, a minimum of 414 CID with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - DL. Daytime Running Lights
 - LS. Differential: limited slip, ratio as recommended by manufacturer for maximum use of cargo carrier selected.
 - PO. Automatic Speed Control with tilt steering wheel (may be dealer installed but shall be from same manufacturer as vehicle).
 - TO. Without air conditioning.

AWARD NO: SP-10-0001 PAGE 105

ADDENDUM 29: TYPE PRB - One (1) Ton Truck Long Chassis, Dual Rear Wheels **Crew/Quad Cab** Chassis/Cab (w/out bed). **Minimum of 60" Cab to Axle**

- A. STANDARD EQUIPMENT: Each Chassis/Cab should be equipped as follows:
 - a. Air Conditioning: factory installed.
 - b. Alternator: heavy-duty, a minimum of 95 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front.
 - f. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: minimum of a 325 CID with an axle ratio suggested by manufacturer to maximize vehicles highway performance and towing capabilities.
 - h. Gauges: a minimum of engine temperature, fuel, oil pressure, speedometer, and voltmeter.
 - i. Inside Hood Latch Control.
 - j. License Plate Brackets: front and rear.
 - k. Mirrors: two (2) outside, camper type extended view.
 - I. Operator's Manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - n. Power Brakes: factory installed.
 - o. Power Steering: factory installed
 - p. Power Windows and Door Locks: factory installed.
 - q. Radio: factory installed AM/FM.
 - r. Tires and Rims: seven (7) steel wheels (2 front, 4 rear, plus spare) with all season steel belted radial tubeless black-walls as recommended by manufacturer for size and load range of vehicle as equipped.
 - s. Transmission: heavy duty four (4) speed automatic
 - t. Upholstery: manufacturer's standard materials and colors to coincide with exterior color chosen.
 - u. Crew/Quad Cab w/rear seat, four (4) full doors.
- B. OPTIONAL EQUIPMENT: Purchaser may select from the following:
 - AO. Four Wheel Drive (4x4) to include Oil Pressure Gauge, Automatic Locking Hubs, and Suspension type recommended by manufacturer for vehicle as equipped and with standard equipment.
 - BD. Up to 20% Bio Diesel under OEM Warranty
 - CA. Diesel Engine: min of a 190 hp with a rear wheel axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - CD. Gasoline Engine: Min. 8 cylinder, a minimum of 414 CID with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - DL. Daytime Running Lights
 - LS. Differential: limited slip, ratio as recommended by manufacturer for maximum use of cargo carrier selected.
 - PO. Automatic Speed Control with tilt steering wheel (may be dealer installed but shall be from same manufacturer as vehicle).
 - TO. Without air conditioning.

AWARD NO: SP-10-0001 PAGE 106

STATE OF ARKANSAS DEPARTMENT OF FINANCE AND ADMINISTRATION OFFICE OF STATE PROCUREMENT

STANDARD SPECIFICATIONS FOR VANS, CARRYALLS CROSSOVERS AND UTILITY VEHICLES

1. SCOPE AND CLASSIFICATION:

- 1.1 Scope To set forth the minimum purchasing standards in obtaining vans and utility vehicles in conjunction with this specification and the states requirements.
- 1.2 Classification Vehicles covered herein shall be of the following types and options as specified in the Contract Award:

TYPE VAA – Full Size 1/2 Ton Utility Van; see addendum 1, page 108

TYPE VAB - Full Size 3/4 Ton Utility Van; see addendum 2, page 109

TYPE VAC - Full Size 1 Ton Utility Van; see addendum 3, page 110

TYPE VBA - Full Size 1/2 Ton 8-Passenger Van; see addendum 4, page 111

TYPE VGA - Full Size 3/4 Ton 8-Passenger Van; see addendum 5, page 112

TYPE VCA - 1 Ton 12-Passenger Van; see addendum 6, page 113

TYPE VDA - 1 Ton 15-Passenger Van; see addendum 7, page 114

TYPE VEA - Compact Utility Van; see addendum 8, page 115

TYPE VFA - Compact 7-Passenger Van; see addendum 9, page 116

TYPE PHA - Compact 2 WD Utility Vehicle; see addendum 10, page 117

TYPE PHB - Compact 4 WD Utility Vehicle; see addendum 11, page 118

TYPE PHC - Compact AWD Utility Vehicle; see addendum 12, page 119

TYPE PIA - Midsize 2 WD Utility Vehicle; see addendum 13, page 120

TYPE PIB – Midsize 4 WD Utility Vehicle; see addendum 14, page 121

TYPE PSA - Full Size 2 WD Utility Vehicle; see addendum 15, page 122

TYPE PSB – Full Size 4 WD Utility Vehicle; see addendum 16, page 123

TYPE PPV – 2WD SPECIAL PURPOSE UTILITY VEHICLE WITH POLICE PACKAGE; see addendum 17, page 124-125

TYPE PMA - 8-Passenger Carryall; see addendum 18, page 126

2. APPLICABLE DOCUMENTS:

- 2.1 Reference to any standard(s), specification(s), amendment(s), and/or test method(s) shall be to the current issue(s) in effect on the date of the Contract Award.
- 2.2 Gasoline mileage shall conform to minimums shown in the latest edition of the <u>Fuel Economy</u> <u>Guide</u> published by the Environmental Protection Agency.

AWARD NO: SP-10-0001 PAGE 107

3. REQUIREMENTS:

- 3.1 All vehicles furnished to the State of Arkansas shall be new and delivered as specified within the Contract Award. Vehicles shall be furnished with all interior, exterior trim and appointments listed by the manufacturer in printed specifications and literature as standard equipment. Vehicles shall also be equipped with any and all safety equipment required by the State of Arkansas and/or applicable Federal Regulations. Any upgrades and/or additional equipment necessitated by selection of any listed option by the ordering entity shall be included in the prices bid, and no additional charge shall be made by the vendor.
- 3.2 <u>Warranty</u> From date of delivery, each vehicle shall be accompanied by a warranty for a minimum of thirty-six (36) months or thirty six thousand (36,000) miles, whichever comes first. Warranty shall certify that the vehicle is of good material and workmanship and that the replacement of any part or parts that fails under normal use within the designated period, free of negligence or accident, will be promptly repaired or replaced at NO cost to the agency, institution, or other public body that purchased the vehicle.
- 3.3 <u>Specific Requirements</u> See addenda 1 through 17 for specific requirements appropriate to each type of vehicle listed herein.

4. SAMPLING, INSPECTION, AND TEST PROCEDURES:

- 4.1 Responsibility for inspection Unless otherwise specified, the successful contractor will be responsible for performing all inspections required herein. The Office of State Procurement reserves the right to make any and all inspections deemed necessary to insure compliance with these specifications.
- 4.2 Samples after bid results are tabulated, the Office of State Procurement reserves the right to require samples of selected vehicles for inspection and evaluation as required in the IFB.

5. PREPARATION FOR DELIVERY:

Each vehicle shall be completely serviced, cleaned and thoroughly inspected by the successful contractor just prior to delivery to the purchasing entity. No dealer advertisement shall be on any vehicle purchased by the State of Arkansas.

PREDELIVERY REQUIREMENTS:

- a. Complete lubrication.
- b. Fill crankcase with oil.
- c. Adjustment of engine to proper operating conditions.
- d. Inflate tires to proper pressure.
- e. Careful check to assure perfect operation of all mechanical features.
- f. Front end alignment and wheels balanced.
- g. Cleaning of vehicle, if necessary, and removal of all unnecessary tags, stickers, papers, etc. Window price sticker shall not be removed.
- h. No dealer's insignia shall be affixed to automobile.
- i. A minimum 5 gallons of fuel in each vehicle.
- j. Delivery shall be during normal working hours, 8 A.M. 4 P.M. Monday Friday.
- k. License plate holder, front and rear.

AWARD NO: SP-10-0001 PAGE 108

ADDENDUM 1: TYPE VAA: Full Size One-Half (1/2) Ton Utility Van, 8-cylinder

- A. STANDARD EQUIPMENT: Each van shall be equipped with the following:
 - a. Air Conditioning: factory installed.
 - b. Alternator: heavy-duty, minimum 40 amperes.
 - c. Anti-Freeze: serviced to -29°C (-20°F) or lower.
 - d. Automatic Transmission: minimum of three (3) forward Speeds and one (1) reverse.
 - e. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - f. Bumpers: front and rear.
 - g. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - h. Doors: two (2) front, right and left with crank vertical windows, two (2) right side, to open in opposite direction or one (1) right sliding, and two (2) rear to open in opposite direction.
 - i. Engine: **Eight (8) cylinder** gasoline fueled engine of the type recommended by manufacturer for vehicle as equipped.
 - j. Glass: sides and rear cargo doors, manufacturer standard tinted glass in all windows.
 - k. Inside Hood Latch Control.
 - I. License Plate Brackets: front and rear.
 - m. Mirrors: two (2) outside, low mount, right and left.
 - n. Operator's Manual.
 - o. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - p. Power Brakes: factory installed.
 - q. Power Steering: factory installed.
 - r. Radio: factory installed in dash AM/FM.
 - s. Seats: two front, driver and passenger, manufacturer's standard colors and materials to coincide with vehicles exterior color.
 - t. Shock absorbers: Type recommended by manufacturer for vehicle as equipped.
 - u. Tires: Five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
- B. OPTIONAL EQUIPMENT: Purchaser may choose from the following:
 - DL. Daytime Running Lights
 - DO. Glass: sides and rear cargo doors, delete for credit.
 - FI. Insulation: top, including full length headliner; sides, including trim panels, trim items may be dealer installed if equivalent in quality to standard type offered by manufacturer.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control (may be dealer installed of same manufacturer as vehicle) and tilt steering wheel.
 - RA. Auxiliary Rear Air Condition Unit, rear heating, factory installed
 - TO. Without air conditioning.

AWARD NO: SP-10-0001 PAGE 109

ADDENDUM 2: TYPE VAB - Full Size Three-Quarter (3/4) Ton Utility Van, 8-cylinder

- A. STANDARD EQUIPMENT: Each van shall be equipped with the following:
 - a. Air Conditioning: factory installed.
 - b. Alternator: heavy-Duty, minimum 40 amperes.
 - c. Anti-Freeze: services to -29°C (-20°F) or lower.
 - d. Automatic Transmission: minimum of three (3) forward Speeds and one reverse.
 - e. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - f. Bumpers: front and rear.
 - g. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - h. Doors: two (2) front, right and left with cranked vertical opening windows, two (2) right side opposite opening, or one (1) right side sliding, and two (2) rear opposite opening.
 - i. Engine: Eight (8) cylinder gasoline fueled engine of the type recommended by manufacturer for vehicle as equipped.
 - j. Glass: sides and rear cargo doors, manufacturer standard tinted glass in all windows.
 - k. Inside Hood Latch Control.
 - I. License Plate Brackets: front and rear.
 - m. Mirrors: two (2) outside, low mount, right and left.
 - n. Operator's manual.
 - o. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - p. Power Brakes: factory installed.
 - q. Power Steering: factory installed.
 - t. Radio: factory installed in dash AM/FM.
 - u. Seats: two (2) front, driver and passenger.
 - v. Shock Absorbers: Type recommended by manufacturer for vehicle as equipped.
 - w. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
- B. OPTIONAL EQUIPMENT: Purchaser may choose from the following:
 - DL. Daytime Running Lights
 - DO. Glass: sides and rear cargo doors, delete for credit.
 - FI. Insulation: top, including full length headliner; sides, including trim panels, trim items may be dealer installed if equivalent in quality to standard type offered by manufacturer.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control (may be dealer installed of same manufacturer as vehicle) and tilt steering wheel.
 - RA. Auxiliary Rear Air Condition Unit, rear heating, factory installed
 - TO. Without air conditioning

AWARD NO: SP-10-0001 PAGE 110

ADDENDUM 3: TYPE VAC - Full Size One (1) Ton Utility Van, 8-cylinder

- A. STANDARD EQUIPMENT: Each van shall be equipped with the following:
 - a. Air Conditioning: factory installed.
 - b. Alternator: heavy-duty, minimum 60 amperes.
 - c. Anti-Freeze: services to -29°C (-20°F) or lower.
 - d. Automatic Transmission: minimum of three (3) forward Speeds and one reverse.
 - e. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - f. Bumpers: front and rear.
 - g. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - h. Doors: two (2) front, right and left with cranked vertical opening windows, two (2) right side opposite opening, or one (1) right side sliding, and two (2) rear opposite opening.
 - i. Engine: Eight (8) cylinder gasoline fueled engine of the type recommended by manufacturer for vehicle as equipped.
 - j. Glass: sides and rear cargo doors, manufacturer standard tinted glass in all windows.
 - k. Inside hood latch control.
 - I. License plate brackets: front and rear.
 - m. Mirrors: two (2) outside, low mount, right and left.
 - n. Operator's Manual.
 - o. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - p. Power Brakes: factory installed.
 - q. Power Steering: factory installed.
 - r. Radio: factory installed in dash AM/FM.
 - s. Seats: two (2) front, driver and passenger.
 - t. Shock Absorbers: Type recommended by manufacturer for vehicle as equipped.
 - u. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
- B. OPTIONAL EQUIPMENT: Purchaser may choose from the following:
 - DL. Daytime Running Lights
 - DO. Glass: sides and rear cargo doors, delete for credit.
 - FI. Insulation: top, including full length headliner; sides, including trim panels, trim items maybe dealer installed if equivalent in quality to standard type offered by manufacturer.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control (may be dealer installed of same manufacturer as vehicle) with tilt steering wheel.
 - RA. Auxiliary Rear Air Condition Unit, rear heating, factory installed
 - TO. Without air conditioning.

AWARD NO: SP-10-0001 PAGE 111

ADDENDUM 4: TYPE VBA: Full Size One-Half (1/2) Ton Eight (8) Passenger Van

A. STANDARD EQUIPMENT: Each van shall be equipped with the following:

- a. Air Conditioning: factory installed, including factory installed insulation and heavy-duty alternator.
- b. Alternator: minimum 60 amperes.
- c. Anti-Freeze: serviced to -29°C (-20°F) or lower.
- d. Automatic Speed Control (may be dealer installed, but of same manufacturer as vehicle) and tilt steering wheel.
- e. Automatic Transmission: minimum of three (3) forward Speeds and one (1) reverse.
- f. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
- g. Bumpers: front and rear.
- h. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
- i. Doors: two (2) front; right and left, two (2) right side opposite opening, or one right side sliding, and two (2) rear opposite opening.

j. Electronic Stability Control System (ex: StabiliTrak)

- k. Engine: a gasoline fueled engine of the type recommended by manufacturer for vehicle as equipped.
- I. Glass: manufacturer standard tinted glass in all windows, with a minimum of three (3) windows capable of being opened.
- m. Inside Hood Latch Control.
- n. Insulation: top, including full length headliner; sides, including trim panels, trim items may be dealer installed if equivalent in quality to standard type offered by vehicle manufacturer.
- o. License Plate Brackets: front and rear.
- p. Mirrors: two (2) outside, low mount, right and left.
- q. Operator's Manual.
- r. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
- s. Power Windows and Power Door Locks: factory installed.
- t. Power Brakes: ABS factory installed.
- u. Power Steering: factory installed.
- v. Radio: factory installed in dash AM/FM.
- w. Seats: two (2) front, driver and passenger; and two (2) rear passenger, factory installed and removable, manufacturers standard materials, and color to coincide with vehicles exterior color.
- x. Shock Absorbers: Type recommended by manufacturer for vehicle as equipped.
- y. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.

B. OPTIONAL EQUIPMENT: Purchaser may choose from the following:

- CB. Gasoline Engine: 8-cylinder, a minimum of 280 CID.
- DL. Daytime Running Lights

HC. Head-Curtain side impact air bags

- LS. Differential: limited slip, ratio as recommended by manufacturer.
- UO. Auxiliary, transmission oil cooler.

AWARD NO: SP-10-0001 PAGE 112

ADDENDUM 5: TYPE VGA: Full-Size Three Quarter (3/4) Ton Eight (8) Passenger Van, 8-cylinder (larger van will not be accepted)

A. STANDARD EQUIPMENT: Each van shall be equipped with the following:

- a. Air Conditioning with auxiliary rear unit, rear heating factory installed, and heavy duty alternator.
- b. Alternator: minimum 60 amperes.
- c. Anti-Freeze: services to -29°C (-20°F) or lower.
- d. Automatic Speed Control (may be dealer installed, but of same manufacturer as vehicle) and tilt steering wheel.
- e. Automatic Transmission: minimum of three (3) forward Speeds and one reverse.
- f. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
- g. Bumpers: front and rear.
- h. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
- i. Doors: two (2) front; right and left, two (2) right side opposite opening, or one (1) right side sliding, and two (2) rear opposite opening.

j. Electronic Stability Control System (ex: StabiliTrak)

- k. Engine: Eight (8) cylinder gasoline fueled engine of the type recommended by manufacturer for vehicle as equipped.
- I. Glass: manufacturer standard tinted glass in all windows.
- m. Inside Hood Latch Control.
- n. Insulation: top, including full length headliner; sides, including trim panels, trim items may be dealer installed if equivalent in quality to standard type offered by manufacturer.
- o. License Plate Brackets: front and rear.
- p. Mirrors: two (2) outside, low mount, right and left.
- g. Operator's Manual.
- r. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
- s. Power Windows and Power Door Locks: factory installed.
- t. Power Brakes: ABS, factory installed.
- u. Power Steering: factory installed.
- v. Radio: factory installed in dash AM/FM.
- w. Seats: two (2) front, driver and passenger, with a minimum of two (2) rear passenger seats factory installed and removable. Manufacturers' standard materials and colors to coincide with vehicles exterior color.
- x. Shock Absorbers: Type recommended by manufacturer for vehicle as equipped.
- y. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.

B. OPTIONAL EQUIPMENT: Purchaser may choose from the following:

- CC. Gasoline Engine: 8-cylinder, a minimum of a 325 CID.
- DL. Daytime Running Lights
- ET. Enhanced Technology Glass (ETG)
- HC. Head-Curtain side impact air bags
- HO. Seat (add one additional bench seat in rear of van).
- LS. Differential: limited slip, ratio as recommended by manufacturer.
- UO. Auxiliary, Transmission oil cooler.

AWARD NO: SP-10-0001 PAGE 113

ADDENDUM 6: TYPE VCA: One (1) Ton Twelve (12) Passenger Van

A. STANDARD EQUIPMENT: Each van shall be equipped with the following:

- a. Air Conditioning with auxiliary rear unit, rear heating factory installed, and heavy-duty alternator.
- b. Alternator: minimum 60 amperes.
- c. Anti-Freeze: services to -29°C (-20°F) or lower.
- d. Automatic Speed Control (may be dealer installed, but of same manufacturer as vehicle) and tilt steering wheel.
- e. Automatic Transmission: minimum of three (3) forward Speeds and one reverse.
- f. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
- g. Bumpers: front and rear.
- h. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
- i. Doors: two (2) front, right and left, two (2) right side opposite opening, or one (1) right side sliding, and two (2) rear opposite opening.

j. Electronic Stability Control System (ex: StabiliTrak)

- k. Engine: Eight (8) cylinder gasoline fueled engine of the type recommended by manufacturer for vehicle as equipped.
- I. Glass: manufacturer standard tinted glass in all windows.
- m. Inside Hood Latch Control.
- n. Insulation: top, including full length headliner; sides, including trim panels, trim items may be dealer installed if equivalent in quality to standard type offered by manufacturer.
- o. License Plate Brackets: front and rear.
- p. Mirrors: two (2) outside, low mount, right and left.
- q. Operator's Manual.
- r. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
- s. Power Windows and Power Door Locks: factory installed.
- t. Power Brakes: ABS, factory installed.
- u. Power Steering: factory installed.
- v. Radio: factory installed in dash AM/FM.
- w. Seats: two (2) front, driver and passenger, and three (3) rear passenger factory installed and removable, manufacturer's standard materials and colors to coincide with vehicles exterior color.
- x. Shock Absorbers: Type recommended by manufacturer for vehicle as equipped.
- y. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.

B. OPTIONAL EQUIPMENT: Purchaser may choose from the following:

- CC. Gasoline Engine: 8-cylinder, a minimum of a 325 CID.
- DL. Daytime Running Lights
- ET. Enhanced Technology Glass (ETG)
- HC. Head-Curtain side impact air bags
- LS. Differential: limited slip, ratio as recommended by manufacturer.
- UO. Auxiliary, Transmission oil coolers.

AWARD NO: SP-10-0001 PAGE 114

ADDENDUM 7: TYPE VDA: One (1) Ton Fifteen (15) Passenger Van, 8-cylinder

A. STANDARD EQUIPMENT: Each van shall be equipped with the following:

- a. Air Conditioning with auxiliary rear unit, rear heating: Factory, or dealer installed or O.E.M. warranted, and heavy-duty alternator.
- b. Alternator: minimum 60 amperes.
- c. Anti-Freeze: service to -29°C (-20°F) or lower.
- d. Automatic Speed Control (may be dealer installed, but of same manufacturer as vehicle) and tilt steering wheel.
- e. Automatic Transmission: minimum of three (3) forward Speeds and one (1) reverse.
- f. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
- g. Bumpers: front and rear.
- h. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
- i. Doors: two (2) front; right and left, two (2) right side opposite opening, or one (1) right side sliding, and two (2) rear opposite opening.

j. Electronic Stability Control System (ex: StabiliTrak)

- k. Engine: a gasoline fueled eight (8)-cylinder engine of the type recommended by manufacturer for vehicle as equipped, a minimum of 325 CID.
- I. Glass: manufacturer standard tinted glass in all windows.
- m. Inside Hood Latch.
- n. Insulation: top, including full length headliner; sides, including trim panels, trim items may be dealer installed if equivalent in quality to standard type offered by vehicle manufacturer.
- o. License Plate Brackets: front and rear.
- p. Mirrors: two (2) outside, low mount, right and left.
- q. Operator's manual.
- r. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
- s. Power Windows and Power Door Locks: factory installed
- t. Power Brakes: ABS, factory installed.
- u. Power Steering: factory installed.
- v. Radio: factory installed in dash AM/FM.
- w. Seats: two (2) front, driver and passenger, and four (4) rear passenger factory installed and removable, manufacturer's standard materials and colors to coincide with vehicles exterior color.
- x. Shock Absorbers: Type recommended by manufacturer for vehicle as equipped.
- y. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.

B. OPTIONAL EQUIPMENT: Purchaser may choose from the following:

- CB. Gasoline Engine: 8-cylinder, a minimum of a 280 CID
- DL. Daytime Running Lights
- ET. Enhanced Technology Glass (ETG)

HC. Head-Curtain side impact air bags

- LS. Differential: limited slip, ratio as recommended by manufacturer.
- UO. Auxiliary, transmission oil coolers.
- WW. Cloth bench seats & carpet.

AWARD NO: SP-10-0001 PAGE 115

ADDENDUM 8: TYPE VEA: Compact Utility Mini-Van, 4-cylinder (Larger Van Will Not Be Accepted)

A. STANDARD EQUIPMENT: Each van shall be equipped with the following:

- a. Air Conditioning: factory installed, including insulation which may be dealer installed if equivalent in quality to standard type offered by vehicle manufacturer and heavy-duty alternator.
- b. Alternator: type recommended by manufacturer for vehicle as equipped.
- c. Anti-Freeze: serviced to -29°C (-20°F) or lower.
- d. Automatic Speed Control (may be dealer installed, but of same manufacturer as vehicle) and tilt steering wheel.
- e. Automatic Transmission: minimum of three (3) forward Speeds and one (1) reverse.
- f. Battery: maintenance free, and type recommended by manufacturer for vehicle as equipped.
- g. Bumpers: front and rear.
- h. Cooling System: heavy duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
- i. Differential: ratio as recommended by manufacturer.
- j. Doors: two (2) front, right and left, two (2) rear, right and left and of the type recommended by manufacturer for vehicle as equipped.
- k. Engine: **Four (4) cylinder** gasoline fueled engine of the type recommended by manufacturer for vehicle as equipped.
- I. Glass: Manufacturer standard tinted glass in all windows.
- m. Inside Hood Latch Control.
- n. License Plate Brackets: front and rear.
- o. Mirrors: two (2) outside, low mount, right and left.
- p. Operator's Manual.
- q. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
- r. Power Brakes: factory installed.
- s. Power Steering: factory installed.
- t. Radio: factory installed in dash AM/FM.
- u. Seats: two (2) front, driver and passenger, manufacturer's standard type.
- v. Suspension: Type recommended by manufacturer for vehicle as equipped.
- w. Tires: four (4) radial, tubeless, type recommended by manufacturer for vehicle as equipped, and one (1) mounted spare tire with wheel, either "space saver" or full size.
- B. OPTIONAL EQUIPMENT: Purchaser may choose from the following:
 - DL. Daytime Running Lights
 - JO. Glass: sides and rear cargo doors with manufacturer standard tinted glass in all windows.
 - TO. Without Air Conditioning.

AWARD NO: SP-10-0001 PAGE 116

ADDENDUM 9: TYPE VFA: Compact (7) Passenger Mini-Van, 6-cylinder (Larger Van Will Not Be Accepted)

- A. STANDARD EQUIPMENT: Each van shall be equipped with the following:
 - a. Air Conditioning: factory installed.
 - b. Alternator: heavy-duty, and type recommended by manufacturer for vehicle as equipped.
 - c. Anti-Freeze: serviced to -29°C (-20°F) or lower.
 - d. Automatic Speed Control (may be dealer installed, but of same manufacturer as vehicle) and tilt steering wheel.
 - e. Automatic Transmission: minimum of three (3) forward Speeds and one (1) reverse.
 - f. Battery: maintenance free, and type recommended by manufacturer for vehicle as equipped.
 - g. Bumpers: front and rear.
 - h. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - i. Differential: ratio as recommended by manufacturer.
 - j. Doors: two (2) front, two (2) rear, type recommended by manufacturer for vehicle as equipped
 - k. Engine: 6-cylinder gasoline fueled, and type recommended by manufacturer as being capable of handling a fully loaded passenger van as equipped.
 - I. Glass: manufacturer standard tinted glass in all windows, with windows capable of being opened in at least one (1) location on each side to the rear of driver area.
 - m. Inside Hood Latch Control.
 - n. Insulation: top, including full length headliner; sides, including trim panels; may be dealer installed if equivalent in quality to standard type offered by vehicle manufacturer.
 - o. License Plate Brackets: front and rear.
 - p. Mirrors: two outside, low mount, right and left.
 - q. Operator's Manual.
 - r. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - s. Power Windows and Power Door Locks: factory installed.
 - t. Power Brakes: factory installed.
 - u. Power Steering: factory installed.
 - v. Radio: factory installed in dash AM/FM.
 - w. Seats: manufacturer's standard seven (7) passenger (minimum) seating arrangement, factory installed and removable. Manufacturer's standard materials, and color to coincide with vehicles exterior color.
 - x. Suspension: type recommended by manufacturer for vehicle as equipped,
 - y. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
- B. OPTIONAL EQUIPMENT: Purchaser may choose from the following:
 - DL. Daytime Running Lights

AWARD NO: SP-10-0001 PAGE 117

ADDENDUM 10: TYPE PHA: Compact 2WD or FWD Utility Vehicle, 4-cylinder

- A. STANDARD EQUIPMENT: Each compact two wheel drive (2WD) special purpose vehicle shall be equipped with the following, as standard equipment listed by manufacturer.
 - a. Air Conditioning: all weather, factory installed.
 - b. Alternator: minimum of 40 amperes.
 - c. Anti-Freeze: serviced to -29°C (-20°F) or lower, and vehicle to be completely winterized.
 - d. Automatic Speed Control (may be dealer installed, but of same manufacturer as vehicle) and tilt steering wheel.
 - e. Automatic Transmission: minimum of three (3) forward Speeds and one (1) reverse.
 - f. Battery: maintenance free; type recommended by manufacturer for vehicle as equipped.
 - g. Bumpers: front and rear.
 - h. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - i. Differential: ratio as recommended by manufacturer.
 - j. Doors: Four (4): Front; right and left. Rear; right and left.
 - k. Engine: **Four (4) cylinder** gasoline fueled engine of the type recommended by manufacturer for vehicle as equipped.
 - I. Floor Mats: individual front and rear, color to coincide with interior.
 - m. Glass: manufacturer standard tinted glass in all windows.
 - n. Inside Hood Latch Control.
 - o. Insulation: top, including full length headliner; sides, including trim panels; may be dealer installed if equivalent in quality to standard type offered by vehicle manufacturer.
 - p. License Plate Brackets: front and rear.
 - q. Mirrors: exterior, low mount (below eye level type), right and left, and one (1) interior.
 - r. Operator's Manual.
 - s. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - t. Power Windows and Power Door Locks: factory installed.
 - u. Power Brakes: factory installed.
 - v. Power Steering: factory installed.
 - w. Radio: factory installed in dash AM/FM.
 - x. Seats: Bucket or split bench in front, fold down bench type in rear and seat belts for all seats.

Manufacturers' standard materials and color to coincide with exterior color.

- y. Shock Absorbers: Type recommended by manufacturer for vehicle as equipped.
- z. Tires: Four (4) according to manufacturer's factory standard with one (1) spare.
- aa. Windshield Washer: with two (2) Speed wipers.
- bb. Fuel Tank: approximately 16 gallon capacity or more.
- cc. Lamp: interior dome with door courtesy warning feature.
- dd. Stabilizer Equipment: front.
- ee. Storage Box: instrument panel area.
- B. OPTIONAL EQUIPMENT: Purchaser may choose from the following:
 - DL. Daytime Running Lights

LR Low Range Gears for off-road use

XO. Hitch, Class III, frame attached, includes External Oil and Transmission Coolers. Type recommended by manufacturer for vehicle as equipped. Must be dealer or manufacturer installed. Insert bar and ball not included.

AWARD NO: SP-10-0001 PAGE 118

ADDENDUM 11: TYPE PHB: Compact 4 WD Utility Vehicle, 6-cylinder

- A. STANDARD EQUIPMENT: Each compact four wheel drive (4WD) special purpose vehicle shall be equipped with the following, as standard equipment listed by manufacturer.
 - a. Air Conditioning: all weather, factory installed.
 - b. Alternator: minimum of 95 amperes.
 - c. Anti-Freeze: serviced to -29°C (-20°F) or lower, and vehicle to be completely winterized.
 - d. Automatic Speed Control (may be dealer installed, but of same manufacturer as vehicle) and tilt steering wheel.
 - e. Automatic Transmission: minimum of three (3) forward Speeds and one (1) reverse.
 - f. Battery: maintenance free; type recommended by manufacturer for vehicle as equipped.
 - g. Bumpers: front and rear.
 - h. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - i. Differential: ratio as recommended by manufacturer.
 - j. Doors, Four (4): Front; right and left. Rear, right and left
 - k. Engine: Six (6) cylinder gasoline fueled engine of the type recommended by manufacturer for vehicle as equipped.
 - I. Floor Mats: individual front and rear, color to coincide with interior.
 - m. Glass: manufacturer standard tinted glass in all windows.
 - n. Inside Hood Latch Control.
 - o. Insulation: top, including full length headliner; sides, including trim panels; may be dealer installed if equivalent in quality to standard type offered by vehicle manufacturer.
 - p. License Plate Brackets: front and rear.
 - q. Mirrors: exterior, low mount (below eye level type), right and left, and one (1) interior.
 - r. Operator's Manual.
 - s. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - t. Power Windows and Power Door Locks: factory installed.
 - u. Power Brakes: factory installed.
 - v. Power Steering: factory installed.
 - w. Radio: factory installed in dash AM/FM.
 - x. Seats: Bucket or split bench in front, fold down bench type in rear, and seat belts for all seats; manufacturer's standard materials and color to coincide with exterior color.
 - y. Shock Absorbers: Type recommended by manufacturer for vehicle as equipped.
 - z. Tires: four (4) according to manufacturer's factory standard with one (1) spare.
 - aa. Windshield Washer: with two (2) Speed wipers.
 - bb. Fuel Tank: approximately 16-gallon capacity or more.
 - cc. Lamp: interior dome with door courtesy warning feature.
 - dd. Stabilizer Equipment: front.
 - ee. Storage Box: instrument panel area.
- B. OPTIONAL EQUIPMENT: Purchaser may choose from the following:
 - DL. Daytime Running Lights
 - KO. Skid plate.
 - LO. Special Equipment Package: includes steel wheels, rear window wiper and defroster. (not a police pkg.)

LR Low Range Gears for off road terrain.

XO. Hitch, Class III, frame attached. Must be dealer or manufacturer installed. To include external oil and transmission cooler. Insert bar and ball not included.

AWARD NO: SP-10-0001 PAGE 119

ADDENDUM 12: TYPE PHC: Compact AWD Utility Vehicle, 6-cylinder

- A. STANDARD EQUIPMENT: Each Compact All Wheel Drive (AWD) shall be equipped with the following as standard equipment listed by manufacturer.
 - a. Air Conditioning: all weather, factory installed.
 - b. Alternator: minimum of 95 amperes.
 - c. Anti-Freeze: serviced to -29°C (-20°F) or lower. Vehicle to be completely winterized.
 - d. Automatic Speed Control (may be dealer installed, but of same manufacturer as vehicle) and tilt steering wheel.
 - e. Automatic Transmission: min. of three forward and one reverse speed.
 - f. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - g. Bumpers: front and rear.
 - h. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - i. Differential: ratio as recommended by manufacturer.
 - **j. Doors, Four (4): Front: right and left. Rear: right and left;** type recommended by manufacturer for vehicle as equipped.
 - k. Engine: **Six (6) cylinder** gasoline fueled engine of the type recommended by manufacturer for vehicle as equipped.

I. Fuel Tank: approximately 19-gallon capacity or more

- m. Glass: manufacturer standard tinted glass in all windows.
- n. Inside hood latch control.
- o. Insulation: top, including full length headliner; sides, including trim panels, trim items may be dealer installed if equivalent in quality to type offered by vehicle manufacturer.

p. Lamp: interior dome with door courtesy warning feature

- g. License Plate Brackets: front and rear.
- r. Mirrors: two (2) outside, low mount, right and left. One (1) interior.
- s. Operator's Manual.
- t. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
- u. Power Windows and Power Door Locks: factory installed.
- v. Power Brakes: factory installed.
- w. Power Steering: factory installed.
- x. Radio: factory installed in dash AM/FM.
- y. Seats: **Bucket or split bench in front, fold down bench type in rear,** manufacturer's standard materials, with color to coincide with vehicles exterior color.
- z. Shock Absorbers: Manufacturer's recommendation for vehicle as equipped.

aa. Stabilizer Equipment: front

- bb. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
- cc. Windshield Washer: with two (2) speed wipers.
- B. OPTIONAL EQUIPMENT: Purchaser may choose from the following:
 - DL. Daytime Running Lights
 - KO. Skid Plate
 - LO. Special Equipment Package: includes steel wheels, rear window wiper and defroster (not a police package).
 - XO. Hitch, Class III, frame attached. Must be dealer or manufacturer installed. To include external oil and transmission cooler. Insert bar and ball not included.

AWARD NO: SP-10-0001 PAGE 120

ADDENDUM 13: TYPE PIA: Midsize 2 WD Utility Vehicle, 6-cylinder

- A. STANDARD EQUIPMENT: Each Midsize Two Wheel Drive (2WD) shall be equipped with the following, as standard equipment listed by manufacturer.
 - a. Air Conditioning: all weather, factory installed.
 - b. Alternator: minimum of 40 amperes.
 - c. Anti-Freeze: serviced to -29°C (-20°F) or lower, and vehicle to be completely winterized.
 - d. Automatic Speed Control (may be dealer installed, but of same manufacturer as vehicle) and tilt steering wheel.
 - e. Automatic Transmission: minimum of three (3) forward Speeds and one (1) reverse.
 - f. Battery: maintenance free; type recommended by manufacturer for vehicle as equipped.
 - g. Bumpers: front and rear.
 - h. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - i. Differential: ratio as recommended by manufacturer.
 - j. Doors: Four (4): Front; right and left. Rear, right and left.
 - k. Engine: Six (6) cylinder gasoline fueled engine of the type recommended by manufacturer for vehicle as equipped.
 - I. Floor Mats: individual front and rear, color to coincide with interior.
 - m. Glass: manufacturer standard tinted glass in all windows.
 - n. Inside Hood Latch Control.
 - o. Insulation: top, including full length headliner; sides, including trim panels; may be dealer installed if equivalent in quality to standard type offered by vehicle manufacturer.
 - p. License Plate Brackets: front and rear.
 - q. Mirrors: exterior, low mount (below eye level type), right and left, and one (1) interior.
 - r. Operator's Manual.
 - s. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - t. Power Windows and Power Door Locks: factory installed.
 - u. Power Brakes: factory installed.
 - v. Power Steering: factory installed.
 - w. Radio: factory installed in dash AM/FM.
 - x. Seats: Bucket or split bench in front, fold down bench type in rear and seat belts for all seats. Manufacturer's standard materials and color to coincide with exterior color.
 - y. Shock Absorbers: Type recommended by manufacturer for vehicle as equipped.
 - z. Tires: Four (4) according to manufacturer's factory standard with one (1) spare.
 - aa. Windshield washer: with two (2) Speed wipers.
 - bb. Fuel Tank: approximately 17 gallon capacity or more.
 - cc. Lamp: interior dome with door courtesy warning feature.
 - dd. Stabilizer Equipment: front.
 - ee. Storage Box: instrument panel area.
- B. OPTIONAL EQUIPMENT: Purchaser may choose from the following:
 - DL. Daytime Running Lights
 - KO. Skid Plate
 - LO. Special Equipment Package to include steel wheels, rear window wiper and defroster (not a police package).
 - XO. Hitch, Class III, frame attached. Must be dealer or manufacturer installed. To include external oil and transmission cooler. Insert bar and ball not included.

AWARD NO: SP-10-0001 PAGE 121

ADDENDUM 14: TYPE PIB: Midsize 4 WD Utility Vehicle, 6-cylinder

- A. STANDARD EQUIPMENT: Each midsize four wheel drive (4WD) special purpose vehicle shall be equipped with the following, as standard equipment listed by manufacturer.
 - a. Air Conditioning: all weather, factory installed.
 - b. Alternator: minimum of 40 amperes.
 - c. Anti-Freeze: serviced to -29°C (-20°F) or lower, and vehicle to be completely winterized.
 - d. Automatic Speed Control (may be dealer installed, but of same manufacturer as vehicle) and tilt steering wheel.
 - e. Automatic Transmission: minimum of three (3) forward Speeds and one (1) reverse.
 - f. Battery: maintenance free; type recommended by manufacturer for vehicle as equipped.
 - g. Bumpers: front and rear.
 - h. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - i. Differential: ratio as recommended by manufacturer.
 - j. Doors: Four (4): Front; right and left. Rear, right and left; type recommended by manufacturer for vehicle as equipped.
 - k. Engine: 6-cylinder gasoline fueled engine of the type recommended by manufacturer for vehicle as equipped.
 - I. Floor Mats: individual front and rear, color to coincide with interior.
 - m. Glass: manufacturer standard tinted glass in all windows.
 - n. Inside Hood Latch Control.
 - o. Insulation: top, including full length headliner; sides, including trim panels; may be dealer installed if equivalent in quality to standard type offered by vehicle manufacturer.
 - p. License Plate Brackets: front and rear.
 - q. Mirrors: exterior, low mount (below eye level type), right and left, and one (1) interior.
 - r. Operator's Manual.
 - s. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - t. Power Windows and Power Door Locks: factory installed.
 - u. Power Brakes: factory installed.
 - v. Power Steering: factory installed.
 - w. Radio: factory installed in dash AM/FM.
 - x. Seats: Bucket or split bench in front, fold down bench type in rear and seat belts for all seats. Manufacturers' standard materials and color to coincide with exterior color.
 - y. Shock Absorbers: Type recommended by manufacturer for vehicle as equipped.
 - z. Tires: Four (4) according to manufacturer's factory standard with one (1) spare.
 - aa. Windshield Washer: with two (2) Speed wipers.
 - bb. Fuel Tank: approximately 17 gallon capacity or more.
 - cc. Lamp: interior dome with door courtesy warning feature.
 - dd. Stabilizer Equipment: front.
 - ee. Storage Box: instrument panel area.
- B. OPTIONAL EQUIPMENT: Purchaser may choose from the following:
 - DL. Daytime Running Lights
 - KO. Skid Plate
 - LO. Special Equipment Package to include steel wheels, rear window wiper and defroster (not a police package).
 - XO. Hitch, Class III, frame attached. Must be dealer or manufacturer installed. To include external oil and transmission cooler. Insert bar and ball not included.

AWARD NO: SP-10-0001 PAGE 122

ADDENDUM 15: TYPE PSA: Full-Size 2 WD Utility Vehicle, 8-cylinder

A. STANDARD EQUIPMENT: Each full-size two wheel drive (2WD) special purpose vehicle shall be equipped with the following, as standard equipment listed by manufacturer.

- a. Air Conditioning: all weather, factory installed.
- b. Alternator: minimum of 95 amperes.
- c. Anti-Freeze: serviced to -29°C (-20°F) or lower, and vehicle to be completely winterized.
- d. Automatic Speed Control (may be dealer installed, but of same manufacturer as vehicle) and tilt steering wheel
- e. Automatic Transmission: minimum of three (3) forward Speeds and one (1) reverse.
- f. Battery: maintenance free; type recommended by manufacturer for vehicle as equipped.
- g. Bumpers: front and rear.
- h. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
- i. Differential: ratio as recommended by manufacturer.
- j. Doors, Four (4): Front; right and left. Rear; right and left.; type recommended by manufacturer for vehicle as equipped.
- k. Engine: Eight (8) cylinder gasoline fueled engine of the type recommended by manufacturer for vehicle as equipped.
- I. Floor Mats: individual front and rear, color to coincide with interior.
- m. Glass: manufacturer standard tinted glass in all windows.
- n. Inside Hood Latch Control.
- o. Insulation: top, including full length headliner; sides, including trim panels; may be dealer installed if equivalent in quality to standard type offered by vehicle manufacturer.
- p. License Plate Brackets: front and rear.
- q. Mirrors: exterior, low mount (below eye level type), right and left, and one (1) interior.
- r. Operator's Manual.
- s. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
- t. Power Windows and Power Door Locks: factory installed.
- u. Power Brakes: factory installed.
- v. Power Steering: factory installed.
- w. Radio: factory installed in dash AM/FM.
- x. Seats: Front: Bucket or split bench, 2nd Row: Fold Down Bench Type, 3rd Row: Fold- Flat to the Floor Type, and seat belts for all seats; manufacturer's standard materials and color to coincide with exterior color.
- y. Shock Absorbers: Type recommended by manufacturer for vehicle as equipped.
- z. Tires: four (4) according to manufacturer's factory standard with one (1) spare.
- aa. Windshield Washer: with two (2) Speed wipers.
- bb. Fuel Tank: approximately 25-gallon capacity or more.
- cc. Lamp: interior dome with door courtesy warning feature.
- dd. Stabilizer Equipment: front, and rear.
- ee. Storage Box: instrument panel area.
- ff. Wheelbase: 115" minimum.
- B. OPTIONAL EQUIPMENT: Purchaser may choose from the following:
 - DL. Daytime Running Lights
 - HS. Heavy service package, including heavy-duty alternator, battery, suspension and maximum engine/transmission cooling.
 - KO. Skid Plate
 - LO. Special Equipment Package to include steel wheels, rear window wiper and defroster. (not a police pkg.)
 - LS. Limited slip rear end.
 - XO. Hitch, Class III, frame attached. Must be dealer or manufacturer installed. To include external oil and transmission cooler. Insert bar and ball not included.

AWARD NO: SP-10-0001 PAGE 123

ADDENDUM 16: TYPE PSB: Full-Size 4 WD Utility Vehicle, 8-cylinder

- A. STANDARD EQUIPMENT: Each full-size four wheel drive (4WD) special purpose vehicle shall be equipped with the following, as standard equipment listed by manufacturer.
 - a. Air Conditioning: all weather, factory installed.
 - b. Alternator: minimum of 95 amperes.
 - c. Anti-Freeze: serviced to -29°C (-20°F) or lower, and vehicle to be completely winterized.
 - d. Automatic Speed Control (may be dealer installed, but of same manufacturer as vehicle) and tilt steering wheel
 - e. Automatic Transmission: minimum of three (3) forward Speeds and one (1) reverse.
 - f. Battery: maintenance free; type recommended by manufacturer for vehicle as equipped.
 - g. Bumpers: front and rear.
 - h. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - i. Differential: ratio as recommended by manufacturer.
 - j. Doors, Four (4): Front; right and left. Rear; right and left. type recommended by manufacturer for vehicle as equipped.
 - k. Engine: Eight (8) cylinder gasoline fueled engine of the type recommended by manufacturer for vehicle as equipped.
 - I. Floor Mats: individual front and rear, color to coincide with interior.
 - m. Glass: manufacturer standard tinted glass in all windows.
 - n. Inside Hood Latch Control.
 - o. Insulation: top, including full length headliner; sides, including trim panels; may be dealer installed if equivalent in quality to standard type offered by vehicle manufacturer.
 - p. License Plate Brackets: front and rear.
 - q. Mirrors: exterior, low mount (below eye level type), right and left, and one (1) interior.
 - r. Operator's Manual.
 - s. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - t. Power Windows and Power Door Locks: factory installed.
 - u. Power Brakes: factory installed.
 - v. Power Steering: factory installed.
 - w. Radio: factory installed in dash AM/FM.
 - x. Seats: Front: Bucket or split bench, 2nd Row: Fold Down Bench Type, 3rd Row: Fold Flat to the Floor Type and seat belts for all seats; manufacturer's standard materials and color to coincide with exterior color.
 - y. Shock Absorbers: Type recommended by manufacturer for vehicle as equipped.
 - z. Tires: four (4) according to manufacturer's factory standard with one (1) spare.
 - aa. Windshield Washer: with two (2) Speed wipers.
 - bb. Fuel Tank: approximately 25 gallon capacity or more.
 - cc. Lamp: interior dome with door courtesy warning feature.
 - dd. Stabilizer Equipment: front, and rear.
 - ee. Storage Box: instrument panel area.
 - ff. Wheelbase: 115" minimum.
- B. OPTIONAL EQUIPMETN: Purchaser may choose from the following:
 - DL. Daytime Running Lights
 - HS. Heavy service package, including heavy duty alternator, battery, suspension and maximum engine/transmission cooling.
 - KO. Skid Plate (s)
 - LO. Special Equipment Package to include steel wheels, rear window wiper and defroster (not a police pkg.)
 - LS. Limited slip rear end.
 - XO. Hitch, Class III, frame attached. Must be dealer or manufacturer installed. To include external oil and transmission cooler. Insert bar and ball not included.

AWARD NO: SP-10-0001 PAGE 124

ADDENDUM 17: TYPE PPV: SPECIAL PURPOSE UTILITY VEHICLE WITH POLICE PACKAGE, TWO WHEEL DRIVE

- A. STANDARD EQUIPMENT: Each full-size two wheel drive (2WD) special purpose utility vehicle shall be equipped with the following, as standard equipment listed by manufacturer. The vehicle provided must be listed and approved as a pursuit vehicle in the latest Michigan Police Evaluation Program.
- a. Air Conditioning: Front and rear, factory installed.
- b. Alternator: Heavy duty, capable of no less than 160 amperes at maximum output.
- c. Anti-Freeze: Serviced to -200 F. or lower.
- d. Automatic Speed Control: May be dealer installed, but of same manufacturer as vehicle.
- e. Battery: Minimum of two (2) maintenance free batteries with a minimum rating each of 730 cold cranking amps at 00 F.
- f. Brakes: Power front and rear disc with four wheel anti-lock.
- g. Cooling System: Heavy-Duty, including heavy duty radiator, heavy duty fan, and factory installed coolant recovery system.
- h. Doors: Four (4) doors equipped with power locks, single key locking system for each vehicle and power windows. Rear entry to be lift-gate with lift-glass. Locks and door handles to be operable on all doors. Rear doors to be equipped with child safety latches.
- i. Door Courtesy Light: Over-ride or disconnect switch.
- j. Engine: 5.3L/8-cylinder gasoline fueled engine suitable for police pursuit work and capable of accelerating from 0 to 60 mph in a maximum of 10.0 seconds with a minimum top speed of 130 mph as shown in the latest Michigan Police Vehicle Test. Engine shall be equipped with an external crankcase engine oil cooler.
- k. Floor Covering: Black rubberized-vinyl.
- I. Floor Mats: front and rear vinyl.
- m. Fuel Tank: Minimum capacity of 26 gallons.
- n. Glass: manufacturer standard tinted glass in all windows, with a minimum of four (4) windows capable of being opened.
- o. GVWR: 6,700 pounds, minimum
- p. Heater-Defroster Unit: Including factory installed Auxiliary Rear Heater.
- q. Insulation: Top, including full length cloth headliner; sides, including trim panels. Color to coordinate with exterior color. Structural design and insulation shall insure that interior noise levels are kept to acceptable minimums.
- r. Locks, Door: single key locking system for each car with three (3) keys per vehicle. Separate key and key fob.
- s. Lights, Interior: Dome lights, cargo light and map lights. Dome and cargo lights to have delayed entry feature.
- t. Mirrors: Factory installed dual outside with power remote control; non-glare day-night inside.
- u. Operator's manual.
- v. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
- w. Police Package: Including all features listed in the manufacturer's printed specifications and literature as a part of their police equipment package.
- x. Power Steering: Power assisted rack and pinion steering.
- y. Power Windows: Including operable front and rear switches.
- z. Radio: factory installed in dash AM/FM.

AWARD NO: SP-10-0001 PAGE 125

continue

ADDENDUM 17: TYPE PPV: SPECIAL PURPOSE UTILITY VEHICLE WITH POLICE PACKAGE, TWO WHEEL DRIVE

- aa. Radio Suppression: Radio frequency interference suppression measures and devices shall be incorporated into the vehicle so that interference generated does not exceed the limits established in SAE standard J551, entitled "Performance levels and methods of measurement of electromagnetic radiation from vehicles and devices (30-1000 MHz)".
- bb. Rear Axle: Equipped with Limited Slip Differential. Manufacturer to select axle ratio which will provide the best overall performance and of the heaviest duty available.
- cc. Seats: Heavy-Duty individual cloth front seats with approximately 10" spacing between seats in center, and split-folding bench type rear seat. Rear seat upholstery to consist of manufacturer's standard materials for model and trim level provided. Seat belts shall be provided for all seating positions.
- dd. Speedometer: 0 to 140 mph, certified calibrated within two (2) mph. Allowable instrument error to be + one (1) mph at all speeds between 10 and 100 mph.
- ee. Spotlight: Left side, factory installed.
- ff. Suspension: Maximum handling package designed to limit body roll, allow flat cornering, limit dive on severe braking, limit squat on fast acceleration, and to provide optimum handling. Package shall include, at a minimum, heavy duty suspension, and front and rear stabilizer bars.
- gg. Tilt Steering Wheel.
- hh. Tires: Five (5) Pursuit Radials no less than P265/60R17 tubeless, blackwall, all season tread, fabric body and steel belts. Tires must be certified by both the tire and vehicle manufacturer for police use for a sustained speed to meet or exceed vehicle performance capabilities.
- ii. Transmission: Automatic with a minimum of four (4) forward speeds and one (1) reverse, equipped with auxiliary transmission oil cooler.
- jj. Transmission Shifter: Located on steering column.
- kk. Wheelbase: minimum of 116"
- II. Wheels: Heavy duty steel, police
- mm. Wheel Covers/Center Caps: Metal, bolt-on. May be full cover or center cap.
- nn. Wipers: Dual electric intermittent windshield wipers with washers and rear window wiper with washer.
- oo. Inside Hood Latch Control.
- B. OPTIONAL EQUIPMENT: Purchaser may choose from the following:
- AR. 3.55 limited slip axle ratio
- BD. Ballistic Door Panels for driver side only
- BP. Ballistic Door Panels for driver and passenger
- DL. Daytime Running Lights
- IO. Roof reinforcement for light bar installation
- KO. Skid Plate: Designed to protect front underbody and oil pan.
- MO. Delete Spotlight: Spotlight may be deleted for Credit (deduct)
- OO. Spotlight (additional, to be installed front passenger side).
- VI. Delete limited-slip rear axle
- VM. Vinyl Floor Mats, Front & Rear
- WL. Full size spare; tire to match others on vehicle.
- WW. Rear Cloth Seat
- ZI. Street Appearance Package: Carpeted flooring and floor mats, side moldings, and deletes spotlight

AWARD NO: SP-10-0001 PAGE 126

ADDENDUM 18: TYPE PMA: Eight (8) Passenger Carryall

- A. STANDARD EQUIPMENT: Each four (4) door carryall with rear entry access shall be equipped with the following standard equipment listed by manufacturer.
 - a. Air Conditioning: factory installed, including factory installed insulation and heavy-duty alternator.
 - b. Alternator: minimum of 100 amperes.
 - c. Anti-Freeze: serviced to -29°C (-20°F) or lower.
 - d. Automatic Speed Control (may be dealer installed, but of same manufacturer as vehicle) and tilt steering wheel.
 - e. Automatic Transmission: min. of three forward and one reverse speed.
 - f. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - g. Bumpers: front and rear.
 - h. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - i. Doors: Four (4) doors with lift gate, tail gate or panel door(s) type rear entry.
 - j. Engine: Eight (8) cylinder gasoline fueled engine of the type recommended by manufacturer for vehicle as equipped.
 - k. Floor Mats: individual front and rear, color to coincide with interior.
 - I. Glass: manufacturer standard tinted glass in all windows, with a minimum of four (4) windows capable of being opened.
 - m Inside Hood Latch Control.
 - n. Insulation: top, including full length headliner; sides, including trim panels, trim items may be dealer installed if equivalent in quality to type offered by vehicle manufacturer.
 - o. License Plate Brackets: front and rear.
 - p. Mirrors: two (2) outside, low mount, right and left.
 - g. Operator's Manual.
 - r. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - s. Power Windows and Power Door Locks: factory installed.
 - t. Power Brakes: factory installed.
 - u. Power Steering: factory installed.
 - v. Radio: factory installed in dash AM/FM.
 - w. Seats: Eight (8) passenger, with factory installed 2nd row folding center and a 3rd row detachable rear seat, from manufacturer's standard materials, with color to coincide with vehicles exterior color.
 - x. Shock Absorbers: Manufacturer's recommendation for vehicle as equipped.
 - v. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - z. Wheelbase: minimum of 130"
- B. OPTIONAL EQUIPMENT: Purchaser may choose from the following:
 - AO. Four Wheel Drive (4x4) to include Oil Pressure Gauge, Automatic Locking Hubs, and Suspension type recommended by manufacturer for vehicle as equipped and with standard equipment.
 - DL. Daytime Running Lights
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - NO. Bucket or Captain Seats with center console. (includes option WW)
 - WO. Factory installed rear air conditioning system.
 - XO. Hitch, Class III, frame attached. Must be dealer or manufacturer installed. Insert bar and ball not included. A minimum rear axle ratio of 3.31 is needed for option XO.
 - WW. Cloth 2nd and 3rd row seats, includes carpet and carpeted floor mats.

AWARD NO: SP-10-0001 PAGE 127

STATE OF ARKANSAS DEPARTMENT OF FINANCE AND ADMINISTRATION OFFICE OF STATE PROCUREMENT

STANDARD SPECIFICATIONS FOR HYBRID VEHICLES

1. SCOPE AND CLASSIFICATION:

Vehicles covered herein shall be of the following types and options as specified in the Contract Award.

- 1.1 Scope To set forth the minimum purchasing standards in obtaining hybrid electric/gas vehicles in conjunction with this specification and the states requirements.
- 1.2 Classification Vehicles covered herein shall be of the following types and options as specified in the Contract Award:

TYPE HCS: Four (4) door, compact sedan, 4-cylinder; see addendum 1, NO AWARD

TYPE HMH: Four (4) door, mid-size hatchback sedan, 4-cylinder; see addendum 2, NO AWARD

TYPE HMS: Four (4) door, mid-size sedan, 4-cylinder, see addendum 3, page 129

TYPE HMF: Four (4) door, mid-size sedan, 6-cylinder; see addendum 4, NO AWARD

TYPE HTU: Four (4) door, 5-Passenger SUV, 2WD, 4-cylinder, see addendum 5, page 130

TYPE HFU: Four (4) door, 5-Passenger SUV, 4WD or AWD, 4-cylinder; see addendum 6, page 131

TYPE HST: Four (4) door, 7-Passenger SUV, 2WD, 6-cylinderss; see addendum 7, page 132

TYPE HSF: Four (4) door, 7-Passenger SUV, 4WD OR AWD, 6-cylinders; see addendum 8, page 133

TYPE HTT: 1/2T Truck, Crew or Quad Cab, 2WD, 8-cylinders; see contract SP-09-0148

TYPE HFT: 1/2T Truck, Crew or Quad Cab, 4WD, 8-cylinders; see contract SP-09-0148

2. APPLICABLE DOCUMENTS:

- 2.1 Reference to any standard(s), specification(s), amendment(s), and/or test method(s) shall be to the current issue(s) in effect on the date of the Contract Award.
- 2.2 Gasoline mileage shall conform to minimums shown in the latest edition of the Fuel Economy Guide published by the Environmental Protection Agency.

3. REQUIREMENTS:

- 3.1 All vehicles furnished to the State of Arkansas shall be new and delivered as specified within the Contract Award. Vehicles shall be furnished with all interior, exterior trim and appointments listed by the manufacturer in printed specifications and literature as standard equipment. Vehicles shall also be equipped with any and all safety equipment required by the State of Arkansas and/or applicable Federal Regulations. Any upgrades and/or additional equipment necessitated by selection of any listed option by the ordering entity shall be included in the prices bid, and no additional charge shall be made by the vendor.
- 3.2 Warranty From date of delivery, each vehicle shall be accompanied by a warranty for a

AWARD NO: SP-10-0001 PAGE 128

minimum of thirty-six (36) months or thirty six thousand (36,000) miles, whichever comes first. Warranty shall certify that the vehicle is of good material and workmanship and that the replacement of any part or parts that fails under normal use within the designated period, free of negligence or accident, will be promptly repaired or replaced at NO cost to the agency, institution, or other public body that purchased the vehicle.

3.3 <u>Specific Requirements</u> - See addenda 1 through 10 for specific requirements appropriate to each type of vehicle listed herein.

4. SAMPLING, INSPECTION, AND TEST PROCEDURES:

- 4.1 Responsibility for inspection Unless otherwise specified, the successful contractor will be responsible for performing all inspections required herein. The Office of State Procurement reserves the right to make any and all inspections deemed necessary to insure compliance with these specifications.
- 4.2 Samples after bid results are tabulated, the Office of State Procurement reserves the right to require samples of selected vehicles for inspection and evaluation as required in the IFB.

5. PREPARATION FOR DELIVERY:

Each vehicle shall be completely serviced, cleaned and thoroughly inspected by the successful contractor just prior to delivery to the purchasing entity. No dealer advertisement shall be on any vehicle purchased by the State of Arkansas.

PREDELIVERY REQUIREMENTS:

- a. Complete lubrication.
- b. Fill crankcase with oil.
- c. Adjustment of engine to proper operating conditions.
- d. Inflate tires to proper pressure.
- e. Careful check to assure perfect operation of all mechanical features.
- f. Front end alignment and wheels balanced.
- g. Cleaning of vehicle, if necessary, and removal of all unnecessary tags, stickers, papers, etc. Window price sticker shall not be removed.
- h. No dealer's insignia shall be affixed to automobile.
- i. A minimum 5 gallons of fuel in each vehicle.
- j. Delivery shall be during normal working hours, 8 A.M. 4 P.M. Monday Friday.
- k. License plate holder, front and rear.

AWARD NO: SP-10-0001 PAGE 129

ADDENDUM 3: TYPE HMS: Four (4) Door, Mid-Size Sedan, 4-Cylinder (Hatchback Sedan will not be accepted)

- A. SIZE CLASSIFICATION: Vehicle shall be classified in the latest edition of the U.S. Environmental Protection Agency's Fuel Economy Guide as a Mid-Size 4-cylinder Sedan.
- B. STANDARD EQUIPMENT: Each vehicle shall be equipped with the following:
- a. Air Bags: Driver & Front Passenger, factory installed
- b. Air Conditioning: factory installed
- c. Alternator: type recommended by manufacturer for vehicle as equipped.
- d. Battery: Ni-MH (Nickel-Metal Hybrid)
- e. Battery Voltage: type recommended by manufacturer for vehicle as equipped
- f. Brakes: Each vehicle shall be equipped with the manufacturer's standard power assisted service brakes with a four-wheel, electronic controlled, anti-lock brake system (ABS).
- g. Doors: Four (4) manufacturer's standard type for vehicle
- h. Emissions System: manufacturer's standard type for vehicle.
- i. Engine: minimum of 4-cylinders
- j. Floor Mats: front and rear, color to coincide with interior.
- k. Glass: manufacturer standard privacy or tinted glass in all windows.
- I. Horsepower, Net: minimum of 160 hp
- m. Inside hood latch control
- n. Keys: 2 sets
- o. License Plate Brackets: front and rear
- p. Operator's Manual
- q. Paint: one (1) exterior color selected from manufacturer's standard list and specified by ordering entity.
- r. Power Steering: factory installed manufacturer's standard power assisted steering
- s. Radio: AM/FM
- t. Seats: Front Bucket. Rear Seat; type recommended by manufacturer for vehicle as equipped.
- u. Suspension: type recommended by manufacturer for vehicle as equipped.
- v. Tires and Wheels: (four) 4 radial, tubeless tires of the size and load range recommended by vehicle manufacturer for automobile as equipped.
- w. Transmission/Driveline: Each vehicle shall be equipped with the manufacturer's standard automaticoverdrive type transmission and shall include the manufacturer's standard transmission cooler. Vehicles equipped with a continuously variable transmission (CVT) will be acceptable.
- x. Upholstery: cloth material and colors to coincide with exterior color chosen.
- C. OPTIONAL EQUIPMENT: Purchaser may choose from the following:

AM. Body Side Molding

AWARD NO: SP-10-0001 PAGE 130

ADDENDUM 5: TYPE HTU: Four (4) Door, 5-Passenger SUV, 2WD, 4-Cylinder

A. SIZE CLASSIFICATION: Vehicle shall be classified in the latest edition of the U.S. Environmental Protection Agency's Fuel Economy Guide as specified above.

- B. STANDARD EQUIPMENT: Each vehicle shall be equipped with the following:
- a. Air Bags: Driver & Front Passenger, factory installed
- b. Air Conditioning: factory installed
- c. Alternator: type recommended by manufacturer for vehicle as equipped.
- d. Battery: Ni-MH (Nickel-Metal Hybrid)
- e. Battery Voltage: type recommended by manufacturer for vehicle as equipped
- f. Brakes: Each vehicle shall be equipped with the manufacturer's standard power assisted service brakes with a four-wheel, electronic controlled, anti-lock brake system (ABS).
- g. Doors: Five (5) manufacturer's standard type for vehicle
- h. Emissions System: manufacturer's standard type for vehicle.
- i. Engine: minimum of 4-cylinder
- j. Floor Mats: front and rear, color to coincide with interior.
- k. Glass: manufacturer standard tinted glass in all windows.
- I. Horsepower, Net: minimum of 155 hp
- m. Inside hood latch control
- n. Keys: 2 sets
- o. License plate brackets: front and rear
- p. Operator's Manual
- q. Paint: one (1) exterior color selected from manufacturer's standard list and specified by ordering entity.
- r. Power Outlet: 110-volt
- s. Power Steering: factory installed manufacturer's standard power assisted steering
- t. Radio: AM/FM
- u. Seats: Front Bucket. Second Row: fold-flat type; manufacturer's standard type for vehicle as equipped.
- v. Suspension: type recommended by manufacturer for vehicle as equipped.
- w. Tires and Wheels: (four) 4 radial, tubeless tires of the size and load range recommended by vehicle manufacturer for automobile as equipped.
- x. Towing, Class 1: up to 1000 lbs
- y. Transmission/Driveline: Each vehicle shall be equipped with the manufacturer's standard automaticoverdrive type transmission and shall include the manufacturer's standard transmission cooler. Vehicles equipped with a continuously variable transmission (CVT) will be acceptable.
- z. Upholstery: cloth material and colors to coincide with exterior color chosen.
- aa. Wheelbase: minimum of 100"
- C. OPTIONAL EQUIPMENT: Purchaser may choose from the following:
 - AM. Body Side Molding
 - DL. Daytime running lamps
 - HB. Engine Block Heater
 - PO. 110-volt power outlet
 - RC. Retractable cargo area cover.

AWARD NO: SP-10-0001 **PAGE 131**

ADDENDUM 6: TYPE HFU: Four (4) Door, 5-Passenger SUV, 4WD or AWD, 4-Cylinder

SIZE CLASSIFICATION: Vehicle shall be classified in the latest edition of the U.S. Α. Environmental Protection Agency's Fuel Economy Guide as vehicle specified.

- B. STANDARD EQUIPMENT: Each vehicle shall be equipped with the following:
- a. Air Bags: Driver & Front Passenger, factory installed
- b. Air Conditioning: factory installed
- c. Alternator: type recommended by manufacturer for vehicle as equipped.
- d. Battery: Ni-MH (Nickel-Metal Hybrid)
- e. Battery Voltage: type recommended by manufacturer for vehicle as equipped
- f. Brakes: Each vehicle shall be equipped with the manufacturer's standard power assisted service brakes with a four-wheel, electronic controlled, anti-lock brake system (ABS).
- g. Doors: Five (5); manufacturer's standard type for vehicle
- h. Emissions System: manufacturer's standard type for vehicle.
- i. Engine: minimum of 4-cylinder
- j. Floor Mats: front and rear, color to coincide with interior.
- k. Glass: manufacturer standard privacy or tinted glass in all windows.
- I. Horsepower, Net: 155 hp m. Inside hood latch control
- n. Kevs: 2 sets
- o. License plate brackets: front and rear
- p. Operator's Manual
- q. Paint: one (1) exterior color selected from manufacturer's standard list and specified by ordering entity.
- r. Power Outlet: 110-volt
- s. Power Steering: factory installed manufacturer's standard power assisted steering
- t. Radio: AM/FM
- u. Seats: Front Bucket. Second Row: fold-flat type; manufacturer's standard type for vehicle as equipped.
- v. Power Steering: factory installed manufacturer's standard power assisted steering
- w. Suspension: type recommended by manufacturer for vehicle as equipped.
- x. Tires and Wheels: (four) 4 radial, tubeless tires of the size and load range recommended by vehicle manufacturer for automobile as equipped.
- v. Towing, Class 1: up to 1000 lbs
- z. Transmission/Driveline: Each vehicle shall be equipped with the manufacturer's standard automaticoverdrive type transmission and shall include the manufacturer's standard transmission cooler. Vehicles equipped with a continuously variable transmission (CVT) will be acceptable.
- aa. Upholstery: cloth material and colors to coincide with exterior color chosen.
- bb. Wheelbase: minimum of 100"
- C. OPTIONAL EQUIPMENT: Purchaser may choose from the following:
 - AM. Body Side Molding
 - DL. Daytime running lamps
 - HB. Engine Block Heater
 - RC. Retractable Cargo Area Cover

AWARD NO: SP-10-0001 PAGE 132

ADDENDUM 7: TYPE HST: Four (4) Door, 7-Passenger SUV, 2WD, 6-Cylinder

A. SIZE CLASSIFICATION: Vehicle shall be classified in the latest edition of the U.S. Environmental Protection Agency's Fuel Economy Guide as vehicle specified.

- B. STANDARD EQUIPMENT: Each vehicle shall be equipped with the following:
- a. Air Bags: Driver & Front Passenger, factory installed
- b. Air Conditioning: factory installed
- c. Alternator: type recommended by manufacturer for vehicle as equipped.
- d. Battery: Ni-MH (Nickel-Metal Hybrid)
- e. Battery Voltage: type recommended by manufacturer for vehicle as equipped
- f. Brakes: Each vehicle shall be equipped with the manufacturer's standard power assisted service brakes with a four-wheel, electronic controlled, anti-lock brake system (ABS).
- g. Doors: Five (5) manufacturer's standard type for vehicle
- h. Emissions System: manufacturer's standard type for vehicle.
- i. Engine: minimum of 6-cylinders
- j. Floor Mats: front and rear, color to coincide with interior.
- k. Glass: manufacturer standard privacy or tinted glass in all windows.
- I. Horsepower, Net: 270 hp m. Inside hood latch control
- n. Keys: 2 sets
- o. License plate brackets: front and rear
- p. Operator's Manual
- q. Paint: one (1) exterior color selected from manufacturer's standard list and specified by ordering entity.
- r. Power Outlet: 110-volt
- s. Power Steering: factory installed manufacturer's standard power assisted steering
- t. Radio: AM/FM
- u. Seats: Front Bucket. Second Row: fold-flat type; manufacturer's standard type for vehicle as equipped and Third Row: manufacturer's standard type for vehicle as equipped
- v. Suspension: type recommended by manufacturer for vehicle as equipped.
- w. Tires and Wheels: (four) 4 radial, tubeless tires of the size and load range recommended by vehicle manufacturer for automobile as equipped.
- x. Transmission/Driveline: Each vehicle shall be equipped with the manufacturer's standard automaticoverdrive type transmission and shall include the manufacturer's standard transmission cooler. Vehicles equipped with a continuously variable transmission (CVT) will be acceptable.
- y. Upholstery: cloth material and colors to coincide with exterior color chosen.
- z. Wheelbase: minimum of 100"
- C. OPTIONAL EQUIPMENT: Purchaser may choose from the following:
 - AM. Body Side Molding
 - DL. Daytime running lamps
 - HB. Engine Block Heater.
 - RC. Retractable Cargo Area Cover.

AWARD NO: SP-10-0001 PAGE 133

ADDENDUM 8: TYPE HSF: Four (4) Door, 7-Passenger SUV, 4WD OR AWD, 6-Cylinder

A. SIZE CLASSIFICATION: Vehicle shall be classified in the latest edition of the U.S. Environmental Protection Agency's Fuel Economy Guide as vehicle specified.

- B. STANDARD EQUIPMENT: Each vehicle shall be equipped with the following:
- a. Air Bags: Driver & Front Passenger, factory installed
- b. Air Conditioning: factory installed
- c. Alternator: type recommended by manufacturer for vehicle as equipped.
- d. Battery: Ni-MH (Nickel-Metal Hybrid)
- e. Battery Voltage: type recommended by manufacturer for vehicle as equipped
- f. Brakes: Each vehicle shall be equipped with the manufacturer's standard power assisted service brakes with a four-wheel, electronic controlled, anti-lock brake system (ABS).
- g. Doors: Five (5) manufacturer's standard type for vehicle
- h. Emissions System: manufacturer's standard type for vehicle.
- i. Engine: minimum of 6-cylinder
- j. Floor Mats: front and rear, color to coincide with interior.
- k. Glass: manufacturer standard privacy or tinted glass in all windows.
- I. Horsepower, Net: 270 hp m. Inside hood latch control
- n. Keys: 2 sets
- o. License Plate Brackets: front and rear
- p. Operator's Manual
- q. Paint: one (1) exterior color selected from manufacturer's standard list and specified by ordering entity.
- r. Power Outlet: 110-volt
- s. Power Steering: factory installed manufacturer's standard power assisted steering
- t. Radio: AM/FM
- u. Seats: Front Bucket. Second Row: fold-flat type; manufacturer's standard type for vehicle as equipped. Third Row: manufacturer's standard type for vehicle as equipped
- v. Suspension: type recommended by manufacturer for vehicle as equipped.
- w. Tires and Wheels: (four) 4 radial, tubeless tires of the size and load range recommended by vehicle manufacturer for automobile as equipped.
- x. Transmission/Driveline: Each vehicle shall be equipped with the manufacturer's standard automaticoverdrive type transmission and shall include the manufacturer's standard transmission cooler. Vehicles equipped with a continuously variable transmission (CVT) will be acceptable.
- y. Upholstery: cloth material and colors to coincide with exterior color chosen.
- z. Wheelbase: minimum of 100"
- C. OPTIONAL EQUIPMENT: Purchaser may choose from the following:
 - AM. Body Side Molding
 - DL. Daytime running lamps
 - HB. Engine Block Heater
 - RC. Retractable Cargo Area Cover

AWARD NO: SP-10-0001 PAGE 134

TERM AWARD TERMS AND CONDITIONS

- 1. GENERAL: All terms and conditions stated in the invitation for bid govern this contract.
- 2. PRICES: Prices are firm and not subject to escalation, unless otherwise specified in the invitation for bid.
- 3. DISCOUNTS: All cash discounts offered will be taken if earned.
- 4. TAXES: Most state agencies must pay state sales tax. Before billing, the contractor should contact the ordering agency to find out if that agency must pay sales tax. Itemize state sales tax when applicable on invoices.
- 5. BRAND NAME REFERENCES: The contractor guarantees that the commodity delivered is the same as specified in the bid.
- 6. GUARANTY: All items delivered are to be newly manufactured, in first- class condition, latest model and design, including, where applicable, containers suitable for shipment and storage unless otherwise indicated in the bid invitation. The contractor guarantees that everything furnished hereunder will be free from defects in design, workmanship, and material; that if sold by drawing, sample or specification, it will conform thereto and will serve the function for which furnished. The contractor further guarantees that if the items furnished hereunder are to be installed by the contractor, such items will function properly when installed. The contractor also guarantees that all applicable laws have been complied with relating to construction, packaging, labeling, and registration. The contractor's obligations under this paragraph shall survive for a period of one year from the date of delivery, unless otherwise specified in the invitation for bid.
- 7. AWARD: This contract award does not authorize shipment. Shipment against this contract is authorized by the receipt of a purchase order from the ordering agency. A written purchase order mailed or otherwise furnished to the contractor results in a binding obligation without further action by either party.
- 8. DELIVERY: The term of the contract is shown on the face of the contract award. The contractor is required to supply the state's needs during this term. The number of days required to place the commodity in the receiving agency's designated location under normal conditions is also shown. Consistent failure to meet delivery without a valid reason may cause removal from the bidders' list or suspension of eligibility for award.
- 9. BACK ORDERS OR DELAY IN DELIVERY: Back orders or failure to deliver within the time required may be default of the contract. The contractor must give written notice to the Office of State Procurement and ordering agency of the reason and the expected delivery date. If the reason is not acceptable, the contractor is in default. The Office of State Procurement has the right to extend delivery if reasons appear valid. If the date is not acceptable, the agency may buy elsewhere.
- 10. DELIVERY REQUIREMENTS: No substitutions or cancellations are permitted without written approval of the Office of State Procurement. Delivery shall be made during agency work hours

AWARD NO: SP-10-0001 PAGE 135

only, 8:00 a.m. to 4:30 p.m., unless prior approval for other delivery has been obtained from the agency. Packing memoranda shall be enclosed with each shipment.

- 11. STORAGE: The ordering agency is responsible for storage if the contractor delivers within the time required and the agency cannot accept delivery.
- 12. DEFAULT: All commodities furnished will be subject to inspection and acceptance of the ordering agency after delivery. Default in promised delivery or failure to meet specifications authorizes the Office of State Procurement to cancel this contract or any portion of same and reasonably purchase commodities elsewhere and charge full increase, if any, in cost and handling to the defaulting contractor.
- 13. VARIATION IN QUANTITY: The state assumes no liability for commodities produced, processed or shipped in excess of the amount specified herein.
- 14. INVOICING: The contractor shall submit an original and two copies of an itemized invoice showing the bid number and purchase request number when itemized in the invitation for bid. Invoices must be sent to "Invoice to" point shown on the purchase order.
- 15. STATE PROPERTY: Any specifications, drawing, technical information, dies, cuts, negatives, positives, data or any other commodity furnished to the contractor hereunder or in contemplation hereof or developed by the contractor for the use hereunder shall remain property of the state, be kept confidential, be used only as expressly authorized, and be returned at the contractor's expense to the F.O.B. point, properly identifying what is being returned.
- 16. ASSIGNMENT: This contract is not assignable nor the duties hereunder delegable by either party without the written consent of the other party to the contract.
- 17. OTHER REMEDIES: In addition to the remedies outlined herein, the contractor and the state have the right to pursue any other remedy permitted by law or in equity.
- 18. LACK OF FUNDS: The state may cancel this contract to the extent funds are no longer legally available for expenditures under this contract. Any delivered but unpaid for goods will be returned in normal condition to the contractor by the state. If the state is unable to return the commodities in normal condition and there are no funds legally available to pay for the goods, the contractor may file a claim with the Arkansas Claims Commission. If the contractor has provided services and there are no longer funds legally available to pay for the services, the contractor may file a claim.
- 19. QUANTITIES: The state may order more or less than the estimated quantity in the invitation for bid.
- 20. DISCLOSURE: Failure to make any disclosure required by the Governor's Executive Order 98-04, or any violation of any rule, regulation, or policy adopted pursuant to that order, shall be a material breach of the terms of this contract. Any contractor, whether an individual or entity, who fails to make the required disclosure or who violates any rule, regulation, or policy shall be subject to all legal remedies available to the agency.