

Attachment 1 26' Aloha Paradise with Mercury 150EXLPT

LAKE OUACHITA STATE PARK

Boat and motor in this specification must be water ready when delivered. Motor (item 2) must be installed by vendor prior to delivery and acceptance.

ITEM 1 on this Attachment 1

1. 26 FT PARTY BARGE
2. Model: 2025 Aloha Paradise Series 260 Triple Tunnel Sundeck Pontoon Mercury Mechanical controls with digital gauge package
3. Weight Capacity: 3,700 pounds maximum
4. Carrying Capacity: (14) person maximum
5. Horsepower: 250 hp maximum
6. Three (3) heavy duty pontoons
 - a. Length: Center pontoon (26' minimum), Outer Pontoons (25' minimum)
 - b. 5052 marine alloy heavy duty 0.100 gauge or approval equal
 - c. Pontoon Seams: double hand tig-welded
 - d. Pontoon Diameter: 26" minimum
 - e. Continuous block expanded polystyrene flotation from bow to stern in each pontoon.
 - f. Nosecone keel reinforcements
 - g. 25" heavy duty aluminum transom built in the center pontoon
7. Completely welded framework
8. Through Bolted construction on all decking and railing
 - a. Saltwater package: all stainless or aluminum fasteners
 - b. Round aluminum under skin upgrade
9. 8' X 10' sundeck with marine grade carpet and ergonomic ladder
10. Deck Width: 8'6" minimum. Deck Length: 26'9" minimum. Rubber/ Vinyl main decking material required versus standard marine carpet.
11. 8'6" Tongue and groove deck: ¾" seven-ply marine grade panels
12. ¼" thick aluminum u-channel cross members
13. 2" round railing/fencing system with polyurethane paint to prevent saltwater pitting
14. Sweptback compound curve bow
15. Fuel Tank: EPA compliant, built in, 46-gallon.
16. Trailer towing eye and ski tow eye; two (2) stern mooring eyes and two (2) pontoon bow mooring eyes.
17. Front and Rear Entry Gates
18. One (1) ADA compliant side safety gate with full length hinges
19. Transducer and transducer mounting bracket.
20. Upscale furniture; Rotational molded furniture, Furniture to be vinyl upholstery with UV protection, aluminum furniture subbases.
21. Storage under the seats with ventilation
22. Deluxe console with full gauge package, windshield, and 12-volt outlet
23. Built-in horn; AM/FM Bluetooth radio with MP3 input and four (4) speakers
24. Docking lights, LED Courtesy lights
25. Full Color Hummingbird 787 C2 GPS and Fishing System built-in to steering console digital only.
26. Heavy Duty ski tow bar and Rear Entry boarding ladder, drink holders
27. Fire extinguisher with built-in holder

28. Hydraulic Steering
29. Battery with on/off switch
30. Playpen cover
31. Upper deck with ladder
32. Trash Receptacle Built In
33. Front Water Deflectors on Pontoons
34. Certificate of Origin

Referenced Brand: Aloha Paradise Series 260 Triple Tunnel Sundeck or agency approved alternate. Vendor must provide specification sheets prior to contract award. Barge must be new.

Delivery Date: 45 Calendar Days after receipt of outboard motors from Manufacturer

(Continued)
Attachment 1 26' Aloha Paradise with Mercury 150EXLPT

LAKE OUACHITA STATE PARK
MERCURY 150EXLPT PROXS FOURSTROKE

Boats and motors in this specification must be water ready when delivered. Motors (item 2) must be installed by vendor prior to delivery and acceptance.

ITEM 2 on this bid document

Outboard Motor

1. Horsepower: 150 hp minimum
2. Engine Type: 8 valve single overhead cam (SOHC) / Inline 4
3. Displacement (L): 3.0
4. Fuel Induction System: Computer Controlled Multi-Port Electronic Fuel Injection (EFI)
5. Shaft Length: 25 inches
6. Dry Weight: 456 pounds
7. Gearcase Ratio: 2.08:1
8. Gear Shift: F-N-R
9. Full Throttle RPM: 5200-6000 maximum
10. Gearcase Options: Command Thrust
11. Bore and Stroke: 4" x 3.6" (inches)
12. Alternator: 35 amp/ 441 watt with water-cooled voltage regulator
13. Cooling System: Water- cooled with thermostat.
14. Exhaust System: Through Prop
15. Starting Method: Electric (turnkey)
16. Ignition: SmartCraft ECM 70 Digital Inductive
17. Fuel System: Electronic Fuel Injection (EFI)
18. Trim System: Power Tilt, Power Trim
19. Controls: Mechanical Throttle and Shift
20. Steering: Hydraulic Power Steering
21. Emissions Compliance: CARB 3 Star, U.S. EPA
22. Air Induction: Performance-Tuned Scroll Intake Manifold

- 23. Engine Protection Operator Warning System: SmartCraft Engine Guardian
- 24. Certificate of Origin

Reference Brand: Mercury Outboard Motor Four Stroke EXLPT 150HP PRO XS or agency approved alternate. Vendor must provide specification sheets prior to contract award. Motor must be new.

Park Contact: Lake Ouachita State Park
5451 Mountain Pine Road
Mountain Pine AR 71956
Contact: James Wilborn, Superintendent
Phone: 501-293-3372
Email: james.wilborn@arkansas.gov

Delivery Date: 45 Calendar Days after receipt of outboard motors from Manufacture

Attachment 2 26' Aloha Paradise with Mercury 150EXLPT

LAKE OUACHITA STATE PARK

Boats and motors must be water ready when delivered. Motors must be installed by the vendor prior to delivery and acceptance.

ITEM 1 on this Attachment 2

1. 26 FT PARTY BARGE
2. Model: 2025 Aloha Paradise Series 260 Triple Tunnel Sundeck Pontoon Mercury Mechanical controls with digital gauge package
3. Weight Capacity: 3,700 pounds maximum
4. Carrying Capacity: (14) person maximum
5. Horsepower: 250 hp maximum
6. Three (3) heavy duty pontoons
 - a. Length: Center pontoon (26' minimum), Outer Pontoons (25' minimum)
 - b. 5052 marine alloy heavy duty 0.100 gauge or approval equal
 - c. Pontoon Seams: double hand tig-welded
 - d. Pontoon Diameter: 26" minimum
 - e. Continuous block expanded polystyrene flotation from bow to stern in each pontoon.
 - f. Nosecone keel reinforcements
 - g. 25" heavy duty aluminum transom built in the center pontoon
7. Completely welded framework
8. Through Bolted construction on all decking and railing
 - a. Saltwater package: all stainless or aluminum fasteners
 - b. Round aluminum under skin upgrade
9. 8' X 10' sundeck with marine grade carpet and ergonomic ladder
10. Deck Width: 8'6" minimum. Deck Length: 26'9" minimum. Rubber/ Vinyl main decking material required versus standard marine carpet.
11. 8'6" Tongue and groove deck: ¾" seven-ply marine grade panels
12. ¼" thick aluminum u-channel cross members
13. 2" round railing/fencing system with polyurethane paint to prevent saltwater pitting
14. Sweptback compound curve bow
15. Fuel Tank: EPA compliant, built in, 46-gallon.
16. Trailer towing eye and ski tow eye; two (2) stern mooring eyes and two (2) pontoon bow mooring eyes.
17. Front and Rear Entry Gates
18. One (1) ADA compliant side safety gate with full length hinges
19. Transducer and transducer mounting bracket.
20. Upscale furniture; Rotational molded furniture, Furniture to be vinyl upholstery with UV protection, aluminum furniture subbases.
21. Storage under the seats with ventilation
22. Deluxe console with full gauge package, windshield, and 12-volt outlet
23. Built-in horn; AM/FM Bluetooth radio with MP3 input and four (4) speakers
24. Docking lights, LED Courtesy lights
25. Full Color Hummingbird 787 C2 GPS and Fishing System built-in to steering console digital only.
26. Heavy Duty ski tow bar and Rear Entry boarding ladder, drink holders
27. Fire extinguisher with built-in holder
28. Hydraulic Steering

29. Battery with on/off switch
30. Playpen cover
31. Upper deck with ladder
32. Trash Receptacle Built In
33. Front Water Deflectors on Pontoons
34. Certificate of Origin

Referenced Brand: Aloha Paradise Series 260 Triple Tunnel Sundeck or agency approved alternate. Vendor must provide specification sheets prior to contract award. Barge must be new.

Delivery Date: 45 Calendar Days after receipt of outboard motors from Manufacturer

(CONTINUED)

Attachment 2 26' Aloha Paradise with Mercury 150EXLPT

LAKE OUACHITA STATE PARK

MERCURY 150EXLPT PROXS FOURSTROKE

Boats and motors must be water ready when delivered. Motors must be installed by vendor prior to delivery and acceptance.

ITEM 2 on this bid document

Outboard Motor

1. Horsepower: 150 hp minimum
2. Engine Type: 8 valve single overhead cam (SOHC) / Inline 4
3. Displacement (L): 3.0
4. Fuel Induction System: Computer Controlled Multi-Port Electronic Fuel Injection (EFI)
5. Shaft Length: 25 inches
6. Dry Weight: 456 pounds
7. Gearcase Ratio: 2.08:1
8. Gear Shift: F-N-R
9. Full Throttle RPM: 5200-6000 maximum
10. Gearcase Options: Command Thrust
11. Bore and Stroke: 4" x 3.6" (inches)
12. Alternator: 35 amp/ 441 watt with water-cooled voltage regulator
13. Cooling System: Water- cooled with thermostat.
14. Exhaust System: Through Prop
15. Starting Method: Electric (turnkey)
16. Ignition: SmartCraft ECM 70 Digital Inductive
17. Fuel System: Electronic Fuel Injection (EFI)
18. Trim System: Power Tilt, Power Trim
19. Controls: Mechanical Throttle and Shift
20. Steering: Hydraulic Power Steering
21. Emissions Compliance: CARB 3 Star, U.S. EPA
22. Air Induction: Performance-Tuned Scroll Intake Manifold
23. Engine Protection Operator Warning System: SmartCraft Engine Guardian

24. Certificate of Origin

Reference Brand: Mercury Outboard Motor Four Stroke EXLPT 150HP PRO XS or agency approved alternate. Vendor must provide specification sheets prior to contract award. Motor must be new.

Park Contact: Lake Ouachita State Park
5451 Mountain Pine Road
Mountain Pine AR 71956
Contact: James Wilborn, Superintendent
Phone: 501-293-3372
Email: james.wilborn@arkansas.gov

Delivery Date: 45 Calendar Days after receipt of outboard motors from Manufacturer

Attachment 3 26' Aloha Paradise Series with Mercury 150EXLPT

LAKE OUACHITA STATE PARK

Boat and motor must be water ready when delivered. Motors must be installed by vendor prior to delivery and acceptance.

ITEM 1 on this Attachment 3

1. 26 FT PARTY BARGE
2. Model: 2025 Aloha Paradise Series 260 Triple Tunnel Sundeck Pontoon Mercury Mechanical controls with digital gauge package
3. Weight Capacity: 3,700 pounds maximum
4. Carrying Capacity: (14) person maximum
5. Horsepower: 250 hp maximum
6. Three (3) heavy duty pontoons
 - a. Length: Center pontoon (26' minimum), Outer Pontoons (25' minimum)
 - b. 5052 marine alloy heavy duty 0.100 gauge or approval equal
 - c. Pontoon Seams: double hand tig-welded
 - d. Pontoon Diameter: 26" minimum
 - e. Continuous block expanded polystyrene flotation from bow to stern in each pontoon.
 - f. Nosecone keel reinforcements
 - g. 25" heavy duty aluminum transom built in the center pontoon
7. Completely welded framework
8. Through Bolted construction on all decking and railing
 - a. Saltwater package: all stainless or aluminum fasteners
 - b. Round aluminum under skin upgrade
9. 8' X 10' sundeck with marine grade carpet and ergonomic ladder
10. Deck Width: 8'6" minimum. Deck Length: 26'9" minimum. Rubber/ Vinyl main decking material required versus standard marine carpet.
11. 8'6" Tongue and groove deck: ¾" seven-ply marine grade panels
12. ¼" thick aluminum u-channel cross members
13. 2" round railing/fencing system with polyurethane paint to prevent saltwater pitting
14. Sweptback compound curve bow
15. Fuel Tank: EPA compliant, built in, 46-gallon.
16. Trailer towing eye and ski tow eye; two (2) stern mooring eyes and two (2) pontoon bow mooring eyes.
17. Front and Rear Entry Gates
18. One (1) ADA compliant side safety gate with full length hinges
19. Transducer and transducer mounting bracket.
20. Upscale furniture; Rotational molded furniture, Furniture to be vinyl upholstery with UV protection, aluminum furniture subbases.
21. Storage under the seats with ventilation
22. Deluxe console with full gauge package, windshield, and 12-volt outlet
23. Built-in horn; AM/FM Bluetooth radio with MP3 input and four (4) speakers
24. Docking lights, LED Courtesy lights
25. Full Color Hummingbird 787 C2 GPS and Fishing System built-in to steering console digital only.
26. Heavy Duty ski tow bar and Rear Entry boarding ladder, drink holders
27. Fire extinguisher with built-in holder
28. Hydraulic Steering

29. Battery with on/off switch
30. Playpen cover
31. Upper deck with ladder
32. Trash Receptacle Built In
33. Front Water Deflectors on Pontoons
34. Certificate of Origin

Referenced Brand: Aloha Paradise Series 260 Triple Tunnel Sundeck or agency approved alternate. Vendor must provide specification sheets prior to contract award. Barge must be new.

Delivery Date: 45 Calendar Days after receipt of outboard motors from Manufacturer

(Continued)

Attachment 3 26' Aloha Paradise with Mercury 150EXLPT

LAKE OUACHITA STATE PARK

MERCURY 150EXLPT PROXS FOURSTROKE

Boats and motors must be water ready when delivered. Motors must be installed by vendor prior to delivery and acceptance.

ITEM 2 on this bid document.

Outboard Motor

1. Horsepower: 150 hp minimum
2. Engine Type: 8 valve single overhead cam (SOHC) / Inline 4
3. Displacement (L): 3.0
4. Fuel Induction System: Computer Controlled Multi-Port Electronic Fuel Injection (EFI)
5. Shaft Length: 25 inches
6. Dry Weight: 456 pounds
7. Gearcase Ratio: 2.08:1
8. Gear Shift: F-N-R
9. Full Throttle RPM: 5200-6000 maximum
10. Gearcase Options: Command Thrust
11. Bore and Stroke: 4" x 3.6" (inches)
12. Alternator: 35 amp/ 441 watt with water-cooled voltage regulator
13. Cooling System: Water- cooled with thermostat.
14. Exhaust System: Through Prop
15. Starting Method: Electric (turnkey)
16. Ignition: SmartCraft ECM 70 Digital Inductive
17. Fuel System: Electronic Fuel Injection (EFI)
18. Trim System: Power Tilt, Power Trim
19. Controls: Mechanical Throttle and Shift
20. Steering: Hydraulic Power Steering
21. Emissions Compliance: CARB 3 Star, U.S. EPA
22. Air Induction: Performance-Tuned Scroll Intake Manifold
23. Engine Protection Operator Warning System: SmartCraft Engine Guardian

24. Certificate of Origin

Reference Brand: Mercury Outboard Motor Four Stroke EXLPT 150HP PRO XS or agency approved alternate. Vendor must provide specification sheets prior to contract award. Motor must be new.

Park Contact: Lake Ouachita State Park
5451 Mountain Pine Road
Mountain Pine AR 71956
Contact: James Wilborn, Superintendent
Phone: 501-293-3372
Email: james.wilborn@arkansas.gov

Delivery Date: 45 Calendar Days after receipt of outboard motors from Manufacturer

Attachment 4 26' Aloha Paradise with Mercury 150EXLPT

LAKE OUACHITA STATE PARK

Boats and motors must be water ready when delivered. Motors must be installed by vendor prior to delivery and acceptance.

ITEM 1 on this Attachment 4

1. 26 FT PARTY BARGE
2. Model: 2025 Aloha Paradise Series 260 Triple Tunnel Sundeck Pontoon Mercury Mechanical controls with digital gauge package
3. Weight Capacity: 3,700 pounds maximum
4. Carrying Capacity: (14) person maximum
5. Horsepower: 250 hp maximum
6. Three (3) heavy duty pontoons
 - a. Length: Center pontoon (26' minimum), Outer Pontoons (25' minimum)
 - b. 5052 marine alloy heavy duty 0.100 gauge or approval equal
 - c. Pontoon Seams: double hand tig-welded
 - d. Pontoon Diameter: 26" minimum
 - e. Continuous block expanded polystyrene flotation from bow to stern in each pontoon.
 - f. Nosecone keel reinforcements
 - g. 25" heavy duty aluminum transom built in the center pontoon
7. Completely welded framework
8. Through Bolted construction on all decking and railing
 - a. Saltwater package: all stainless or aluminum fasteners
 - b. Round aluminum under skin upgrade
9. 8' X 10' sundeck with marine grade carpet and ergonomic ladder
10. Deck Width: 8'6" minimum. Deck Length: 26'9" minimum. Rubber/ Vinyl main decking material required versus standard marine carpet.
11. 8'6" Tongue and groove deck: ¾" seven-ply marine grade panels
12. ¼" thick aluminum u-channel cross members
13. 2" round railing/fencing system with polyurethane paint to prevent saltwater pitting
14. Sweptback compound curve bow
15. Fuel Tank: EPA compliant, built in, 46-gallon.
16. Trailer towing eye and ski tow eye; two (2) stern mooring eyes and two (2) pontoon bow mooring eyes.
17. Front and Rear Entry Gates
18. One (1) ADA compliant side safety gate with full length hinges
19. Transducer and transducer mounting bracket.
20. Upscale furniture; Rotational molded furniture, Furniture to be vinyl upholstery with UV protection, aluminum furniture subbases.
21. Storage under the seats with ventilation
22. Deluxe console with full gauge package, windshield, and 12-volt outlet
23. Built-in horn; AM/FM Bluetooth radio with MP3 input and four (4) speakers
24. Docking lights, LED Courtesy lights
25. Full Color Hummingbird 787 C2 GPS and Fishing System built-in to steering console digital only.
26. Heavy Duty ski tow bar and Rear Entry boarding ladder, drink holders
27. Fire extinguisher with built-in holder

28. Hydraulic Steering
29. Battery with on/off switch
30. Playpen cover
31. Upper deck with ladder
32. Trash Receptacle Built In
33. Front Water Deflectors on Pontoons
34. Certificate of Origin

Referenced Brand: Aloha Paradise Series 260 Triple Tunnel Sundeck or agency approved alternate. Vendor must provide specification sheets prior to contract award. Barge must be new.

Delivery Date: 45 Calendar Days after receipt of outboard motors from Manufacturer

(Continued)

Attachment 4 26' Aloha Paradise with Mercury 150EXLPT

LAKE OUACHITA STATE PARK

MERCURY 150EXLPT PROXS FOURSTROKE

Boats and motors in this specification must be water ready when delivered. Motors (item 2) must be installed by vendor prior to delivery and acceptance.

ITEM 2 on this bid document

Outboard Motor

1. Horsepower: 150 hp minimum
2. Engine Type: 8 valve single overhead cam (SOHC) / Inline 4
3. Displacement (L): 3.0
4. Fuel Induction System: Computer Controlled Multi-Port Electronic Fuel Injection (EFI)
5. Shaft Length: 25 inches
6. Dry Weight: 456 pounds
7. Gearcase Ratio: 2.08:1
8. Gear Shift: F-N-R
9. Full Throttle RPM: 5200-6000 maximum
10. Gearcase Options: Command Thrust
11. Bore and Stroke: 4" x 3.6" (inches)
12. Alternator: 35 amp/ 441 watt with water-cooled voltage regulator
13. Cooling System: Water- cooled with thermostat.
14. Exhaust System: Through Prop
15. Starting Method: Electric (turnkey)
16. Ignition: SmartCraft ECM 70 Digital Inductive
17. Fuel System: Electronic Fuel Injection (EFI)
18. Trim System: Power Tilt, Power Trim
19. Controls: Mechanical Throttle and Shift
20. Steering: Hydraulic Power Steering
21. Emissions Compliance: CARB 3 Star, U.S. EPA

- 22. Air Induction: Performance-Tuned Scroll Intake Manifold
- 23. Engine Protection Operator Warning System: SmartCraft Engine Guardian
- 24. Certificate of Origin

Reference Brand: Mercury Outboard Motor Four Stroke EXLPT 150HP PRO XS or agency approved alternate. Vendor must provide specification sheets prior to contract award. Motor must be new.

Park Contact: Lake Ouachita State Park
5451 Mountain Pine Road
Mountain Pine AR 71956
Contact: James Wilborn, Superintendent
Phone: 501-293-3372
Email: james.wilborn@arkansas.gov

Delivery Date: 45 Calendar Days after receipt of outboard motors from Manufacturer

Attachment 5 B&M Haul-Rite Pontoon Trailer Model FS25T

LAKE OUACHITA STATE PARK

1. Overall Length: 31' 6"
2. Bunk Length: 20'
3. Bunks Set to 74" on center
4. Twin Axle
5. Disc Brakes on one Axle
6. Ladder with Winch
8. Tongue Jack
9. Heavy Duty Construction with 2" x 6" Painted Steel Tube
10. 14" Aluminum Wheels
11. Spare Tire with Mounting Bracket
12. 5,000 Pound Capacity
13. Certificate of Origin Included

Park Contact: Lake Ouachita State Park

5451 Mountain Pine Road
Mountain Pine AR 71956
Contact: James Wilborn, Superintendent
Phone: 501-293-3372
Email: james.wilborn@arkansas.gov

Attachment 6 26' Aloha Paradise with Mercury 115 CT4

ATTENTION: Attachment 6 specifications are different from Attachment 1-4 specifications!

LAKE CATHERINE STATE PARK

Boats and motors in this specification must be water ready when delivered. Motor (item 2) must be installed by vendor prior to delivery and acceptance

ITEM 1 on this Attachment 1

1. 26 FT PARTY BARGE
2. Model: 2025 Aloha Paradise Sundeck Pontoon Boat
3. Weight Capacity: 3,700 pounds maximum
4. Carrying Capacity: (14) person maximum
5. Horsepower: 115 hp maximum
6. Innovative 2" Round Railing/Fencing System
7. Aluminum Tread Plate Headliner with LED Back Light
8. Forward and Aft LED docking light housing
9. Center Pontoon with Fully Integrated Transom
10. 46 Gallon Fuel Tank Integrated within Center Pontoon
11. 10' Ski Locker Integrated within center pontoon
12. Aerodynamic fiberglass steering console with elevated base platform
13. Boat fender holder within console
14. Full function digital gauge package
15. Pre-wired for accessories
16. Ergonomic ladder
17. Large glove box
18. Built-In Horn
19. Tinted Windshield
20. USB Port
21. 12 Volt Outlet
22. Large Color Multifunction GPS
23. Hydraulic Tilt Steering Head with Hydraulic Steering System
24. Driver's Seat Fore and Aft Slide adjustment and Swivel with Swing-Up Arms and Seat Bolster
25. Fire extinguisher with built-in holder
26. Premium Bluetooth Stereo Package with Premium Speakers
27. Aluminum Substrate furniture; Marine Grade Vinyl with UV Protection
28. Storage under the seats with ventilation
29. Deluxe Marine Vinyl Flooring
30. Refreshment Center with storage
31. Aerodynamic, Sweptback, Compound Curve Bow with Large Storage Areas under Bow Seats
32. Extended Aft Swim Platform
33. Certificate of Origin

Referenced Brand: Aloha Paradise Sundeck or agency approved alternate. Vendor must provide specification sheets prior to contract award. Barge must be new.

Delivery Date: 45 Calendar Days after receipt of outboard motors from Manufacturer

(Continued)

Attachment 5 26' Aloha Paradise with Mercury 115 CT4

LAKE CATHERINE STATE PARK

Boats and motors in items 4 & 5 must be water ready when delivered. Motor (item 2) must be installed by vendor prior to delivery and acceptance.

ITEM 2 on this bid document

Outboard Motor

1. Horsepower: 115 hp minimum
2. Engine Type: Inline 4
3. Displacement (L): 2.1
4. Fuel Induction System: Computer Controlled Multi-Port Electronic Fuel Injection (EFI)
5. Shaft Length: 25 inches
6. Dry Weight: 363 pounds
7. Gearcase Ratio: 2.38:1
8. Gear Shift: F-N-R
9. Full Throttle RPM: 5000-6000 maximum
10. Gearcase Options: Command Thrust
11. Bore and Stroke: 3.5" x 3.2" (inches)
12. Alternator: 35 amp/ 441 watt with water-cooled voltage regulator
13. Cooling System: Water- cooled with thermostat.
14. Exhaust System: Through Prop
15. Starting Method: Smart Start Electric
16. Ignition: SmartCraft ECM 70 Digital Inductive
17. Fuel System: Electronic Fuel Injection (EFI)
18. Trim System: Power Tilt, Power Trim
19. Shallow water trim range: 20 degrees
20. Steering: Hydraulic Power Steering
21. Emissions Compliance: CARB 3 Star, U.S. EPA
22. Air Induction: Performance-Tuned Scroll Intake Manifold
23. Lubrication: Wet sump
24. Certificate of Origin

Reference Brand: Mercury Outboard Motor Four Stroke EFI 115HP Command Thrust or agency approved alternate. Vendor must provide specification sheets prior to contract award. Motor must be new.

Delivery Date: 45 Calendar Days after receipt of outboard motors from Manufacturer

Park Contact: Lake Catherine State Park
1200 State Park Road
Hot Springs, AR 71913
Park Contact: Cheryl Vincent, Superintendent
Phone/Email: 501-844-4205 / cheryl.vincent@arkansas.gov